

## **WHOLEGOODS PRICE LIST**

### **EFFECTIVE JANUARY 1, 2007**

Please replace these pages of the current price book. These pages are a complete revision of this section of your price book.

NOTE: Tire prices appear per piece.

**This page intentionally left blank.**



PAGE NUMBER	MODEL	PTO HP	SUGGESTED LIST PRICE
4-4	B7410DT	15.0	\$8,847.00
4-5	B7510DT	17.0	\$9,741.00
4-6	B7510DTN	17.0	\$10,654.00
4-7	B7510HSD	16.0	\$10,991.00
4-8	B7610HSD	18.0	\$11,876.00
4-9	B7800HSD	22.0	\$13,606.00
4-10	B2630HSD	19.5	\$14,645.00
4-11	B3030HSD	23.0	\$15,991.00
4-12	B3030HSDC	23.0	\$20,318.00
4-13	B3030HSDCC	23.0	\$20,703.00
4-15	B2410HSE*	18.0	\$12,192.00
4-16	B2410HSD*	18.0	\$13,731.00
4-17	B2410HSDB*	18.0	\$14,116.00
4-18	B2710HSD*	20.0	\$14,905.00
4-19	B2910HSD*	22.0	\$15,943.00
4-21	Implement Matching Chart		
4-22	Attachment Matching Chart		
4-24	Dealer Installed Options		
4-28	Front Loaders		
4-32	Backhoes		
4-34	Mounted Mowers/Grass Catchers		
4-41	Front Mounted Implements		
4-47	Rear Blades		
4-48	Post Hole Digger		
4-49	Box Scrapers		
4-50	Trencher		
4-54	Rotary Tillers		
4-56	Replacement Engines		

\* Subject to availability.

# Standard B-Series B7410DT



\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # D782  
3 Cyl. 47.5 cu. In.  
+ 18.0 Gross Eng. HP  
+ 15.0 PTO HP  
@ 2900 Eng. Rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps  
Radial Air Flow Cooling  
Dual Element Air Cleaner

**HYDRAULICS**

Open Center Gear Type  
3.9 gpm Remote/3 Pt. Hitch  
Cat I 3-point Hitch  
At lift Point 1356 lbs.  
24" Behind 1058 lbs.  
Quarter Inching Valve

**FRONT AXLE**

Manual Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing, Nonadjustable

+ Manufacturer estimate.

**DRIVE TRAIN**

6 Forward Speeds  
2 Reverse Speeds  
Fender Mount Shift Levers  
Rear Differential Lock  
Wet Disc Brakes

**FLUID CAPACITY**

Fuel Tank 3.7 gal.  
Cooling System 2.9 qts.  
Crankcase 2.5 qts.  
Transmission and  
Hydraulics 3.2 gal.

**POWER TAKE OFF**

Transmission driven with  
overrunning clutch  
Rear PTO – 2 Speed  
SAE Std 1 3/8" Six Spline  
1<sup>ST</sup> Speed – 540 rpm @ 2900  
Eng. rpm  
2<sup>nd</sup> Speed – 954 rpm @ 2900  
Eng. rpm  
Operator Presence Control System

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Parking Brakes  
SMV Sign

**TIRES AND WHEELS**

Front 6 - 12 R1 AG  
Rear 9.5 - 16 R1 AG

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE WITH STANDARD TIRES \*\*\*

<b>B7410DT-R</b>	<b>4WD TRACTOR</b> 2 Post with Low Profile Rigid ROPS Not compatible with a Backhoe	1298	\$ 8,847.00
<b>B7410DT-F</b>	<b>4WD TRACTOR</b> 2 Post with Foldable ROPS Compatible with a Backhoe (8.95 inches taller) Folded height 64.6" with standard tires	1342	\$ 8,895.00

TIRES AND WHEELS (priced per piece) B7410DT-R/F				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B7410DT-R SUGG. LIST	B7410DT-F SUGG. LIST
BR8701**	Front 6 - 12 R1 AG	34	\$113.00		
ABR8755B	Rear 9.5 - 16 R1 AG	85	\$251.00	\$8,847.00	\$8,895.00
ABR8735	Front 21 x 8.00 -- 10 PD TURF	29	\$113.00		
BR8778	Rear 31 x 15.50 -- 15 BAR TURF	84	\$298.00	\$8,941.00	\$8,989.00
ABR8736	Front 23 x 8.50 -- 12 TURF	30	\$129.00		
ABR8779	Rear 33 x 12.50 -- 15 TURF	89	\$257.00	\$8,891.00	\$8,939.00
ABR8763	Front 23 x 8.50 -- 12 R4 Ind.	35	\$147.00		
ABR8764	Rear 12 x 16.5 R4 Ind.	103	\$269.00	\$8,951.00	\$8,999.00

\*\* Standard tires

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.



# Standard B-Series B7510DT

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # D1005  
3 Cyl. 61.1 cu. In.  
+ 21 Gross Eng. HP  
+ 17 PTO HP  
@ 2600 Eng. Rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps  
Radial Air Flow Cooling  
Dual Element Air Cleaner

**HYDRAULICS**

Open Center—Gear Type  
2.6 gpm Power Steering  
4.4 gpm Remote/3 Pt. Hitch  
7.0 gpm Total Hyd. Flow  
Cat I 3-point Hitch  
At lift Point 1356 lbs.  
24" Behind 1058 lbs.  
Quarter Inching Valve

+ Manufacturer estimate.

**FRONT AXLE**

Integral Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing, Nonadjustable

**DRIVE TRAIN**

6 Forward Speeds  
2 Reverse Speeds  
Fender Mounted Shift Lever  
Rear Differential Lock  
Wet Disc Brakes

**FLUID CAPACITY**

Fuel Tank 5.0 gal.  
Cooling System 4.0 qts.  
Crankcase 3.2 qts.  
Transmission and  
Hydraulics 3.57 gal.

**POWER TAKE OFF**

Transmission Driven with Overrunning  
Clutch  
Rear PTO – 2 Speed  
SAE Std 1 3/8" Six Spline  
1<sup>st</sup> Speed - 540 rpm @ 2600  
Eng. rpm  
2<sup>nd</sup> Speed – 960 rpm @ 2554  
Eng. rpm  
Mid PTO – 1 Speed  
2521rpm @ 2600 Eng. rpm  
Operator Presence Control System

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Parking Brakes  
SMV Sign

**TIRES AND WHEELS**

Front 6 x 12 R1  
Rear 9.5 x 16 R1

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE WITH STANDARD TIRES \*\*\*

<b>B7510DT-R</b>	<b>4WD TRACTOR</b> With 2 Post Low Profile Rigid ROPS Not compatible with a Backhoe	1298	\$ 9,741.00
<b>B7510DT-F<sup>Ⓛ</sup></b>	<b>4WD TRACTOR</b> With 2 Post Foldable ROPS Compatible with a Backhoe (8.95 inches taller). Folded height 65.8" with standard tires	1342	\$ 9,790.00

TIRES AND WHEELS (priced per piece) B7510DT-R / -F				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B7510DT-R SUGG. LIST	B7510DT-F SUGG. LIST
BR8701**	Front 6 - 12 -- R1 AG	32	\$113.00	\$9,741.00	\$9,790.00
ABR8755B**	Rear 9.5 - 16 -- 12 AG	77	\$251.00		
ABR8735	Front 21.0 x 8.00 - 10 -- TURF	35	\$113.00	\$9,835.00	\$9,884.00
BR8778	Rear 31 x 15.50 - 15 BAR/TURF	89	\$298.00		
ABR8736	Front 23 x 8.50 -- 12 TURF	9	\$129.00	\$9,785.00	\$9,834.00
ABR8779	Rear 33 x 12.50 -- 15 TURF	89	\$257.00		
ABR8763	Front 23 x 8.50 - 12 -- R4 IND.	35	\$147.00	\$9,845.00	\$9,894.00
ABR8764	Rear 12 - 16.5 R4 IND.	103	\$269.00		

\*\* Standard tires.

Ⓛ For new tractor order in backhoe application, order in lieu of -R standard ROPS.

# Standard B-Series B7510DTN (Narrow)



\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # D1005  
3 Cyl. 61.1 cu. In.  
+ 21 Gross Eng. HP  
+ 17 PTO HP  
@ 2600 Eng. Rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps  
Radial Air Flow Cooling  
Dual Element Air Cleaner

**HYDRAULICS**

Open Center—Gear Type  
2.6 gpm Power Steering  
4.4 gpm Remote/3 Pt. Hitch  
7.0 gpm Total Hyd. Flow  
Cat I 3-point Hitch  
At lift Point 1655 lbs.  
24" Behind 1300 lbs.  
Position Control Valve for precise  
implement control

**FRONT AXLE**

Integral Power Steering  
Cast Iron (Narrow)  
35.6" Outside Rear Wheel Width  
Bevel Gear, 4WD  
Tread Spacing, Nonadjustable  
High Ground Clearance

**DRIVE TRAIN**

6 Forward Speeds  
2 Reverse Speeds  
Fender Mounted Shift Lever  
Rear Differential Lock  
Wet Disc Brakes  
Narrowed Right Brake Pedal Pad

**FLUID CAPACITY**

Fuel Tank 5.0 gal.  
Cooling System 4.0 qts.  
Crankcase 3.2 qts.  
Transmission 3.57 gal.  
and Hydraulics

**POWER TAKE OFF**

Transmission Driven with Continuous  
Gear One-way Clutch  
Rear PTO – 2 Speed  
SAE Std 1 3/8" Six Spline  
1<sup>st</sup> Speed – 540 rpm @ 2600  
Eng. rpm  
2<sup>nd</sup> Speed – 954 rpm @ 2600  
Eng. rpm

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Parking Brakes  
SMV Sign

**TIRES AND WHEELS**

Front 5 x 12 R1 AG  
Rear 8 x 16 R1 AG  
Adjustable Rear Tread

+ Manufacturer estimate.

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE WITH STANDARD TIRES \*\*\*

<b>B7510DTN-R</b>	<b>4WD TRACTOR</b> With 2 Post Low Profile Rigid ROPS Not compatible with a Backhoe	1298	\$ 10,654.00
-------------------	---	------	--------------

TIRES AND WHEELS (priced per piece) B7510DTN-R				Price with Tire Option
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B7510DTN-R SUGG. LIST
BR8762**	Front 5 - 12 -- R1 AG	32	\$93.00	\$10,654.00
BR8754**①	Rear 8 - 16 AG	66	\$212.00	
BR8701	Front 6 -- 12 R1 AG	34	\$113.00	\$10,672.00
ABR8753B②	Rear 8.3 -- 16 R1 AG	65	\$201.00	

① Optional Rear Wheel Weights B8048 are dedicated to this wheel combination only.

② Optional Rear Wheel Weights B8058 are dedicated to this wheel combination only.

\*\* Standard tires.



# Standard B-Series B7510HSD

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # D1005  
3 Cyl. 61.1 cu. In.  
+ 21 Gross Eng. HP  
+ 16 PTO HP  
@ 2600 Eng. Rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps  
Radial Air Flow Cooling  
Dual Element Air Cleaner

**HYDRAULICS**

Open Center Gear Type  
2.6 gpm Power Steering  
4.4 gpm Remote/3 Pt. Hitch  
7.0 gpm Total Hyd. Flow  
Cat I 3-point Hitch  
At lift Point 1356 lbs.  
24" Behind 1058 lbs.  
Quarter Inching Valve

+ Manufacturer estimate.

**FRONT AXLE**

Integral Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing, Nonadjustable

**DRIVE TRAIN**

Hydrostatic Drive  
Forward Speeds  
Hi Range 0 – 9.60 mph  
Lo Range 0 – 3.9 mph  
Reverse Speeds  
Hi Range 0 – 7.7 mph  
Lo Range 0 – 3.1 mph  
Rear Differential Lock  
Wet Disc Brakes

**FLUID CAPACITY**

Fuel Tank 5.3 gal.  
Cooling System 4.0 qts.  
Crankcase 3.2 qts.  
Transmission 4.04 gal.  
and Hydraulics

**POWER TAKE OFF**

Live Continuous Running Rear  
And Mid PTO  
Rear PTO – 2 Speed  
SAE Std 1 3/8" Six Spline  
1<sup>st</sup> Speed - 540 rpm @ 2600  
Eng. rpm  
2<sup>nd</sup> Speed – 977rpm @ 2600  
Eng. rpm  
Mid PTO – 1 Speed  
2521rpm @ 2600 Eng. rpm  
Operator Presence Control System

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Parking Brakes  
SMV Sign

**TIRES AND WHEELS**

Front 6 x 12 R1  
Rear 9.5 x 16 R1

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE WITH STANDARD TIRES \*\*\*

<b>B7510HSD-R</b>	<b>4WD TRACTOR</b> With 2 Post Low Profile Rigid ROPS Not compatible with a Backhoe	1342	\$ 10,991.00
<b>B7510HSD-F①</b>	<b>4WD TRACTOR</b> With 2 Post Foldable ROPS Compatible with a Backhoe (8.95 inches taller) Folded height 65.8" with standard tires	1386	\$ 11,040.00

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B7510HSD-R SUGG. LIST	B7510HSD-F SUGG. LIST
BR8701**	Front 6 - 12 -- R1 AG	34	\$113.00	\$10,991.00	\$11,040.00
ABR8755B**	Rear 9.5 - 16 -- 12 AG	85	\$251.00		
ABR8735	Front 21.0 x 8.00 - 10 -- TURF	29	\$113.00	\$11,085.00	\$11,134.00
BR8778	Rear 31 x 15.50 - 15 BAR/TURF	84	\$298.00		
ABR8736	Front 23 x 8.50 -- 12 TURF	30	\$129.00	\$11,035.00	\$11,084.00
ABR8779	Rear 33 x 12.50 -- 15 TURF	89	\$257.00		
ABR8763	Front 23 x 8.50 - 12 -- R4 IND.	35	\$147.00	\$11,095.00	\$11,144.00
ABR8764	Rear 12 - 16.5 R4 IND.	103	\$269.00		

\*\* Standard tires.

① For new tractor order in backhoe application, order in lieu of -R standard ROPS.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.  
Complete revision January 1, 2007.

# Standard B-Series B7610HSD



\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # D1105ED16  
3 Cyl. 68.5 cu. In.  
+ 24 Gross Eng. HP  
+ 18 PTO HP  
@ 2600 Eng. rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps  
Radial Air Flow Cooling

**HYDRAULICS**

Open Center Gear Type  
2.6 gpm Power Steering  
4.4 gpm Remote/3 Pt. Hitch  
7.0 gpm Total Hyd. Flow  
Cat I 3-point Hitch  
At lift Point 1356 lbs.  
24" Behind 1058 lbs.  
Quarter Inching Valve

+ Manufacturer estimate.

**FRONT AXLE**

Integral Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing, Nonadjustable

**DRIVE TRAIN**

Hydrostatic Drive  
Forward Speeds  
Hi Range 0 – 10.2 mph  
Lo Range 0 – 4.1 mph  
Reverse Speeds  
Hi Range 0 – 8.2 mph  
Lo Range 0 – 3.3 mph  
Rear Differential Lock  
Wet Disc Brakes

**FLUID CAPACITY**

Fuel Tank 5.3 gal.  
Cooling System 4.0 qts.  
Crankcase 3.2 qts.  
Transmission and Hydraulics 4.04gal.

**POWER TAKE OFF**

Live Continuous Running Rear  
And Mid PTO  
Rear PTO – 2 Speed  
SAE Std 1 3/8" Six Spline  
1<sup>st</sup> Speed - 540 rpm @ 2600 Eng. rpm  
2<sup>nd</sup> Speed - 960 rpm @ 2600 Eng. rpm  
Mid PTO – 1 Speed  
2521 rpm @ 2600 Eng. rpm  
Operator Presence Control System

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Parking Brakes  
SMV Sign

**TIRES AND WHEELS**

Front 180/85 D12 R1  
Rear 11.2 x 16 R1

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE WITH STANDARD TIRES ***			
B7610HSD-R	<b>4WD TRACTOR</b> With 2 Post Low Profile Rigid ROPS Not compatible with a Backhoe	1342	\$ 11,876.00
B7610HSD-F①	<b>4WD TRACTOR</b> With 2 Post Foldable ROPS Compatible with a Backhoe (8.95 inches taller) Folded height 66.8" with standard tires	1386	\$ 11,924.00

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B7610HSD-R SUGG. LIST	B7510HSD-F SUGG. LIST
BR8707**	Front 180/85 D12 R1 AG	37	\$138.00	\$11,876.00	\$11,924.00
ABR8769**	Rear 11.2 - 16 -- 12 AG	98	\$245.00		
BR8701	Front 6 - 12 -- R1 AG	32	\$113.00	\$11,838.00	\$11,886.00
ABR8755B	Rear 9.5 - 16 -- 12 AG	77	\$251.00		
ABR8735	Front 21.0 x 8.00 - 10 -- TURF	35	\$113.00	\$11,932.00	\$11,980.00
BR8778	Rear 31 x 15.50 - 15 BAR/TURF	89	\$298.00		
ABR8736	Front 23 x 8.50 -- 12 TURF	9	\$129.00	\$11,882.00	\$11,930.00
ABR8779	Rear 33 x 12.50 -- 15 TURF	89	\$257.00		
ABR8763	Front 23 x 8.50 - 12 -- R4 IND.	35	\$147.00	\$11,942.00	\$11,990.00
ABR8764	Rear 12 - 16.5 R4 IND.	103	\$269.00		

\*\* Standard tires.

① For new tractor order in backhoe application, order in lieu of -R standard ROPS.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



# Standard B-Series B7800HSD

**\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\***

**DIESEL ENGINE**

Model # V1505  
4 Cyl. 91.5 cu. In.  
+ 30 Gross Eng. HP  
+ 22.0 PTO HP  
@ 2600 Eng. Rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps

**HYDRAULICS**

Open Center Gear Type  
3.1 gpm Power Steering  
6.4 gpm Remote/3 Pt. Hitch  
9.5 gpm Total Hyd. Flow  
Cat I 3-point Hitch  
At lift Point 1655 lbs.  
24" Behind 1300 lbs.

**FRONT AXLE**

Integral Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing, Nonadjustable  
+ Manufacturer estimate.

**TRANSMISSION**

Hydrostatic Drive  
Forward Speeds  
Hi Range 0 – 11.9 mph  
Med. Range 0 – 5.3 mph  
Lo Range 0 – 3.1 mph  
Reverse Speeds  
Hi Range 0 – 9.4 mph  
Med. Range 0 – 4.3 mph  
Lo Range 0 – 2.5 mph  
Rear Differential Lock

**FLUID CAPACITY**

Fuel Tank 6.9 gal.  
Cooling System 4.7 qts.  
Crankcase 4.3 qts.  
Transmission and Hydraulics 3.83 qts.

**POWER TAKE OFF**

Live Continuous Running Rear  
Mid PTO is optional (-R), standard (-F)  
Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 2600 Eng. rpm  
Mid PTO – 1 Speed  
2521 rpm @ 2600 Eng. rpm  
Operator Presence Control System

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Wet Disc Brakes  
Parking Brakes

**TIRES AND WHEELS**

Front 180/85 D12 R1  
Rear 12.4 x 16 R1

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

**\*\*\* STANDARD MACHINE WITH STANDARD TIRES \*\*\***

<b>B7800HSD-R</b>	<b>4WD TRACTOR (Mid-PTO Optional)</b> With 2 Post Low Profile Rigid ROPS Not compatible with a Backhoe	1770	\$ 13,606.00
<b>B7800HSD-F<sup>①</sup></b>	<b>4WD TRACTOR (Includes Mid-PTO)</b> With 2 Post Foldable ROPS Compatible with a Backhoe (10.45 inches taller) Folded height 69.3" with standard tires	1890	\$ 13,750.00

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	L7800HSD-R SUGG. LIST	L7800HSD-F SUGG. LIST
BR8707**	Front 180/85 D12 R1 AG	31	\$138.00	\$13,606.00	\$13,750.00
ABR9382**	Rear 12.4 - 16 R1 AG	95	\$321.00		
ABR8742	Front 24 x 8.50 - 14 TURF Multi Trac	35	\$148.00	\$13,672.00	\$13,816.00
ABR8744 <sup>②</sup>	Rear 13.6 - 16 TURF Multi Trac	120	\$344.00		
ABR8726	Front 23 x 8.50 - 14 R4 IND.	35	\$146.00	\$13,674.00	\$13,818.00
BR8749	Rear 12.4 - 16 R4 IND.	147	\$347.00		

\*\*Standard tires.

① For new tractor order in backhoe application, order in lieu of -R standard ROPS.

② When using these tires for RCK60-27B, Stopper Extensions must be installed. Stopper extensions are included with RCK60-27B Mid-Mount Mower from Serial #22715 and above. Prior model mid-mount mowers Serial 22714 and lower, require Part #70000-00158 Stopper Extension Kit for compatibility.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.

# Premier B-Series B2630HSD



\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### DIESEL ENGINE

Model # D1105E2D21  
E-TVCS 3 Cyl., 81.5 cu. in.  
+ 26 Gross Eng. HP  
+ 19.5 PTO HP  
@ 2800 Eng. rpm  
12 V - 36 Amp Hour Battery  
Charging Output 14.5 Amps  
Radial Air Flow Cooling  
Dual Element Air Cleaner

### HYDRAULICS

Open Center  
Dual Pumps  
Hyd. Pump Cap.  
4.23 gpm Power Steering  
5.6 gpm Remote Output  
9.8 gpm Total  
Cat I 3-point Hitch  
at Lift Point lbs.  
24" Behind 1676 lbs.

### FRONT AXLE

Hydrostatic Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing - Nonadjustable

### DRIVE TRAIN

Hydrostatic Transmission  
Forward Speeds —  
Hi Range 0 - 11.5 mph  
Med Range 0 - 5.3 mph  
Lo Range 0 - 3.1 mph  
Reverse Speeds —  
Hi Range 0 - 9.2 mph  
Med Range 0 - 4.3 mph  
Lo Range 0 - 2.5 mph  
Rear Differential Lock  
Multi-Plate Wet Disc Brakes

### FLUID CAPACITY

Fuel Tank 8.1 gal.  
Cooling System 4.2 qts.  
Crankcase 4.3 qts.  
Transmission and Hydraulics 4.76 gal.

### TIRES AND WHEELS

Front 180/85 D12 R1  
Rear 12.4 - 16 R1

### POWER TAKE OFF

Independent Rear and Mid PTO  
Rear PTO — 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 2768 Eng. rpm  
Mid PTO - 1 Speed  
2542 rpm @ 2800 Eng. rpm

### SAFETY EQUIPMENT

2-Post ROPS w/Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Parking Brake  
SMV Sign  
Turn Signals / Hazard Lights

### PREMIER PLUS FEATURES

Tilt Steering Wheel  
Deluxe Cruise Control  
Adjustable Seat Suspension  
3 Pt. Lower extendible links  
Ratchet right link  
Enclosed operator controls

+ Manufacturer estimate.

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE WITH STANDARD TIRES ***			
B2630HSD-R	<b>4WD TRACTOR</b> With 2 Post Low Profile Rigid ROPS Not compatible with a Backhoe.	1364	\$ 14,645.00
B2630HSD-F①	<b>4WD TRACTOR</b> With 2 Post Foldable ROPS Compatible with a Backhoe (11.56 inches taller) Folded height 69.3" with standard tires.	1408	\$ 14,693.00

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B2630HSD-R SUGG. LIST	B2630HSD-F SUGG. LIST
BR8707**	Front 180/85 D12 R1 AG	31	\$138.00	\$14,645.00	\$14,693.00
ABR9382**	Rear 12.4 - 16 R1 AG	95	\$321.00		
ABR8742	Front 24 x 8.50 - 14 TURF Multi Trac	35	\$148.00	\$14,711.00	\$14,759.00
ABR8744	Rear 13.6 - 16 TURF Multi Trac	120	\$344.00		
ABR8726	Front 23 x 8.50 - 14 R4 IND.	35	\$146.00	\$14,713.00	\$14,761.00
BR8749	Rear 12.4 - 16 R4 IND.	147	\$347.00		

\*\* Standard tires.

① For new tractor order in backhoe application, order in lieu of -R standard ROPS.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



# Premier Plus B-Series B3030HSD

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # V1505E2D21  
4 Cyl. 91.5 cu. In.  
+ 30 Gross Eng. HP  
+ 23.0 PTO HP  
@ 2600 Eng. Rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps

**HYDRAULICS**

Open Center Gear Type  
Dual Pumps  
Hyd. Pump Cap.  
3.9 gpm Power Steering  
5.2 gpm Remote Output  
9.1 gpm Total  
Cat I 3-point Hitch  
At lift Point 1655 lbs.  
24" Behind 1676 lbs.

**FRONT AXLE**

Hydrostatic Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing, Nonadjustable

+ Manufacturer estimate.

**TRANSMISSION**

Hydrostatic Drive  
Forward Speeds  
Hi Range 0 – 11.9 mph  
Med. Range 0 – 5.3 mph  
Lo Range 0 – 3.1 mph  
Reverse Speeds  
Hi Range 0 – 9.4 mph  
Med. Range 0 – 4.3 mph  
Lo Range 0 – 2.5 mph  
Rear Differential Lock

**FLUID CAPACITY**

Fuel Tank 8.1 gal.  
Cooling System 4.7 qts.  
Crankcase 4.3 qts.  
Transmission and Hydraulics 4.76 qts.

**TIRES AND WHEELS**

Front 180/85 D12 R1  
Rear 12.4 - 16 R1

**POWER TAKE OFF**

Independent PTO  
Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 2592 Eng. rpm  
Mid PTO – 1 Speed  
2500 rpm @ 2600 Eng. rpm

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Wet Disc Brakes  
Parking Brakes  
Turn Signals / Hazard Lights

**PREMIER PLUS FEATURES**

Tilt Steering Wheel  
Deluxe Cruise Control  
Adjustable Seat Suspension  
3 Pt. Lower extendible links  
Ratchet right link  
Enclosed operator controls  
Seat with Arm Rests

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE WITH STANDARD TIRES \*\*\*

<b>B3030HSD-R</b>	<b>4WD TRACTOR</b> With 2 Post Low Profile Rigid ROPS Not compatible with a Backhoe	1650	\$ 15,991.00
<b>B3030HSD-F①</b>	<b>4WD TRACTOR</b> With 2 Post Foldable ROPS Compatible with a Backhoe (11.56 inches taller) Folded height 69.3" with standard tires	1694	\$ 16,039.00

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B3030HSD-R SUGG. LIST	B3030HSD-F SUGG. LIST
BR8707**	Front 180/85 D12 R1 AG	31	\$138.00	\$15,991.00	\$16,039.00
ABR9382**	Rear 12.4 - 16 R1 AG	95	\$321.00		
ABR8742	Front 24 x 8.50 - 14 TURF Multi Trac	35	\$148.00	\$16,057.00	\$16,105.00
ABR8744	Rear 13.6 - 16 TURF Multi Trac	120	\$344.00		
ABR8726	Front 23 x 8.50 - 14 R4 IND.	35	\$146.00	\$16,059.00	\$16,107.00
BR8749	Rear 12.4 - 16 R4 IND.	147	\$347.00		

\*\* Standard tires.

① For new tractor order in backhoe application, order in lieu of -R standard ROPS.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.  
Complete revision January 1, 2007.

# Premier Plus B-Series

## B3030HSDC



\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # V1505E2D21  
 4 Cyl. 91.5 cu. In.  
 + 30 Gross Eng. HP  
 + 23.0 PTO HP  
 @ 2600 Eng. Rpm  
 12V - 36 Amp Hour Battery  
 Charging Output 40 Amps

**HYDRAULICS**

Open Center Gear Type  
 Dual Pumps  
 Hyd. Pump Cap.  
 3.9 gpm Power Steering  
 5.2 gpm Remote/3 Pt. Hitch  
 9.1 gpm Total Hyd. Flow  
 Cat I 3-point Hitch  
 At lift Point 1655 lbs.  
 24" Behind 1676 lbs.

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron  
 Bevel Gear, 4WD  
 Tread Spacing, Nonadjustable  
 + Manufacturer estimate.

**TRANSMISSION**

Hydrostatic Drive  
 Forward Speeds  
 Hi Range 0 – 11.9 mph  
 Med. Range 0 – 5.3 mph  
 Lo Range 0 – 3.1 mph  
 Reverse Speeds  
 Hi Range 0 – 9.4 mph  
 Med. Range 0 – 4.3 mph  
 Lo Range 0 – 2.5 mph  
 Rear Differential Lock

**FLUID CAPACITY**

Fuel Tank 8.1 gal.  
 Cooling System 4.5 qts.  
 Crankcase 4.3 qts.  
 Transmission and Hydraulics 4.76 qts.

**TIRES AND WHEELS**

Front 180/85 D12 R1  
 Rear 12.4 x 16 R1

**POWER TAKE OFF**

Independent PTO  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2592 Eng. rpm  
 Mid PTO – 1 Speed  
 2500 rpm @ 2600 Eng. rpm

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Wet Disc Brakes  
 Parking Brakes  
 Turn Signals / Hazard Lights

**PREMIER PLUS FEATURES**

Tilt Steering Wheel  
 Deluxe Cruise Control  
 AC / Heater  
 Adjustable Seat Suspension  
 Seat with Arm Rests  
 3 Pt. Lower extendible links  
 Ratchet right link  
 Enclosed operator controls

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE WITH STANDARD TIRES \*\*\*

<b>B3030HSDC</b>	<b>4WD CAB TRACTOR</b>	1694	\$ 20,318.00
------------------	------------------------	------	--------------

TIRES AND WHEELS (priced per piece)				Price with Tire Option
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B3030HSDC SUGG. LIST
BR8707**	Front 180/85 D12 R1 AG	31	\$138.00	\$20,318.00
ABR9382**	Rear 12.4 - 16 R1 AG	95	\$321.00	
ABR8742	Front 24 x 8.50 - 14 TURF Multi Trac	35	\$148.00	\$20,384.00
ABR8744①	Rear 13.6 - 16 TURF Multi Trac	120	\$344.00	
ABR8726	Front 23 x 8.50 - 14 R4 IND.	35	\$146.00	\$20,386.00
BR8749	Rear 12.4 - 16 R4 IND.	147	\$347.00	

\*\* Standard tires.

① When using these tires for RCK60-27B, Stopper Extensions must be installed. Stopper extensions are included with RCK60-27B Mid-Mount Mower from Serial #22715 and above. Prior model mid-mount mowers Serial 22714 and lower, require Part #70000-00158 Stopper Extension Kit for compatibility.



# Premier Plus B-Series B3030HSDCC

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # V1505E2D21  
4 Cyl. 91.5 cu. In.  
+ 30 Gross Eng. HP  
+ 23.0 PTO HP  
@ 2600 Eng. Rpm  
12V - 36 Amp Hour Battery  
Charging Output 60 Amps

**HYDRAULICS**

Open Center Gear Type  
Dual Pumps  
Hyd. Pump Cap.  
3.9 gpm Power Steering  
5.2 gpm Remote/3 Pt. Hitch  
9.1 gpm Total Hyd. Flow  
Cat I 3-point Hitch  
At lift Point 1655 lbs.  
24" Behind 1676 lbs.

**FRONT AXLE**

Hydrostatic Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing, Nonadjustable

+ Manufacturer estimate.

**TRANSMISSION**

Hydrostatic Drive  
Forward Speeds  
Hi Range 0 – 11.9 mph  
Med. Range 0 – 5.3 mph  
Lo Range 0 – 3.1 mph  
Reverse Speeds  
Hi Range 0 – 9.4 mph  
Med. Range 0 – 4.3 mph  
Lo Range 0 – 2.5 mph  
Rear Differential Lock

**FLUID CAPACITY**

Fuel Tank 8.1 gal.  
Cooling System 4.5 qts.  
Crankcase 4.3 qts.  
Transmission and Hydraulics 4.76 qts.

**TIRES AND WHEELS**

Front 180/85 D12 R1  
Rear 12.4 x 16 R1

**POWER TAKE OFF**

Independent PTO  
Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 2592 Eng. rpm  
Mid PTO – 1 Speed  
2500 rpm @ 2600 Eng. rpm

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Wet Disc Brakes  
Parking Brakes  
Turn Signals / Hazard Lights

**PREMIER PLUS FEATURES**

Tilt Steering Wheel  
Deluxe Cruise Control  
AC / Heater  
Adjustable Seat Suspension  
Seat with Arm Rests  
3 Pt. Lower extendible links  
Ratchet right link  
Enclosed operator controls  
Rear Defogger with 60A Alternator  
Rear Wiper

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE WITH STANDARD TIRES \*\*\*

<b>B3030HSDCC</b>	<b>4WD CAB TRACTOR</b>	1694	\$ 20,703.00
-------------------	------------------------	------	--------------

TIRES AND WHEELS (priced per piece)				Price with Tire Option
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B3030HSDCC SUGG. LIST
BR8707**	Front 180/85 D12 R1 AG	31	\$138.00	\$20,703.00
ABR9382**	Rear 12.4 - 16 R1 AG	95	\$321.00	
ABR8742	Front 24 x 8.50 - 14 TURF Multi Trac	35	\$148.00	\$20,769.00
ABR8744①	Rear 13.6 - 16 TURF Multi Trac	120	\$344.00	
ABR8726	Front 23 x 8.50 - 14 R4 IND.	35	\$146.00	\$20,771.00
BR8749	Rear 12.4 - 16 R4 IND.	147	\$347.00	

\*\* Standard tires.

① When using these tires for RCK60-27B, Stopper Extensions must be installed. Stopper extensions are included with RCK60-27B Mid-Mount Mower from Serial #22715 and above. Prior model mid-mount mowers Serial 22714 and lower, require Part #70000-00158 Stopper Extension Kit for compatibility.

**This page intentionally left blank.**



# Deluxe B-Series B2410HSE

**\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\***

**DIESEL ENGINE**

Model # D1105  
3 Cyl. 68.5 cu. In.  
+ 24 Gross Eng. HP  
+ 18 PTO HP  
@ 2600 Eng. rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps  
Radial Air Flow Cooling

**HYDRAULICS**

Open Center Gear Type  
2.6 gpm Power Steering  
4.4 gpm Remote/3 Pt. Hitch  
7.0 gpm Total Hyd. Flow  
Cat I 3-point Hitch  
At lift Point 1655 lbs.  
24" Behind 1300 lbs.

**FRONT AXLE**

Integral Power Steering  
Tubular Steel Beam, 2WD  
Tread Spacing, Nonadjustable

**DRIVE TRAIN**

Hydrostatic Drive  
Forward Speeds  
Hi Range 0 – 10.2 mph  
Lo Range 0 – 4.1 mph  
Reverse Speeds  
Hi Range 0 – 8.2 mph  
Lo Range 0 – 3.3 mph  
Rear Differential Lock  
Wet Disc Brakes

**FLUID CAPACITY**

Fuel Tank 6.3 gal.  
Cooling System 4.0 qts.  
Crankcase 3.2 qts.  
Transmission and Hydraulics 3.30 gal.

**POWER TAKE OFF**

Live Continuous Running Rear  
And Mid PTO  
Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 2600 Eng. rpm  
Mid PTO – 1 Speed  
2521 rpm @ 2600 Eng. rpm

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Wet Disc Brakes  
Parking Brakes  
SMV Sign

**TIRES AND WHEELS**

Front 6.50 x 10 F2  
Rear 11.2 x 16 R1

+ Manufacturer estimate.

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

**\*\*\* STANDARD MACHINE WITH STANDARD TIRES \*\*\***

<b>B2410HSE-R</b>	<b>2WD TRACTOR</b> With 2 Post Low Profile Rigid ROPS Not compatible with a Backhoe	1170	\$ 12,192.00
<b>B2410HSE-F①</b>	<b>2WD TRACTOR</b> With 2 Post Foldable ROPS Compatible with a Backhoe (8.95 inches taller) Folded height 66.8" with standard tires	1345	\$ 12,385.00

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B2410HSE-R SUGG. LIST	B2410HSE-F SUGG. LIST
BR8722**	Front 6.50 - 10 -- F2 AG	37	\$130.00	\$12,192.00	\$12,385.00
ABR8769**	Rear 11.2 - 16 -- R1 AG	98	\$245.00		
ABR8735	Front 21.0 x 8.00 - 10 -- TURF	29	\$113.00	\$12,264.00	\$12,457.00
BR8778	Rear 31 x 15.50 - 15 BAR/TURF	84	\$298.00		
ABR8736	Front 23 x 8.50 - 12 -- TURF	30	\$129.00	\$12,214.00	\$12,407.00
ABR8779	Rear 33 x 12.50 - 15 TURF	89	\$257.00		

\*\* Standard tires.

① For new tractor order in backhoe application, order in lieu of -R standard ROPS.

# Deluxe B-Series B2410HSD



**\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\***

**DIESEL ENGINE**

Model # D1105  
3 Cyl. 68.5 cu. In.  
+ 24 Gross Eng. HP  
+ 18 PTO HP  
@ 2600 Eng. rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps  
Radial Air Flow Cooling

**HYDRAULICS**

Open Center Gear Type  
2.6 gpm Power Steering  
4.4 gpm Remote/3 Pt. Hitch  
7.0 gpm Total Hyd. Flow  
Cat I 3-point Hitch  
At lift Point 1655 lbs.  
24" Behind 1300 lbs.

+ Manufacturer estimate.

**FRONT AXLE**

Integral Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing, Nonadjustable

**DRIVE TRAIN**

Hydrostatic Drive  
Forward Speeds  
Hi Range 0 – 10.2 mph  
Lo Range 0 – 4.1 mph  
Reverse Speeds  
Hi Range 0 – 8.2 mph  
Lo Range 0 – 3.3 mph  
Rear Differential Lock  
Wet Disc Brakes

**FLUID CAPACITY**

Fuel Tank 6.3 gal.  
Cooling System 4.0 qts.  
Crankcase 3.2 qts.  
Transmission and Hydraulics 3.30 gal.

**POWER TAKE OFF**

Live Continuous Running Rear  
And Mid PTO  
Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 2600 Eng. rpm  
Mid PTO – 1 Speed  
2521 rpm @ 2600 Eng. rpm

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Parking Brakes  
SMV Sign

**TIRES AND WHEELS**

Front 180/85 D12 R1  
Rear 11.2 x 16 R1

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>*** STANDARD MACHINE WITH STANDARD TIRES ***</b>			
<b>B2410HSD-R*</b>	<b>4WD TRACTOR</b> With 2 Post Low Profile Rigid ROPS Not compatible with a Backhoe	1170	\$ 13,731.00
<b>B2410HSD-F*①</b>	<b>4WD TRACTOR</b> With 2 Post Foldable ROPS Compatible with a Backhoe (8.95 inches taller) Folded height 66.8" with standard tires	1345	\$ 13,924.00

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B2410HSD-R SUGG. LIST	B2410HSD-F SUGG. LIST
BR8707**	Front 180/85 D12 R1 AG	31	\$138.00		
ABR8769**	Rear 11.2 - 16 -- 12 AG	98	\$245.00	\$13,731.00	\$13,924.00
BR8701	Front 6 - 12 -- R1 AG	34	\$113.00		
ABR8755B	Rear 9.5 - 16 -- 12 AG	85	\$251.00	\$13,693.00	\$13,886.00
ABR8735	Front 21.0 x 8.00 -- 10 TURF	29	\$113.00		
BR8778	Rear 31 x 15.50 - 15 BAR/TURF	84	\$298.00	\$13,787.00	\$13,980.00
ABR8736	Front 23 x 8.50 -- 12 TURF	30	\$129.00		
ABR8779	Rear 33 x 12.50 -- 15 TURF	89	\$257.00	\$13,737.00	\$13,930.00
ABR8763	Front 23 x 8.50 - 12 R4 IND.	35	\$147269.00		
ABR8764	Rear 12 - 16.5 R4 IND.	103	\$280.00	\$13,797.00	\$13,990.00

\* Subject to availability.

\*\* Standard tires.

① For new tractor order in backhoe application, order in lieu of -R standard ROPS.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



# Deluxe B-Series B2410HSDB

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # D1105  
3 Cyl. 68.5 cu. In.  
+ 24 Gross Eng. HP  
+ 18 PTO HP  
@ 2600 Eng. rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps  
Radial Air Flow Cooling

**HYDRAULICS**

Open Center Gear Type  
2.6 gpm Power Steering  
4.4 gpm Remote/3 Pt. Hitch  
7.0 gpm Total Hyd. Flow  
Cat I 3-point Hitch

At lift Point 1655 lbs.  
24" Behind 1300 lbs.

+ Manufacturer estimate.

**FRONT AXLE**

Integral Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Bi-speed Turn  
Tread Spacing, Nonadjustable

**TRANSMISSION**

Hydrostatic Drive  
Forward Speeds  
Hi Range 0 – 10.2 mph  
Lo Range 0 – 4.1 mph  
Reverse Speeds  
Hi Range 0 – 10.2 mph  
Lo Range 0 – 3.3 mph  
Bi-Speed Turn  
Rear Differential Lock

**FLUID CAPACITY**

Fuel Tank 6.3 gal.  
Cooling System 4.0 qts.  
Crankcase 3.2 qts.  
Transmission and Hydraulics 3.3 gal.

**POWER TAKE OFF**

Live Continuous Running Rear  
And Mid PTO  
Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 2600 Eng. rpm  
Mid PTO – 1 Speed  
2521rpm @ 2600 Eng. rpm

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Wet Disc Brakes  
Parking Brakes  
SMV Sign

**TIRES AND WHEELS**

Front 180/85 D12 R1  
Rear 11.2 x 16 R1

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE WITH STANDARD TIRES \*\*\*

<b>B2410HSDBR*</b>	<b>4WD TRACTOR W/Bi-Speed Turn</b> With 2 Post Low Profile Rigid ROPS Not compatible with a Backhoe.	1325	\$ 14,116.00
<b>B2410HSDBF*①</b>	<b>4WD TRACTOR W/Bi-Speed Turn</b> With 2 Post Foldable ROPS Compatible with a Backhoe (8.95 inches taller). Folded height 66.8" with standard tires	1345	\$ 14,308.00

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B2410HSDBR SUGG. LIST	B2410HSDBF SUGG. LIST
BR8707**	Front 180/85 D12 R1 AG	31	\$138.00	\$14,116.00	\$14,308.00
ABR8769**	Rear 11.2 - 16 -- 12 AG	98	\$245.00		
BR8701	Front 6 - 12 -- R1 AG	34	\$118.00	\$14,078.00	\$14,270.00
ABR8755B	Rear 9.5 - 16 -- 12 AG	85	\$251.00		
ABR8735	Front 21.0 x 8.00 - 10 -- TURF	29	\$113.00	\$14,172.00	\$14,364.00
BR8778	Rear 31 x 15.50 - 15 BAR/TURF	84	\$298.00		
ABR8736	Front 23 x 8.50 -- 12 TURF	30	\$129.00	\$14,122.00	\$14,314.00
ABR8779	Rear 33 x 12.50 -- 15 TURF	89	\$257.00		

\* Subject to availability.

\*\* Standard tires.

① For new tractor order in backhoe application, order in lieu of -R standard ROPS.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.  
Complete revision January 1, 2007.

# Premier B-Series B2710HSD



\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # V1305  
E-TVCS 4 Cyl., 81.5 cu. in.  
+ 27 Gross Eng. HP  
+ 20 PTO HP  
@ 2600 Eng. rpm  
12 V - 36 Amp Hour Battery  
Charging Output 14.5 Amps  
Radial Air Flow Cooling  
Dual Element Air Cleaner

**HYDRAULICS**

Open Center — Gear Type  
Dual Pumps  
Hyd. Pump Cap.  
3.1 gpm Power Steering  
6.4 gpm Remote Output  
9.5 gpm Total  
Cat I 3-point Hitch  
at Lift Point 1655 lbs.  
24" Behind 1300 lbs.  
  
+ Manufacturer estimate.

**FRONT AXLE**

Integral Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing - Nonadjustable

**DRIVE TRAIN**

Hydrostatic Drive  
Forward Speeds —  
Hi Range 0 - 11.9 mph  
Med Range 0 - 5.3 mph  
Lo Range 0 - 3.1 mph  
Reverse Speeds —  
Hi Range 0 - 9.4 mph  
Med Range 0 - 4.3 mph  
Lo Range 0 - 2.5 mph  
Rear Differential Lock  
Wet Disc Brakes

**FLUID CAPACITY**

Fuel Tank 6.9 gal.  
Cooling System 4.7 qts.  
Crankcase 4.3 qts.  
Transmission and Hydraulics 3.7 gal.

**POWER TAKE OFF**

Live Continuous Running Rear  
and Mid PTO  
Rear PTO — 1 Speed  
SAE Std 13/8" Six Spline  
540 rpm @ 2600 Eng. rpm  
Mid PTO - 1 Speed  
2521 rpm @ 2600 Eng. rpm

**SAFETY EQUIPMENT**

2-Post ROPS w/Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Parking Brake  
SMV Sign

**TIRES AND WHEELS**

Front 180/85 D12 R1  
Rear 12.4 - 16 R1

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE WITH STANDARD TIRES ***			
<b>B2710HSD-R*</b>	<b>4WD TRACTOR</b> With 2 Post Low Profile ROPS Not compatible with a Backhoe.	1620	\$ 14,905.00
<b>B2710HSD-F*①</b>	<b>4WD TRACTOR</b> With 2 Post Foldable ROPS Compatible with a Backhoe (10.45 inches taller) Folded height 69.3" with standard tires.	1740	\$ 15,097.00

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE	B2710HSD-R SUGG. LIST	B2710HSD-F SUGG. LIST
BR8707**	Front 180/85 D12 R1 AG	31	\$138.00		
ABR9382**	Rear 12.4 - 16 R1 AG	95	\$321.00	\$14,905.00	\$15,097.00
ABR8742	Front 24 x 8.50 - 14 TURF Multi Trac	35	\$148.00		
ABR8744②	Rear 13.6 - 16 TURF Multi Trac	120	\$344.00	\$14,971.00	\$15,163.00
ABR8726	Front 23 x 8.50 - 14 R4 IND.	35	\$146.00		
BR8749	Rear 12.4 - 16 R4 IND.	147	\$347.00	\$14,973.00	\$15,165.00

\* Subject to availability.

\*\* Standard tires.

① For new tractor order in backhoe application, order in lieu of -R standard ROPS.

② When using these tires for RCK60-27B, Stopper Extensions must be installed. Stopper Extensions are included with RCK60-27B Mid-Mount Mower from Serial #22715 and above. Prior model mid-mount mowers, Serial #22714 and lower, require Part No. 70000-00158 Stopper Extension Kit for compatibility.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



# Premier Plus B-Series B2910HSD

**\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\***

**DIESEL ENGINE**

Model # V1505  
4 Cyl. 91.5 cu. In.  
+ 30 Gross Eng. HP  
+ 22.0 PTO HP  
@ 2600 Eng. Rpm  
12V - 36 Amp Hour Battery  
Charging Output 14.5 Amps

**HYDRAULICS**

Open Center Gear Type  
3.1 gpm Power Steering  
6.4 gpm Remote/3 Pt. Hitch  
9.5 gpm Total Hyd. Flow  
Cat I 3-point Hitch  
At lift Point 1655 lbs.  
24" Behind 1300 lbs.

**FRONT AXLE**

Integral Power Steering  
Cast Iron  
Bevel Gear, 4WD  
Tread Spacing, Nonadjustable

+ Manufacturer estimate.

**TRANSMISSION**

Hydrostatic Drive  
Forward Speeds  
Hi Range 0 – 11.9 mph  
Med. Range 0 – 5.3 mph  
Lo Range 0 – 3.1 mph  
Reverse Speeds  
Hi Range 0 – 9.4 mph  
Med. Range 0 – 4.3 mph  
Lo Range 0 – 2.5 mph  
Rear Differential Lock

**FLUID CAPACITY**

Fuel Tank 6.9 gal.  
Cooling System 4.7 qts.  
Crankcase 4.3 qts.  
Transmission and Hydraulics 3.7 qts.

**TIRES AND WHEELS**

Front 180/85 D12 R1  
Rear 12.4 x 16 R1

**POWER TAKE OFF**

Live Continuous Running Rear  
And Mid PTO  
Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 2600 Eng. rpm  
Mid PTO – 1 Speed  
2521 rpm @ 2600 Eng. rpm

**SAFETY EQUIPMENT**

2-Post ROPS w / Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Wet Disc Brakes  
Parking Brakes

**PREMIER PLUS FEATURES**

Tilt/Telescope Steering Wheel  
Deluxe Cruise Control  
Adjustable Seat Suspension  
3 Pt. Lower extendible links  
Ratchet right link  
Enclosed operator controls

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>*** STANDARD MACHINE WITH STANDARD TIRES ***</b>			
<b>B2910HSD-R*</b>	<b>4WD TRACTOR</b> With 2 Post Low Profile ROPS Not compatible with a Backhoe	1770	\$ 15,943.00
<b>B2910HSD-F*①</b>	<b>4WD TRACTOR</b> With 2 Post Foldable ROPS Compatible with a Backhoe (10.45 inches taller) Folded height 69.3" with standard tires	1890	\$ 16,135.00

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B2910HSD-R SUGG. LIST	B2910HSD-F SUGG. LIST
BR8707**	Front 180/85 D12 R1 AG	31	\$138.00	\$15,943.00	\$16,135.00
ABR9382**	Rear 12.4 - 16 R1 AG	95	\$321.00		
ABR8742	Front 24 x 8.50 - 14 TURF Multi Trac	35	\$148.00	\$16,009.00	\$16,201.00
ABR8744②	Rear 13.6 - 16 TURF Multi Trac	120	\$344.00		
ABR8726	Front 23 x 8.50 - 14 R4 IND.	35	\$146.00	\$16,011.00	\$16,203.00
BR8749	Rear 12.4 - 16 R4 IND.	147	\$347.00		

\* Subject to availability.

\*\* Standard tires.

① For new tractor order in backhoe application, order in lieu of -R standard ROPS.

② When using these tires for RCK60-27B, Stopper Extensions must be installed. Stopper extensions are included with RCK60-27B Mid-Mount Mower from Serial #22715 and above. Prior model mid-mount mowers Serial 22714 and lower, require Part #70000-00158 Stopper Extension Kit for compatibility.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.

**This page intentionally left blank.**



# B-Series Implement Chart

**NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.**

MODEL	B7410DT	B7510DT, HSD B7500DT, HSD	B7610HSD B2410HSE, HSD, HSDB	B7800HSD	B2910HSD B2710HSD	B2630HSD B3030HSD	B3030HSDC/ B3030HSDCC
Front Loader(s) <sup>①</sup>	LA272 (FL)	LA272 (FL) LA302 (FL)	LA352 (FL) LA302 (FL)	LA402 (FL)	LA402 (FL)	LA403	LA403
Backhoe(s)	B4672A	B4672A	B4672A	BH75 B4672A BL4690B	B4672A BL4690B	BH75	N/A
Rotary Tiller(s)	B40C FL850	B40C FL850 BL52C FL1021C/RC	BL52C BL60C FL1021C/RC FL1271C/RC	BL52C BL60C FL1021C/RC FL1271C/RC	BL52C BL60C FL1021C/RC FL1271C/RC	BL52C BL60C FL1021C/RC FL1271C/RC	BL52C BL60C FL1021C/RC FL1271C/RC
Mower(s) (Finishing) Mid Mount	N/A	RCK54-75B RCK54-24B RCK60-24B	RCK54-24B RCK60-24B	RCK60-27B RC72-27B	RCK60-27B RC72-27B	RCK60-30B RC72-30B	RCK60-30B RC72-30B
Grass Catcher(s) (3 Bags)	N/A	GCK54-24B GCK60-24B	GCK54-24B GCK60-24B	GCK60-24B	GCK60-24B	GCK60-24B <sup>⑥</sup>	GCK60-24B <sup>⑥</sup>
Mower(s) (Finishing) 3 Pt. Rear Mount	RFM-48	RFM-48 RFM-60	RFM-60 RFM-72	RFM-60 RFM-72	RFM-60 RFM-72	RFM-60 RFM-72	RFM-60 RFM-72
3 Pt. Rear Mounted Snowblower <sup>⑦⑧</sup>	N/A	N/A	N/A	BL2664 (64")	BL2664 (64") B2910 Only	BL2664 (64") B3030 Only	BL2664 (64")
3 Pt. Rear Mount Snowblower Conversion Kit	N/A	BL2583 <sup>④</sup>	BL2583 <sup>④</sup>	BL2583 <sup>⑤</sup>	BL2583 <sup>⑤</sup>	BL2583 <sup>⑤</sup>	BL2583 <sup>⑤</sup>
Snowblower(s) Front Mount	N/A	BX2750C B2781	BX2750C B2781	B2781 B2782	B2781 B2782	B2781 B2782	B2781 B2782
Rotary Sweeper Front Mount	N/A	BX2537A B2779	BX2537A B2779	B2779	B2779	B2779	B2779
Blade - Front Mount	BX2763A <sup>②</sup> B2765A <sup>②</sup>	BX2763A B2765A	BX2763A B2765A	B2765A B2775	B2765A B2775	B2765A B2775	B2765A B2775
Box Scraper(s)	B7542	B7510 L7516 L7554 BL7548	L7516 L7551 L7554 BL7548	L7516 L7551 L7554 BL7548	L7516 L7551 L7554	L7516 L7551 L7554	L7516 L7551 L7554
Blade(s) 3 Pt. Rear Mount	B2004 B2005	B2004 B2005	B2004 B2005	B2004 B2005	B2004 B2005	B2004 B2005	B2004 B2005
Post Hole Digger	BL80A	BL80A	BL80A	BL80A	BL80A	BL80A	BL80A
Trencher	N/A	N/A	B5550A <sup>③</sup>	N/A <sup>③</sup>	B5550A	N/A	N/A
Ballast Box	B8160	B8160	B8160	B8160	B8160	B8160	B8160

- ① Loader interchangeability: LA271/LA272, LA301/LA302, LA351/LA352, LA401/LA402 are interchangeable on corresponding B-Series tractors.
- ② Blade only operation. Will not operate a Broom or Snowblower due to lack of mid-PTO.
- ③ Standard Series B Tractors do not have a rear outlet block available due to quarter inching valve system. The B Deluxe Series tractors feature position control that has the rear outlet block available.
- ④ Uses the B2781 Snowblower Head.
- ⑤ Uses the B2781 or B2782 Snowblower Head.
- ⑥ Requires B3098 Conversion Kit.
- ⑦ Requires BL2665 Manual Chute Rotation Kit.
- ⑧ The B2664 Snowblower is not compatible with the B2710 and B2630 models. It is recommended for tractors with a Category I Three Point Hitch and a PTO rating of 23 to 45 HP at 540 rpm (B2910, B3030 only).

# B-Series Attachment Chart



**NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.**

MODEL	B7410DT B7400HSD	B7510DT(N)/HSD B7500DT(N)/HSD	B7610HSD B2410HSE, HSD, HSDB	B2910HSD B2710HSD	B7800HSD	B2630HSD B3030HSD	B3030HSDC/ B3030HSDCC
Rigid ROPS	SFB-24A	SFB-24A	SFB-24A	SFB-29A	SFB-29A	SFB-30	N/A
Optional Foldable ROPS <sup>①</sup>	SFB-F24	SFB-F24	SFB-F24	SFB-F29A	SFB-F29A	SFB-F30	N/A
Mid PTO Kit <sup>②</sup>	STD (N/A on B7410DT)	STD (N/A on DTN)	STD	STD	B7361	STD	STD
Sunshade	E1133	E1133	E1133	E1133	E1133	E1133	N/A
Front Bumper Weight	BL8060-1	BL8060-1	BL8060-1	BL8060-1	BL8060-1	BL8060-1	BL8060-1
Power Steering	N/A	STD	STD	STD	STD	STD	STD
Drawbar	STD	STD	STD	STD	STD	STD	STD
High Capacity Alternator	N/A	B7311	B7311	B7312	B7312	B7324	STD
Block Heater	70000-74128	70000-73274	70000-73274	70000-73274	70000-73274	70000-73274	70000-73274
Speed Set Control	STD	STD (HSD)	STD	STD	STD	STD	STD
Double Element Air Cleaner	STD	STD	STD	STD	STD	STD	STD
Spark Arresting Muffler	N/A	N/A	B7341 <sup>③</sup>	B7341	B7341	70002-01605	70002-01605
Work Light (Rear)	N/A	N/A	B7331	B7331	N/A	B7331	B7327
Front Grille Guard (Non-Loader Use)	B1775	B1775	B1775	B1775	B1775	B2335	B2335
Fender Extension Kit	B7301	B7301	STD <sup>④</sup>	STD	STD	B7365 <sup>⑤</sup>	B7365 <sup>⑤</sup>
Extra Length Seat Belt	70000-00041	70000-00041	70000-00041	70000-00041	70000-00041	70002-06605	70002-06605
Optional Arm Rest Kit	N/A	N/A	70000-73930	STD	N/A	STD	STD
Wheel Spacer Kit	N/A	N/A	N/A	B8785	B8785	B8785	B8785

① Required for Backhoe application. SFB-F24 is 8.95 inches taller, SFB-F29 is 10.45 inches taller.

② B7800HSD-R Mid-PTO optional, dealer installed cassette style.

③ B7341 Spark Arresting Muffler is not compatible with the B7610HSD.

④ Excludes B7610.

⑤ Not compatible with GCK60-24B Grass Catcher

### CAB MODEL (B3030)

B7327	Rear Work Light Kit
B7326	Rear Wiper Kit
B7328	Rear Defogger with 60A Alternator
<b>RADIOS</b>	
B7325	Radio Mounting Kit (Speakers Included)
E9276	CD Radio
E9259	Cassette Radio

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



## B-Series Attachment Chart

TRACTOR	REAR REMOTE VALVE KIT	HOSE KIT	REQUIRED FROM PARTS	NOTES
B7300 B7400/7410 B7500/7510 B7610 B7800	<b>B7333</b>	INCLUDED	(1) 75536-68112 Hydraulic Block (2) 75336-68132 O-Rings	For a tractor <b>without</b> loader
B7300 B7400/7410 B7500/7510 B7610 B7800	<b>B7333</b>	INCLUDED	No additional parts needed	For a tractor <b>with</b> Loader
B1700 B2100 B2400 B2410 B2710 B2910	<b>BL7303</b>	B7323	<b>(1)</b> 6C040-95100 Hydraulic outlet block	For tractors <b>with</b> or <b>without</b> loaders.
B2630 B3030HSD/C/CC	<b>B7304/B7305</b>			Requires B7306/B7307

# B-Series Dealer Installed Options



ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BACKHOE ROPS</b>			
SFB-F24 ①	Foldable (Replacement) ROPS (Use for Backhoe application.) For B7300, B7400, B7500, B7510, B7610, B2410, B1700, B2100, B2400	115	\$ 558.00
SFB-F29A ①	Foldable (Replacement) ROPS (Use for Backhoe application.) For B2710, B2910, B7800	115	\$ 558.00
<b>MID-PTO KIT</b>			
B7361	Mid-PTO Kit for B7800HSD-R	35	\$ 154.00
<b>SUPPORT FRAME KIT</b>			
B4671A ②③	Support Frame Kit	20	\$ 176.00
<b>SUNSHADE FOR ROPS</b>			
E1133	Canopy for all models	63	\$ 374.00
E1123	Deluxe Fiberglass Canopy Requires E1124 Mounting Kit	TBA	\$ 275.00
E1124	Mounting Kit	TBA	\$ 154.00
<b>SPARK ARRESTING MUFFLER</b>			
B7341	B1700, B2100, B2400, B2410, B2710, B2910, B7800	10	\$ 64.00
<b>FENDER EXTENSION KIT</b>			
B7301	For B1700, B2100, B7300, B7400, B7500, B7800, B7410, B7510 and B7610 Tractors only.	30	\$ 178.00
<b>HYDRAULIC VALVE KIT, REAR REMOTE(S)</b>			
B7333④	Hydraulic Valve Kit B Series Tractors B7300, B7400, B7410, B7500, B7510, B7610, and B7800 (all Models except B7500DTN and B7510DTN) 3-Position standard type, dual acting, (Complete Valve and Hose Kit, valve incorporates relief requirement. The BL7303 should not be used because It does not have an internal relief)	25	\$ 618.00
BL7303⑤	Hydraulic Valve Kit (Requires, Hose Kit B7323) 3-Position standard type, dual acting, B Series Tractors B1700, B2100, B2400, B2410, B2710, and B2910 (all Models), and B7500DTN and B7510DTN.	15	\$ 376.00
B7323	B-Series Hose Kit (Required for BL7303 Hydraulic Valve Kit) B Series Tractors B1700, B2100, B2400, B2410, B2710, and B2910 (all Models), and B7500DTN and B7510DTN.	5	\$ 159.00

① Backhoe ROPS are eligible for \$225.00 credit, see DSB-2002-016 ROPS Promotion Policy, submit Backhoe Discount Request Form. Credit is only available when std. ROPS has to be replaced with Backhoe ROPS, credit is available with Kubota Backhoe only. Required for Backhoe applications to replace standard ROPS: SFB-24A on B7400, B7500, or B2410; or SFB-29 on B2710, B2910, B7800 tractors.

② Required for B4672A Backhoe and/or B5550A Trencher (not required on B2710, B2910, and B7800).

③ Use B4671A instead of B4671 frame kit if tractor is equipped with RCK54-24B or RCK60-24B Mid Mount Mowers. B4671A is also compatible with RC54-24B and RC60-24B Mid Mount Mowers.

④ Tractors without a Kubota Loader installed require the following parts: (1) hydraulic block 75536-68112, and (2) O-Rings 75536-68132.

⑤ Requires additional part to complete the installation order (1) 6C040-95100 Rear Hydraulic outlet block.

(continued on next page)

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



## B-Series Dealer Installed Options

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Rear Remote Hydraulics (B2630 / B3030)</b>			
<b>Must order Base Kit and one Valve Section to complete installation.</b>			
B7306	Base Kit and 1 <sup>st</sup> Lever Requires B7304 Valve to complete Assembly (for 1 valve).	16	\$ 412.00
B7304	Double Acting Valve Section Requires: B7306 / B7307	15	\$ 206.00
B7305	Float Detent Valve Section (for 2nd position only) Requires: B7307	10	\$ 258.00
B7307	Second Position Stacking Kit for 2nd Valve Includes Hardware and 2 <sup>nd</sup> Lever Requires: Additional B7304 or B7305 Valve Section	10	\$ 206.00
<b>Additional Valve Types, Dealer installed (Select a valve Section/s and the appropriate Stacking kit to complete)</b>			
BL7343	Two Spool Stacking Kit Second Position to install dual valve Hardware and o-rings to install one (1) Additional valve section for B7333	20	\$ 25.00
BL7353	Three Spool Stacking Kit Third Position to install triple valve hardware and O-rings to install two (2) additional valve sections to BL7303 or B7333	25	\$ 29.00
BL7373	3-Position, DV-Detent Valve (Not Self-canceling) Closed Detent Valve Section The Valve Section features a single spool that should be used for double acting cylinders, both work ports are blocked in the neutral position with free flow oil through the valve in neutral. Important: The Detent position is not self-canceling and will not release when cylinder reaches end of stroke. Leaving this valve in Detent position on a blocked circuit will cause system relief valve to remain open.	20	\$ 223.00
BL7393	4-Position, FD- Float Detent Section Both work ports are blocked in the neutral position. The Detent "float" position allows the hydraulic cylinder to float. Both work ports are blocked in the neutral position with free flow oil through the valve in neutral.	25	\$ 254.00
B2056-1 ①②	Hydraulic Valve Kit for B1700, B2100, B2400, B7610, B2410, B7300, B7400, B7410, B7500, and B7510	30	\$ 617.00
B2099-1 ①②	Hydraulic Valve Kit for B2710 and B2910	58	\$ 617.00

① Valve Stand incorporates right side mid-mount mower bracket.

② Four position (dump) spool valve required for front mount implements, without Loader.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.  
Complete revision January 1, 2007.

# B-Series

## Dealer Installed Options



ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>REAR WHEEL WEIGHTS (For B7500DTN and B7510DTN Narrow Tractors Only)</b>			
B8048	Rear Weights for B7500DTN/B7510DTN with narrow tires only. Use only with BR8754. Set includes (2) weights and hardware.	140	\$ 219.00
B8058	Rear Weight for B7500DTN/B7510DTN with optional rear tire BR8753. You must order quantity 2 for each tractor. Requires B8059 Hardware Kit, one for each wheel.	61	\$ 88.00
<b>HARDWARE KIT</b>			
B8059	Hardware Kit for B8058 Rear Wheel Weight. One Kit required for each wheel.	10	\$ 5.00
<b>WHEEL SPACER KIT</b>			
B8785 ③	Wheel Spacer Kit provides additional 1.5" clearance between tire and fender for tire chains.	38	\$ 233.00
<b>B3030 CAB MODEL OPTIONS</b>			
B7327	Rear Work Light Kit	10	\$ 112.00
B7326	Rear Wiper Kit (Std. on B3030HSDCC)	5	\$ 121.00
B7328	Rear Defogger w/60A Alternator (Std. on B3030HSDCC)	35	\$ 476.00
B7325	Radio Mounting Kit	3	\$ 258.00
E9259	AM / FM / Weatherband / Cassette Requires B7325 Mounting Kit	10	\$ 249.00
E9276	AM / FM / Weatherband / CD Requires B7325 Mounting Kit	5	\$ 377.00
<b>FRONT GRILLE GUARD KIT</b>			
B1775	For B7300, B7400, B7410, B7500, B7510, B7610, B1700, B2100, B2400, B2410, B2710, B2910, B7800 (Non-Loader Applications)	30	\$ 148.00
B2335	For B2630, B3030. Includes mounting hardware. (Non-Loader Applications)	20	\$ 186.00
<b>REAR WORK LIGHT KIT</b>			
B7331	For B1700, B2100, B2400, B2410, B7610, B2710, B7800, B2910, B2630, B3030 Tractors only. One per Tractor.	10	\$ 69.00
<b>BLOCK HEATER ( Available only from Parts)</b>			
	Part Number	Applicable Models	
	70000 - 73274	B1700 - B2100 - B2400 - B2410 - B7610 - B2710 - B2910 - B7500 - B7510 - B7800 - B2630 - B3030	
	70000 - 74128④	B7300HSD - B7400HSD - B7410DT	

③ Not compatible with mid-mount mower decks.

④ Requires two 15676-73270 Thermostat Gaskets AND one 70000-00117 Parts Kit.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



# B-Series Dealer Installed Options

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT BUMPER WEIGHTS (You must order Weight and One Bolt Kit per Weight)</b>			
BL8060-1	Front Suitcase Weight. 3 Weights per standard Tractor bracket. Requires one bolt kit per weight.	55 each	\$ 60.00
B8063	Optional Weight Bracket for 2 additional BL8060-1 wts. for B1700, B2100, B2400, B7610, B2410, B2710, B2910, and B7300, B7400, B7410, B7510, B7610, B7500, B7800	10	\$ 64.00
BX8064	Weight Bracket for up to 5 additional weights for B2630 and B3030	25	\$ 88.00
BL8060B	Bolt Kit (B200 - B50 Series)	1	\$ 2.00
BL8062	Bolt Kit Required for B1700, B2100, B7410, B7510, B7610, B2400, B2410, B2710, B2910, B7300, B7400, B7500, B7800, B2630 and B3030	1	\$ 6.00

**ARM REST KIT FOR B2410 (Order from Parts Dept.)**

Part Number  
70000-73930

**EXTRA LENGTH SEAT BELT (Order from Parts Dept.)**

Part Number  
70000-00041                      All B Series (Except B2630 and B3030)  
70002-06605                      B2630 and B3030HSD/C

**FENDER EXTENSION KIT**

B7365	B2630 and B3030 All models	30	\$ 91.00
-------	----------------------------	----	----------

**B-SERIES REAR HYDRAULIC OUTLET BLOCK (Available from Parts Dept.)**

Part Number 6C040 - 95100②	Applicable Models B1700, B2100, B2400, B2410, B2710 and B2910 All Models.)
-------------------------------	--

**HIGH CAPACITY ALTERNATOR KIT**

B7311	B1700, B2100, B2400, B2410, B7500, B7510, and B7610	10	\$ 164.00
B7324	40 Amp High Capacity Alternator Kit (B2710, B2910, B7800, B2630HSD, B3030HSD (Std. on B3030HSDC)	10	\$ 170.00

**STORAGE COVERS (Order from Parts Dept.)**

Part Number 70000-73732	Storage Cover Fits all B-Series Tractors Made of Dura-Lite fabric.
----------------------------	--

② Use to supply hydraulic oil for remote applications.

# B-Series Dealer Installed Options



---

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

---

**REPLACEMENT CAB**

B7040	Replacement cab for B3030HSDC/HSDCC		\$ 6,106.00
-------	-------------------------------------	--	-------------

*Field installation required. attachment system, lights, electrical harness, glass, roof, front frames, rear frames, and seat belt are included. Some components from old cab need to be installed in new cab.*



# B-Series Implements Loader/Bucket/Mower Matching Chart

Tractor Models	Mower	Loader Valve	Bucket Struck / Heaped Capacity	Attachments
<b>Current Models</b>				
B2630 / B3030	RCK60-30B Or RC72-30B	LA403 B2315 (ROPS Model) B2325 (Cab Model)	54" width B2345  60" width B2355	B2365 Quick Attach Coupler ----- B2375 Quick Attach Pallet Fork Frame ----- K9048 – 36" Pallet Forks
B7400HSD B7410DT② B7500DT/HSD B7510DT/SHD	RCK54-75B① Or RC54-24B* RCK54-24B Or RC60-24B* RCK60-24B	LA271* No valve option, four position valve is standard LA272 B2006 or B2007 LA272(FL-1) B2006 (Standard)	48" width B1614 (Standard)  5.2 cu. ft. / 6.2 cu. ft.	Optional B1763 Grille Guard used with LA271 / LA272 ----- B1775 Grille Guard for installation without Loader
B7500DT/HSD B7510DT/HSD	RCK54-75B①	LA301* No valve option, four position valve is standard LA302 B2008 or B2009 LA302(FL-1) B2008 (Standard)	48" width B1614 (Standard)  5.2 cu. ft. / 6.2 cu. ft.	Grille Guard Standard on Loader ----- B1775 Grille Guard for installation without Loader
B2410 ALL B7610HSD	RC54-24B* RCK54-24B Or RC60-24B* RCK60-24B	LA351* No valve option, four position valve is standard LA352 B2006 or B2007 LA352(FL-1) B2006 (Standard)	50" width B1615 (Standard)  5.5 cu. ft. / 6.5 cu. ft.	Grille Guard Standard on Loader ----- B1775 Grille Guard for installation without Loader
B2710HSD B2910HSD B7800HSD	RCK60-27B or RC72-27B	LA401* LA402-1 B2069 or B2079 LA402(FL / -1) B2069 (Standard)	54" width B1616 (Standard) 6.7 cu. ft. / 8.1 cu. ft. 60" width B1617 (Optional) 8.1 cu. ft. / 9.9 cu. ft.	Grille Guard Standard on Loader ----- B1775 Grille Guard for installation without Loader ----- BL1767 Quick Coupler L2077A Pallet Fork Frame Requires K9048 36" Pallet Forks
<b>Prior Models</b>				
B7300HSD	RCK54-75B Or RC54-24B* RCK54-24B Or RC60-24B* RCK60-24B	LA271* No valve option, four position valve is standard LA272 B2006 or B2007 LA272(FL-1) B2006 (Standard)	48" width B1614 (Standard)  5.2 cu. ft. / 6.2 cu. ft.	Optional B1763 Grille Guard used with LA271 ----- B1775 Grille Guard for installation without Loader
B1700 ALL B2100 ALL	RC54-24B* RCK54-24B or RC60-24B* RCK60-24B	LA301* No valve option, four position valve is standard LA302 B2008 or B2009 LA302(FL-1) B2008 (Standard)	48" width B1614 (Standard)  5.2 cu. ft. / 6.2 cu. ft.	Grille Guard Standard on Loader ----- B1775 Grille Guard for installation without Loader
B2400 ALL	RC54-24B* RCK54-24B Or RC60-24B* RCK60-24B	LA351* No valve option, four position valve is standard LA352 B2006 or B2007 LA352(FL-1) B2006 (Standard)	50" width B1615 (Standard)  5.5 cu. ft. / 6.5 cu. ft.	Grille Guard Standard on Loader ----- B1775 Grille Guard for installation without Loader
B2150 ALL	RC60-21B RC72-13	LA350A	B1608A (Standard) 6.4 cu. ft. / 7.8 cu. ft.	B1788 Grille Guard

\* Subject to availability.

① Not compatible with B4672A Backhoe, Heavy Duty Top Link Bracket.

② B7410DT does not have power steering available as standard or an option.

**IMPORTANT:** Three point hitch ballast is required with loader installed for stability. See operator's manual for ballast recommendations.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.

# B-Series Implements

## Front Loaders



ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>CURRENT B-SERIES LOADERS (All compatible with mid-mount mowers)</b>			
LA403 <sup>4</sup>	FRONT LOADER Includes Loader Subframe, and Grille Guard. Requires Valve and Bucket.	845	\$ 2,382.00
LA272* <sup>4</sup>	FRONT LOADER Includes Mounting Kit and Standard Bucket (B1614). Requires Valve.	664	\$ 2,137.00
LA272FL* <sup>4</sup>	FRONT LOADER Includes Mounting Kit, B2006 Valve and B1614 Bucket.	700	\$ 2,663.00
LA272FL-1 <sup>4</sup>	FRONT LOADER Includes Mounting Kit, 4-Position Valve and B1614 Bucket.	700	\$ 2,853.00
LA302* <sup>4</sup>	FRONT LOADER Includes Mounting Kit, Grille Guard and Standard Bucket (B1614). Requires valve.	664	\$ 2,378.00
LA302FL* <sup>4</sup>	FRONT LOADER Includes Mounting Kit, Grille Guard, B2008 Valve and B1614 Bucket.	700	\$ 2,905.00
LA302FL-1 <sup>4</sup>	FRONT LOADER Includes Mounting Kit, Grille Guard, 4-Position Valve and B1614 Bucket.	700	\$ 3,112.00
LA352* <sup>4</sup>	FRONT LOADER Includes Mounting Kit, Grille Guard and Standard Bucket (B1615). Requires Valve.	845	\$ 2,644.00
LA352FL* <sup>4</sup>	FRONT LOADER Includes Mounting Kit, Grille Guard, B2006 Valve, and B1615 Bucket.	1000	\$ 3,171.00
LA352FL-1 <sup>4</sup>	FRONT LOADER Includes Mounting Kit, Grille Guard, 4-Position Valve, and B1615 Bucket.	1000	\$ 3,396.00
LA402* <sup>1</sup> <sup>4</sup>	FRONT LOADER Includes Mounting Kit and Grille Guard. Requires Valve and Bucket.	845	\$ 2,356.00
LA402-1 <sup>1</sup> <sup>4</sup>	FRONT LOADER Includes Mounting Kit, Grille Guard and 4-Position Valve. Requires Bucket.	845	\$ 3,088.00
LA402FL* <sup>2</sup> <sup>4</sup>	FRONT LOADER Includes Mounting Kit, Grille Guard, B2069 3-Position Valve and B1616 Bucket.	900	\$ 3,267.00

<sup>1</sup> For compatibility with quick hitch front mount implements, use B2079 four position valve.

<sup>2</sup> B2069 Valve is not compatible with quick hitch front mount snowblower hydraulic chute rotator B2784, if front implements are to be added.

<sup>4</sup> Rear ballast is required with Loader installed. If Ballast Box is not ordered with loader, proper ballast must be supplied. See operator's manual for ballast recommendations.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



## B-Series Implements Front Loaders

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
B8160	BALLAST BOX for BX and B Series tractors <b>Note:</b> If Ballast Box is not ordered with loader, proper ballast must be supplied. See operator's manual for ballast recommendations.	102	\$ 186.00

**IMPORTANT:** Three point hitch ballast is required with Loader installed for stability. See operator's manual for ballast recommendations.

### LA403 LOADER VALVES

B2315	Four Position, for use on ROPS model	38	\$ 606.00
B2325	Four Position, for use on Cab model	38	\$ 793.00

### LA403 LOADER OPTIONAL ATTACHMENTS

B2365	Quick Coupler	47	\$ 246.00
B2375	Pallet Fork Frame	165	\$ 561.00
K9048	36" Pallet Forks	180	\$ 348.00
B2345	Bucket, 54" (Pin-on / Quick Attach)	125	\$ 398.00
B2355	Bucket 60" (Pin-on / Quick Attach)	125	\$ 493.00

### LA272 AND LA352 LOADER VALVES (Not for use with LA272FL-1 or LA352FL-1)

B2006 <sup>①</sup>	Three Position, Bucket Spool	32	\$ 527.00
B2007 <sup>②</sup>	Optional Four Position, Bucket Spool Required for FZB2019 Front Blade / Loader combination.	30	\$ 565.00

### LA302 LOADER VALVES (Not for use with LA302FL-1)

B2008 <sup>①</sup>	Three Position, Bucket Spool	30	\$ 527.00
B2009 <sup>②</sup>	Optional Four Position, Bucket Spool Required for FZB2019 Front Blade / Loader combination.	30	\$ 565.00

### LA402 LOADER VALVES (Not for use with LA402-1)

B2069 <sup>①</sup>	Three Position, Bucket Spool	20	\$ 527.00
B2079 <sup>②</sup>	Optional Four Position, Bucket Spool Required for Front Blade or Snowblower/Loader combination.	20	\$ 565.00

### LA401 AND LA402 LOADER OPTIONAL ATTACHMENTS

BL1767	Quick Coupler for LA401 and LA402	65	\$ 246.00
K9048	36" Pallet Forks	100	\$ 348.00
L2077A <sup>③</sup>	Pallet Fork Frame	165	\$ 541.00

<sup>①</sup> Three position bucket spool provides immediate regenerative bucket dumping.

<sup>②</sup> Four position bucket spool, the regenerative circuit is detented, push control lever past detent for fast regenerative dumping.

<sup>③</sup> L2077A is compatible with BL1767 Quick Coupler. The previous L2077 is not compatible with BL1767 Quick Coupler.

**IMPORTANT:** Three point hitch ballast is required with loader installed for stability. See operator's manual for ballast recommendations.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.

# B-Series Implements

## Front Loaders



ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>GRILLE GUARDS</b>			
B2335	GRILLE GUARD For LA403 Loader	20	\$ 186.00
B1788*	GRILLE GUARD For LA300 and LA350(A)	34	\$ 221.00
B1775 ①	GRILLE GUARD AND STAY KIT (Non-Loader applications) B1700, B2100, B2400, B7300, B2710, B7400, B7410, B7500, B7510, B7800, B7610, B2410, B2910, Tractors	30	\$ 148.00
B1763	GRILLE GUARD (Optional) Tractors with LA271 and LA272(FL) Loaders B7300HSD, B7400HSD, B7500DT/HSD	20	\$ 101.00

\* Subject to availability.

① The B1775 Kit provides compatibility with Mid Mount Mowers, Front Blade, Snowblower and Front Weights.

### REPLACEMENT FRONT LOADER BUCKETS

(Note: B Series Loaders (LA271, LA272, LA301, LA302, LA351, LA352) come standard with Bucket when ordered.)

ORDER CODE	DESCRIPTION	FITS LOADER MODELS	APPROX. WEIGHT	SUGGESTED LIST PRICE
B1622	40" Standard	(B1620)	48	\$ 301.00
B1647	48" Square Back	(B1630B - B1630C)	87	\$ 405.00
B1648	54" Light Material	(B1630B - B1630C)	124	\$ 337.00
B1614	48" Standard	(LA271- LA301-LA272-LA302)	120	\$ 327.00
B1607	48" Standard	(LA300)	160	\$ 419.00
B1608A	50" Standard	(LA350A)	176	\$ 362.00
B1615	50" Standard	(LA351-LA352)	137	\$ 363.00
B1616	54" Bucket	(LA401-LA402)	125	\$ 398.00
B1617	60" Bucket	(LA401-LA402)	150	\$ 493.00

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



## B-Series Implements Backhoes

Tractor Model	Acceptable ROPS Models for Backhoe Application	Backhoe Model BH75 (7.5 FT.)	Backhoe Model B4672A <sup>⑤</sup> (6.0 FT.)	Backhoe Model BL4690B <sup>⑤</sup> (7.5 FT.)	10" BT1950A	12" BT1951A	16" BT1952A	24" BT1953A
<b>CURRENT MODELS</b>								
B2630 B3030	SFB-F30	X	N/A	N/A	X	X	X	X
B7400 <sup>⑧</sup> B7500 <sup>⑧</sup> B2410	SFB-F24 <sup>②</sup>		X <sup>③</sup>		X	X	X	X
B2710 B2910 B7800 <sup>⑨</sup>	SFB-F29A <sup>②</sup>	X	X	X	X	X	X	X
<b>PRIOR MODELS</b>								
B1550 B1750 B7100 B7200	B1072 ONLY		X <sup>①</sup>		X	X	X	
B1700 B2100 B2400 B7300	SFB-F24 <sup>②④</sup>		X <sup>⑥</sup>		X	X	X	X
B2150 B8200 B9200	B1083		X <sup>①</sup>	X <sup>⑦</sup>	X	X	X	X

If your Tractor ***is not*** equipped with one of these corresponding ROPS, one must be ordered separately.

- ① Backhoe does not include Heavy Duty Top Link Bracket. B7100, B7200, B1550, B1750 model Tractors require part number 70050-93214. B8200, B9200, and B2150 model tractors require part number 70050-93213. Plus Seat spacers 70050-93682 and 70050-93219.
- ② Order for field replacement if tractor is equipped with standard ROPS, refer to DB-01-16 ROPS program for \$225.00 credit eligibility, credit is available with purchase of Kubota Backhoe only.
- ③ Requires B4681 Support Frame Kit for B7400, B7500, and B2410 models.
- ④ SFB-F24 supercedes B1073.
- ⑤ Not compatible with Top-N-Tilt Kits.
- ⑥ Requires B4671A Support Frame Kit. B4671A supercedes B4671. B4671A is compatible with the following Mid-Mount Mowers is so equipped: RCK54-24B\*, RCK54-75B, RCK60-24B (RCK60-24B requires B3094 Kit for B7300HSD and B7400 HSD only).
- ⑦ B8200, B9200, and B2150 require 700050-93213 Bracket.
- ⑧ B4672A Backhoe Heavy Duty Top Link Bracket not compatible with RCK54-75B Mid-mount mower.
- ⑨ B7800 only. BH75 Backhoe requires SFB-F29A Foldable ROPS when installed on B7800.

# B-Series Implements

## Backhoes



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
BH75 <sup>⑥</sup>	BACKHOE 4-pt mounted with Quick Attach, easy-on, easy-off, no tools design. Performance designed, requires integral sub-frame kit, works with tractor hydraulics (not compatible with B3030 Cab Model).	1400	\$ 6,046.00
B4672A <sup>①②⑤</sup>	BACKHOE 3-pt mounted with fixed Top Link. Self-contained hydraulic system powered by direct coupling to PTO. Subframe B4671A required on B1700, B2100, B2400, B7300 Tractors. B4681 Subframe required on B7400, B7500, B7510, B7610 and B2410 Tractors. Uses B21 (BT751) Backhoe Buckets. You must order Bucket separately. Refer to Compatibility Chart and check ROPS Application Chart.	850	\$ 6,179.00
BL4690B <sup>①</sup>	BACKHOE 2-pt mounted with fixed Top Link. Self-contained hydraulic system powered by direct coupling to PTO. Uses B21 (BT751) Buckets. You must order Bucket separately. Check ROPS Application Chart on previous page. B8200, B9200 B2150 require 70050-93213 Bracket	912	\$ 6,663.00
L9467	Rubber Flip Pad Kit. Must order 2.	34	\$ 67.00

### BH75 SUBFRAME KIT

TRACTORS			
BH4975	B2630 / B3030 (Foldable ROPS only)	202	\$ 310.00
BH4974	B7800	202	\$ 311.00

### B4672A SUPPORT FRAME KIT (One Required)

TRACTORS			
B4671A <sup>③④*</sup>	B1700 / B2100 / B2400 / B7300	20	\$ 176.00
B4681 <sup>④</sup>	B7400 / B7500 / B2410 / B7410 / B7510 / B7610	21	\$ 180.00

### BH75, B4672A, AND BL4690B BACKHOE BUCKETS

BT1950A	10" Bucket — 3 Teeth	69	\$ 366.00
BT1951A	12" Bucket — 3 Teeth	69	\$ 433.00
BT1952A	16" Bucket — 4 Teeth	84	\$ 571.00
BT1953A	24" Bucket — 5 Teeth	118	\$ 747.00

<sup>①</sup> These Backhoes are not compatible with Top-N-Tilt Kits.

<sup>②</sup> Backhoe includes Heavy Duty Top Link Bracket for B7300 / 7400 / 7500 / 7800 / 1700 / 2100 / 2400 / 2410 / 2710 / 2910 tractors.

<sup>③</sup> B4671A is compatible with RCK54-24B, RCK54-75B, or RCK60-24B Mid-Mount Mower Decks.

<sup>④</sup> B4681 can be used for prior model B1700, B2100, B2400 and B7300, but hydrostatic model requires additional parts. You must order from Parts (1) 6C050-99650 HST Pedal Stay and (1) 70000-74002 M12 - 1.25 x 55 special bolt. The B4681 will supersede the B4671A when current inventory is depleted.

<sup>⑤</sup> B4672A Backhoe Heavy Duty Top Link Bracket not compatible with RCK54-75B Mid-mount Mower.

<sup>⑥</sup> BH4975 Subframe Kit does not interfere with 3-pt operation. 3-pt Linkage must be moved for Backhoe operation. Is compatible with mid-mount mowers RCK60-30B and RC72-30B.

\* Subject to availability.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.



# B-Series Implements Mower Matching Charts

<u>Tractor Model Number</u>	<u>Mowers</u> Current & Non-Current *Subject to Availability	<u>Comments</u> Please Match comments with appropriate number designation
<b>CURRENT MODELS</b>		
B2630HSD B3030HSD/C	<b>RCK60-30B</b> <b>RC72-30B</b>	
B7400HSD B7500DT/HSD B7510DT/HSD	<b>RCK54-75B</b> ⑦ Or <b>RCK54-24B</b> ⑥ Or <b>RCK60-24B</b> ⑥	⑥ B7400 & B7500 Tractors are compatible with RCK54-24B and RCK60-24B with Serial #'s 30001 and higher. ⑦ B4672A Backhoe Heavy-Duty Top Link Bracket not compatible with RCK54-75B Mid-mount Mower.
B2410 ALL B7610HSD	<b>RC54-24B</b> *⑤ <b>RCK54-24B</b> ⑥ Or <b>RC60-24B</b> *⑤ <b>RCK60-24B</b> ⑥	⑤ Limited availability, use for replacement if customer has GC54-B, GC54-24B, GC60-B, or GC60-24B Grass Catchers, otherwise upgrade to RCK54-24B or RCK60-24B. ⑥ B2410 Tractors are compatible with RCK54-24B and RCK60-24B with Serial #'s 30001 and higher.
B2710HSD B2910HSD B7800HSD	<b>RCK60-27B</b> or <b>RC72-27B</b>	
<b>PRIOR MODELS</b>		
B1700 ALL B2100 ALL B2400 ALL	<b>RC54-24B</b> *⑤ <b>RCK54-24B</b> or <b>RC60-24B</b> *⑤ <b>RCK60-24B</b>	⑤ Limited availability, use for replacement if customer has GC54-B, GC54-24B, GC60-B, or GC60-24B Grass Catchers, otherwise upgrade to RCK54-24B or RCK60-24B.
B1550 B1750	<b>RC54-B</b> <b>RC60-B</b>	Part # 66414-99110 (Clutch Kit Req. RC54-B) Part # 66416-99110 (Clutch Kit Req. RC60-B)
B2150 ALL	<b>RC60-21B</b> <b>RC72-B</b> (see comments)	Applications with turf tires require adjustment of Lift Linkage to prevent the rear tires from contacting the RC72-B deck when raised.
B4200 Gear	<b>RC44-42</b>	
B5200 Gear	<b>RC48-62A</b> ①	① Requires FP72-A Kit
B6200HST B7200HST	<b>RC54-B</b> (see comments) <b>RC60-B</b> (see comments)	Both mower decks requires B3093 Kit
B6200 Gear B7200 Gear	<b>RC48-62A</b> ① <b>RC60-72A</b> ①	① Requires FP72-A Kit
B7100HSD	<b>RC54-71B</b> ③ <b>RC60-71B</b> ③	③ Does not fit old B7100HSD Tractors below Serial # 61076.
B7300HSD	<b>RCK54-75B</b> Or <b>RC54-24B</b> *⑤ <b>RCK54-24B</b> Or <b>RC60-24B</b> *④ <b>RCK60-24B</b> ④	④ Requires B3094 Conversion Kit. ⑤ Limited availability, use for replacement if customer has GC54-B, GC54-24B, GC60-B, or GC60-24B Grass Catchers, otherwise upgrade to RCK54-24B or RCK60-24B.
B8200 Gear	<b>RCB60-1A</b> *②	② Requires FP82-A Kit
B8200HSE/HSD B9200 ALL	<b>RC60-82H</b>	
B9200 Gear B9200HSE/HSD	<b>RC60-21B</b> ④	④ Requires B3094 Conversion Kit.

# B-Series Implements Mounted Mowers



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>B SERIES MID-MOUNT MOWERS</b>			
RCK60-30B	60" CUTTING WIDTH 3 - Blade Finishing Mower / RH Discharge / Parallel Linkage / Shaft Drive / Quick Mount Mechanism	256	\$ 2,411.00
RC72-30B	72" CUTTING WIDTH 3 - Blade Finishing Mower / RH Discharge/ Parallel Linkage / Shaft Drive / Quick Mount Mechanism	260	\$ 3,037.00
RCK54-75B <sup>③</sup>	54" CUTTING WIDTH, ECONOMY DECK 3 - Blade Finishing Mower/RH Discharge/ Suspended Type/Shaft Drive/Quick Mount Mechanism	260	\$ 1,906.00
RCK54-24B <sup>①</sup>	54" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism <b>IMPORTANT: READ FOOTNOTE ①</b>	256	\$ 2,286.00
RCK60-24B <sup>①</sup>	60" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism <b>IMPORTANT: READ FOOTNOTE ①</b>	256	\$ 2,411.00
RCK60-27B	60" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism	256	\$ 2,411.00
RC72-27B	72" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism	260	\$ 3,037.00
<b>NON-CURRENT MODEL REPLACEMENT MOWERS</b>			
RC54-71B* <sup>②</sup>	54" CUTTING WIDTH B7100HSD only. Not Compatible with B1630B Loader.	394	\$ 2,178.00
RC60-71B* <sup>②</sup>	60" CUTTING WIDTH B7100HSD only. Not Compatible with B1630B Loader.	445	\$ 2,297.00
RC44-42*	44" CUTTING WIDTH 3-Blade Finishing Mower / Mid PTO Shaft Drive.	271	\$ 1,656.00
RC48-62A*	48" CUTTING WIDTH Requires Front PTO (FP72-A or B2559). RH discharge / 3-Blade finishing Mower / 3 Anti-Scalp Rollers. (Not compatible with 9.5 - 16 R1 Optional Rear Tires.)	342	\$ 1,621.00

① RCK54-24B and RCK60-24B **after Serial Numbers 30001** are applicable on B7400, B7500 and B2410 tractors. For B2410 Tractor with ABR8707 and ABR8769 Tires, the Mid-Mount Mower Deck cannot be locked in the transport position with the extension steppers installed.

② Fits new style B7100HSD, serial number 61077 and above.

③ B4672A Backhoe H.D. Top Link Bracket not compatible with RCK54-76B Mid-Mount Mower.

\* Subject to availability.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



## B-Series Implements Mounted Mowers

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>NON-CURRENT MODEL REPLACEMENT MOWERS (Continued)</b>			
RC54-24B* <sup>Ⓐ</sup>	54" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism	256	\$ 2,134.00
RC60-24B* <sup>Ⓐ</sup>	60" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism	265	\$ 2,317.00
RC60-72A*	60" CUTTING WIDTH Requires Front PTO Kit (FP72-A or B2559). RH discharge / 3-Blade Finishing Mower / Shaft Drive / 3 Anti-Scalp Rollers. (Not compatible with 9.5-16 R1 Optional Rear Tires.)	447	\$ 1,672.00
RC60-72H*	60" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / Shaft Drive / 3 Anti-Scalp Rollers. (Not compatible with 9.5-16 R1 Optional Rear Tires.)	447	\$ 2,178.00
RC60-82H*	60" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / Shaft Drive / 3 Anti-Scalp Rollers. (Not compatible with 9.5-16 R1 Optional Rear Tires.)	389	\$ 1,879.00
RC54-B*	54" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / 3 Anti-Scalp Rollers / Shaft Drive. One Lever Quick Mount mechanism.	394	\$ 2,178.00
RC60-B*	60" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / 3 Anti-Scalp Rollers / Shaft Drive. One Lever Quick Mount mechanism.	431	\$ 2,297.00
RC60-21B*	60" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / 3 Anti-Scalp Rollers / Shaft Drive.	394	\$ 2,297.00
RCB60-1A*	60" CUTTING WIDTH Requires front PTO FP82-A RH discharge / 3-Blade Finishing Mower / 3 Anti-Scalp Rollers	265	\$ 1,505.00
RC72-B*	72" CUTTING WIDTH 3 Blade Finishing Mower / RH Discharge	539	\$ 3,197.00

<sup>Ⓐ</sup> Limited availability, use for replacement if customer has GC54-B, GC54-24B, GC60-B or GC60-24B Grass Catcher.  
If no Grass Catcher, please upgrade replacements to RCK54-24B or RCK60-24B Mower.

\* Subject to availability.

# B-Series Implements Mounted Mowers



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>FRONT PTO KITS FOR MID-MOUNT MOWERS (NON-CURRENT)</b>			
FP72-A*	FRONT PTO KIT The following Tractor Serial Numbers require an FP72-A to install the RC48-62A Mower: B5200E and B5200D: All Serial No. Tractors. B6200E and B7200E: Serial No. 20000 and above. B6200D and B7200D: Serial No. 60000 and above.	66	\$ 462.00
FP82-A*	FRONT PTO KIT The following Tractor Serial Numbers require an FP82-A to install the RCB60-1A Mower: B8200E: Serial No. 20000 and above. B8200DT: Serial No. 60000 and above.	64	\$ 444.00
<b>CONVERSION KITS FOR MID-MOUNT MOWERS</b>			
B3093*	Conversion Kit	22	\$ 336.00
B3094*	Conversion Kit	37	\$ 360.00
B3099*	Conversion Kit	25	\$ 229.00

**OVERRUNNING CLUTCH KIT (order part number below) (Non-current B1550 - B1750 Gear Models)**

- 66414-99110 for RC54-B
- 66416-99110 for RC60-B
- S/N 20001~29999
- S/N 10001~19999 with "U" mark behind the S/N requires Shaft 2 (66416-99171)
- S/N 10001~19999 without "U" mark behind the S/N requires Shaft 3 (66416-99181)

\*Subject to availability.



## B-Series Implements Grass Catchers

**Grass Catcher Matching Chart  
By Tractor Model  
By Mower Model**

<b>Current -Tractor Models</b>	<b>Mower</b>	<b>Grass Catcher</b>
B7400	RCK54-24B	<b>GCK54-24B</b>
B7510 B7610 B7500 B2410	RCK54-24B or RCK60-24B	<b>GCK54-24B</b> or <b>GCK60-24B</b>
B2710 B2910 B7800	RCK60-27B	<b>GCK60-24B</b> Requires B3097 Conversion Kit
B2630 B3030	RCK60-30B	<b>GCK60-24B</b> Requires Conversion Kit (B3098)
<b>Prior - Tractor Models</b>		
B1550 B1750	RC54-B	<b>GC54-B</b>
B1550 B1750 B6200HST B7200HST	RC54-B or RC60-B	<b>GC54-24B</b> Not compatible with backhoe ROPS Requires B3096 Conversion Kit or <b>GC60-24B</b> Not compatible with backhoe ROPS Requires B3096 Conversion Kit
B1700 B2100 B2400	RCK54-24B or RCK60-24B	<b>GCK54-24B</b> or <b>GCK60-24B</b>
B7100HSD	RC54-71B	<b>GC54-B</b> Not compatible with backhoe ROPS
B7300	RCK54-24B	<b>GCK54-24B</b>

# B-Series Implements Grass Catchers



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>B SERIES GRASS CATCHERS</b>			
GCK54-24B*	GRASS CATCHER Three (3) Bags; 9.75 bushel capacity	200	\$ 1,698.00
B3097*	CONVERSION KIT Converts GCK60-24B to fit RCK60-27B on B2710, B2910, B7800 tractor	20	\$ 91.00
B3098	CONVERSION KIT Converts GCK60-24B to fit RCK60-30B on B2630, B3030 tractor	20	\$ 123.00
<b>NON-CURRENT B SERIES GRASS CATCHERS</b>			
GC54B*	GRASS CATCHER Three (3) Bags; 9.75 bushel capacity. GC54B Grass Catchers prior to S/N 59301570 require Dealer modification for B7100HSD application.	207	\$ 1,472.00
GC60-CV*	CONVERSION KIT Required when mounting RC60-21B Mid-Mount Mower Deck onto B2150 Tractor.	34	\$ 126.00
GC54-24B *	GRASS CATCHER Three (3) Bags; 9.75 bushel capacity	200	\$ 1,439.00
GC60-24B *	GRASS CATCHER Three (3) Bags; 9.75 bushel capacity	200	\$ 1,439.00
B3096*	CONVERSION KIT Converts GC54-24B to GC54B Converts GC60-24B to GC60B	20	\$ 148.00

\* Subject to availability.



# B-Series Implements Rear Mount Mowers

## THREE POINT HITCH MOUNTED FINISHING MOWERS

Current - Tractor Models	Rear Finishing Mowers (Formed Deck)
B7410DT, B7400HSD	RFM-48
B7510, B7500	RFM-48 RFM-60
B7610, B2410	RFM-48 RFM-60 RFM-72
B2630 B3030 B2710 B2910 B7800	RFM-60 RFM-72
Prior - Tractor Models	
B1700 B2100	RFM-48 RFM-60
B2400	RFM-48 RFM-60 RFM-72
B4200DT B7100HSD B7300HSD	RFM-48

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
------------	-------------	----------------	----------------------

**NOTE: ALL REAR MOUNT MOWERS REQUIRE 1 TO 5 BL8060-1 FRONT SUITCASE WEIGHTS OR EQUIVALENT FRONT COUNTERWEIGHT.**

### REAR MOUNT ROTARY FINISHING MOWERS

RFM-48*	48" CUTTING WIDTH Side discharge, 2-Blade Finishing Mower. Gauge Wheel cutting height adjustment from 1 to 5.5 inches. Requires PTO operation of 540 rpm.	570	\$ 1,776.00
RFM-60*	60" CUTTING WIDTH Side discharge, 3-Blade Finishing Mower. Gauge Wheel cutting height adjustment from 1 to 5.5 inches. Requires PTO operation of 540 rpm.	670	\$ 2,044.00

\* Subject to availability.

# B-Series Implements

## Front Mounted Implements



**FRONT MOUNTED IMPLEMENTS**  
 B2733 Quick-Hitch/Sub-Frame Required for Group 1 or Group 2 Implements  
 for B7300, B7400, B7500, B2410, B7410, B7510 and B7610 Tractors

Select from Group 1 or Group 2

		<b>Group 1</b> (BX Series Implements)	<b>Group 2</b> (B Deluxe Series Implements)
B7410, B7510, B7610 B7300, B7400, B7500, B2410	Front Blade	BX2763A (60") Requires: Quick-Hitch – B2733 Hyd. Valve or Loader Valve	B2765 (60") Requires: Quick-Hitch – B2733 Hyd. Valve or Loader Valve
B7800, B2710, B2910	Front Blade	Not Applicable	B2765 (60") Requires: Quick-Hitch – B2761 Hyd. Valve or Loader Valve
B7510, B7610 B7300, B7400, B7500, B2410	Snowblower	BX2750B (50") Requires: Hyd. Valve or Loader Valve Mid-PTO Kit – B2734 Front Half PTO Shaft← -BX2735 Quick-Hitch – B2733	B2781 (51") Requires: Hyd. Valve or Loader Valve Mid-PTO Driveline Kit- B2734 Snowblower Chute Kit- B2783 Front Half PTO Shaft↑- B2736 Quick-Hitch- B2733
B7800, B2710, B2910	Snowblower	Not Applicable	B2781 (51") or B2782 (63") Requires: Hyd. Valve or Loader Valve Mid-PTO Driveline Kit- B2762 Snowblower Chute Kit- B2783 Quick-Hitch- B2761
B7510, B7610 B7300, B7400, B7500, B2410	Rotary Broom	BX2537 (47") Requires: Hyd. Valve or Loader Valve Mid-PTO Kit – B2734 Front Half PTO Shaft← - BX2735 Quick-Hitch – B2733	B3262* (60") or B2779 (60") Requires: Hyd. Valve or Loader Valve Mid-PTO Driveline Kit – B2734 Front Half PTO Shaft↑ - B2736 Quick-Hitch – B2733
B7800, B2710, B2910	Rotary Broom	Not Applicable	B2779 (60") Requires: Hyd. Valve or Loader Valve Mid-PTO Driveline Kit – B2762 or B2792 Quick-Hitch – B2761 or B2791
B2630HSD B3030HSD/C B2710 B2910	Front Blade		B2765A (60") B2775 (72") Requires: Quick Hitch – B2791 B2794 – Valve Mounting Kit (ROPS & Cab) Required if tractor is w/o Loader *Must order B2325 Valve Kit B2325 – 4-Pos. Hydraulic Control Valve. Includes Valve, Joystick and fender mounting hardware. Required is tractor is w/o Loader.
B2630HSD B2630HSD/C B2710 B2910	Snowblower		B2781 (51") B2782 (63") Requires: Quick Hitch – B2791 Front Mount Chute Kit – B2783A Mid-PTO Driveline Kit – B2792 (B2630, B3030 ROPS Models) Mid-PTO Driveline Kit – B2793 (B3030 Cab model) Valve Mounting Kit (ROPS & Cab) – B2794 required if tractor is w/o Loader *Must order B2325 Valve Kit 4-Pos. Hyd. Control Valve – B2325 Includes Valve, Joystick and fender mounting hardware. Required if tractor is w/o Loader
B2630HSD B3030HSD/C B2710 B2910	Rotary Broom		B2779 (60") Requires: Quick Hitch – B2791 Mid PTO Driveline Kit – B2792 (B2630, B3030 ROPS model) Mid-PTO Driveline Kit – B2793 (B3030 Cab Model) Hyd. Valve & Mounting Kit

\* Subject to availability.

- ① The Front half PTO shaft must be matched to the implement. Group 1 (BX) Front half PTO shaft will only work with the Group 1 Implements.
- ② The Front half PTO shaft must be matched to the implement. Group 2 (B-Deluxe) Front half PTO shaft will only work with the Group 2 Implements.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.  
 Complete revision January 1, 2007.



# B-Series Implements Front Mounted Implements

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>GROUP 1 IMPLEMENTS</b>			
<b>FRONT BLADE</b>			
BX2763A <sup>①</sup>	60" Snow/Utility Blade Hydraulic Angle Requires: B2733 Quick-hitch and a loader Valve or B2056-1 for non-loader applications BX2762 skid shoes. B2766 Rubber (squeegee) Edge optional	283	\$ 1,010.00
BX2762	Skid shoes Required: for BX2763A	20	\$ 106.00
B2766	Rubber (squeegee) edge to protect Surface, to be used with BX2763A	30	\$ 160.00
<b>SNOWBLOWER</b>			
BX2750B <sup>①</sup>	50" Two stage snowblower Mid-PTO driven, Hyd. Lift, Manual chute and deflector. Requires: Mid-PTO kit B2734, Front half PTO shaft BX2735, Quick-hitch B2733 and Loader valve or B2056-1 for non-loader applications.	256	\$ 1,481.00
<b>SNOWBLOWER OPTIONAL ATTACHMENTS</b>			
GB2513	Electric Chute Deflector Kit	8	\$ 398.00
GB2514B-1	Electric chute rotator kit	8	\$ 295.00
<b>ROTARY BROOM</b>			
BX2537A <sup>①</sup>	47" Rotary Sweeper Manual angle, parking Stands, polypropylene brush. Requires: Mid-PTO kit B2734, Front half PTO shaft BX2735, Quick-hitch B2733 and Loader valve or B2056-1 for non-loader applications (optional) G2537SCWK wheel kit.	251	\$ 1,503.00
<b>WHEEL KIT</b>			
BX2737	Side dethatching/caster wheel kit Recommended for snow removal or lawn dethatching	15	\$ 205.00
<b>Required:</b> B2056-1	Hydraulic valve kit (4-position Valve) Includes stand for use with tractors without LA272, LA302, or LA352 loaders.	30	\$ 617.00
B2734	Mid-PTO Drive kit, includes mid drive shaft, Support shaft and bearings. Requires BX2735.	25	\$ 330.00
BX2735	Front Half of Mid-PTO drive (for BX implements Only)	7	\$ 152.00
B2733	Quick-Hitch subframe for B7510, B7610, B7300, B7400, B7500 & B2410.	125	\$ 752.00

<sup>①</sup> Not applicable for B7800, B2710 and B2910 Tractors.

# B-Series Implements

## Front Mounted Implements



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>GROUP 2 IMPLEMENTS</b>			
<b>FRONT BLADE</b>			
B2765A	60" blade with trip spring lockout, Hydraulic Lift. Includes replaceable skid shoes and hydraulic angling with single cylinder, hoses and quick couplers. B7300, B7400, B7500, B2410, B7510, and B7610 require: B2733 quick-hitch, and Loader Valve or B2056-1 for non-loader applications B7800, B2710, B2910 require: B2761 Quick-Hitch and Loader Valve or B2099-1 for non-loader applications. Optional Rubber (squeegee) edge B2766	381	\$ 1,282.00
B2766	Rubber (squeegee) Edge for B2765 Blade	30	\$ 160.00
<b>SNOWBLOWER</b>			
B2781	51" snowblower, Two Stage High capacity, 2 stage commercial type Front mount, with heavy-duty skid shoes. For B7300, B7400, B7500, B2410, B7510, B7610,  Manual chute rotation requires: Front Chute kit B2783, Quick-hitch B2733, Mid-PTO kit B2734, and Front half of mid-PTO drive B2736 (B Implements only), And Loader Valve or B2056-1 for non-loader applications.  For B7800, B2710, B2910 Manual chute rotation requires: Front Chute Kit B2783, Quick Hitch B2761, Mid-PTO Driveline Kit B2762 and Loader valve or B2099-1 for non-Loader applications.	295	\$ 1,374.00
B2782	63" SNOWBLOWER, TWO STAGE B7800, B2710, B2910 High capacity, 2 stage commercial type front mount, with heavy duty skid shoes. Manual chute rotation is standard. Requires: B2783 Frt. Mt. Chute Kit, B2762 Mid-PTO kit, B2761 Quick Hitch, Loader Valve, or B2099-1 Valve. Hydraulic Rotation, optional (B2784)	320	\$ 1,532.00
B2783A	Front Snowblower Chute Kit Requires: B2781 or B2782 Snowblower Includes chute, manual rotation, quick hitch receiver, front half of PTO shaft, and hardware.	120	\$ 819.00
B2784	Hydraulic Chute Rotation for B2781 or B2782 Snowblower, requires: Loader Valve or B2056-1 or B2099-1 for non-loader applications	12	\$ 613.00
B2516	Electric Chute Deflector For B2781 or B2782, includes actuator, switch and wiring.	8	\$ 464.00

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.  
Complete revision January 1, 2007.



## B-Series Implements Front Mounted Implements

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>ROTARY BROOM</b>			
B3262A	60" Rotary Sweeper 57" sweeping width, power angle is standard. <b>B7300, B7400, B2410, B7510, B7610 require:</b> Mid-PTO Kit B2734, Quick-hitch B2733, Front half of mid-PTO drive B2736 (B Implements only), and Loader Valve or B2056-1 for non-loader applications. <b>B7800, B2710, B2910 require:</b> Mid-PTO Kit B2762, Quick-hitch B2761, and Loader Valve or B2099-1 for non-Loader applications	300	\$ 3,068.00
B2779	60" Rotary Sweeper 60" sweeping width, power angle is standard. <b>B7300, B7400, B2410, B7510, B7610 require:</b> Mid-PTO Kit B2734, Quick-hitch B2733, Front half of mid-PTO drive B2736 (B Implements only), and Loader Valve or B2056-1 for non-loader applications. <b>B7800, B2710, B2910 require:</b> Mid-PTO Kit B2762, Quick-hitch B2761, and Loader Valve or B2099-1 for non-Loader applications	444	\$ 3,172.00
BL2178	Side Caster Wheels (Kit) for B3262A and B2779 Sweepers	20	\$ 342.00
<b><u>Required for B7300, B7400, B7500, B2410, B7510, B7610</u></b>			
B2056-1	Hydraulic valve kit (4-position Valve) Includes stand for use with tractors without LA272, LA302, or LA352 loaders.	30	\$ 617.00
B2734	Mid-PTO Drive kit, includes mid drive shaft, Support shaft and bearings. Requires B2736.	25	\$ 330.00
B2736	Front Half of Mid-PTO drive (for B implements Only)	7	\$ 155.00
B2733	Quick-Hitch subframe for B7510, B7610, B7300, B7400, B7500 & B2410.	125	\$ 752.00
<b><u>Required for B7800, B2710, B2910</u></b>			
B2099-1	Joystick Control Valve for non-loader applications on B7800, B2710, B2910	58	\$ 617.00
B2762	Mid PTO Driveline Kit	25	\$ 513.00
B2761	Quick Hitch and Subframe Loader compatible, subframe brackets must be removed for mid-mount mower.	125	\$ 865.00
B2791	Quick Hitch and Subframe Loader compatible, subframe brackets must be removed for Mid-mount Mower.		\$ 836.00
B2792	Mid-PTO Driveline Kit		\$ 496.00

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.  
Complete revision January 1, 2007.

# B-Series Implements

## Front Mounted Implements



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b><u>B30 SERIES IMPLEMENTS</u></b>			
<b>FRONT BLADE</b>			
B2765A	60" Snow/utility blade hyd. angle Requires: B2791 Quick Hitch and a Loader Valve or B2325 for non-loader applications. B2766 Rubber Edge (squeegee) optional.	225	\$ 1,282.00
B2775	72" Snow/utility blade hyd. angle Requires: B2791 Quick Hitch and a Loader Valve or B2325 for non-loader applications. B2766 Rubber Edge (squeegee) optional.	485	\$ 1,288.00
B2766	Rubber (squeegee) Edge for B2765 Blade	30	\$ 160.00
B2776	Rubber (squeegee) Edge for B2775 Blade	30	\$ 188.00
<b>SNOWBLOWER</b>			
B2781	51" snowblower, Two Stage High capacity, 2 stage commercial type Front mount, with heavy-duty skid shoes. <b>Requires: B2783</b> Front Chute Kit, B2791 Quick Hitch, B2792 Mid-PTO Driveline Kit (ROPS) or B2793 Mid-PTO Driveline Kit (Cab), and Loader valve or B2325 for non-Loader applications.	295	\$ 1,374.00
B2782	63" Snowblower, two stage B7800, B2710, B2910532 High capacity, 2 stage commercial type front mount, with heavy duty skid shoes. Manual chute rotation is standard. <b>Requires: B2783A</b> Front Chute Kit, B2791 Quick Hitch, B2792 Mid-PTO Driveline Kit (ROPS) or B2793 Mid-PTO Driveline Kit (Cab), and Loader valve or B2325 for non-Loader applications.	320	\$ 1,532.00
B2783A	Front Snowblower Chute Kit <b>Requires: B2781</b> or B2782 Snowblower Includes chute, manual rotation, quick hitch receiver, front half of PTO shaft, and hardware.	120	\$ 819.00
B2784	Hydraulic Chute Rotation Kit for B2781 or B2782 Snowblower, <b>requires: Loader Valve</b> or B2325 for non-loader applications.	12	\$ 613.00

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.  
Complete revision January 1, 2007.



## B-Series Implements Front Mounted Implements

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b><u>B30 SERIES IMPLEMENTS (Cont.)</u></b>			
<b>ROTARY BROOM</b>			
B3262A	60" Rotary Sweeper 57" sweeping width, power angle is standard. <b>Requires:</b> B2791 Quick Hitch, B2792 Mid-PTO Driveline Kit (ROPS or B2793 Mid-PTO Driveline Kit (Cab), and Loader Valve or B2325 for non-Loader applications.	300	\$ 3,068.00
B3262A	60" Rotary Sweeper 57" sweeping width, power angle is standard. <b>Requires:</b> B2791 Quick Hitch, B2792 Mid-PTO Driveline Kit (ROPS or B2793 Mid-PTO Driveline Kit (Cab), and Loader Valve or B2325 for non-Loader applications.	444	\$ 3,172.00
<b><u>Required for B2630, B3030 (ROPS and Cab)</u></b>			
B2325	Hydraulic valve kit (4-position Valve) Includes Valve, Joystick and fender mounting hardware. Required if tractor is without Loader.	38	\$ 793.00
B2794	Valve Mounting Kit (ROPS & Cab) Required if tractor is w/out Loader. *Must order B2325 Valve Kit.	30	\$ 60.00
B2792	Mid-PTO Driveline Kit B2630, B3030 ROPS Model	25	\$ 496.00
B2793	Mid-PTO Driveline Kit B3030 Cab Model	25	\$ 496.00
B2791	Quick-Hitch Subframe	125	\$ 836.00

# B-Series Implements Snowblowers and Blades



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>REAR MOUNTED SNOWBLOWERS</b>			
BL2583	Cat. I. Three Point Hitch Adapter and Chute Kit For B2781 or B2782 Snowblower Heads.	100	\$ 513.00
<b>SNOWBLOWER HEADS</b>			
B2781①	51" Snowblower, two stage, high capacity For BL2583 Three Point Hitch Adapter and Chute Kit	295	\$ 1,374.00
B2782①	63" Snowblower, two stage, high capacity For BL2583 Three Point Hitch Adapter and Chute Kit	320	\$ 1,532.00
<b>3-POINT MOUNTED SNOWBLOWERS</b>			
BL2664②	64" 3-Point Hitch Rear Mounted, two stage, High Capacity.	681	\$ 2,019.00
BL2665	Manual Chute Rotation Kit	11	\$ 125.00
<b>BL2664 3-POINT MOUNTED SNOWBLOWER OPTIONS</b>			
B2784	Hydraulic Chute Rotation Kit	12	\$ 613.00
BL2666	Hydraulic Chute Deflector Kit (with electric selector valve)	8	\$ 701.00
B2516	Electric Chute Deflector	8	\$ 464.00
B2177	Drift Cutter Kit (5" width extension)	27	\$ 84.00
<b>REAR BLADES</b>			
B2004*	48" CUTTING WIDTH (Requires B2002) Cat. I. Reversible for pushing or pulling material. Five forward and five reverse angle positions — no tools required. Reversible cutting edge.	132	\$ 322.00
B2005*	60" CUTTING WIDTH (Requires B2002) Cat. I. Reversible for pushing or pulling material. Five forward and five reverse angle positions — no tools required. Reversible cutting edge.	153	\$ 342.00
<b>MAIN FRAME FOR B2004 &amp; B2005</b>			
B2002*	Main Frame	59	\$ 170.00

\* Subject to availability.

① The BL2583 and B2781 or B2782 combinations are only recommended for tractors with a Category I Three Point Hitch and a maximum rear PTO HP rating of 30 HP at 540 rpm.

② Requires BL2665 Manual Chute Rotation Kit.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.



## B-Series Implements Post Hole Digger

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>POST HOLE DIGGER</b>			
BL80A *	POST HOLE DIGGER Category I — 3-Point Hitch with lift arm spacing of 20" or 26". Shear Bolt protection; heat-treated and hard surfaced auger; heat-treated and replaceable cutting edge.	180	\$ 838.00
<b>REQUIRES ONE AUGER (45" Digging Depth)</b>			
BL80-6*	6" Diameter	60	\$ 167.00
BL80-9*	9" Diameter	45	\$ 196.00
BL80-12*	12" Diameter	66	\$ 252.00

\* Subject to availability.

**SUGGESTED AUGER APPLICATIONS**  
(Digging Performance depends on H.P., Speed and Soil Conditions)

6" DIAMETER	9" DIAMETER	12" DIAMETER
ALL MODELS	B7500 – B2910	B2710 – B2910

# B-Series Implements

## Box Scrapers



**BOX SCRAPER MATCHING CHART**

Current - Tractor Models	Economy Type	Utility type
B2630, B3030	L7554 (54")	L7516 (54") L7551 (54")
B7410, B7400	B7542 (42") BL7548 ( 48" )	
B7510, B7500	BL7548 (48") L7554 (54")	L7516 (54")
B2410 B2710 B2910 B7610 B7800	BL7548 (48") L7554 (54")	L7516 (54") L7551 (54")
<b>Prior - Tractor Models</b>		
B1550 B4200 / B5200 B6200 / B7200	B7542 (42")	
B1750	BL7548 (48")	L7516 (54")
B2100	BL7548 (48") L7554 (54")	L7516 (54")
B2150 B2400	BL7548 (48") L7554 ( 54" )	L7516 (54") L7551 (54")
B7100 B7300	B7542 (42") BL7548 (48")	
B8200 B9200	BL7548 (48")	L7516 (54") L7551 (54")

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BOX SCRAPERS</b>			
L7516	54" CUTTING WIDTH 11.4 cu. ft. capacity. Includes Five Scarifiers. Requires 3 to 5 BL8060 Front Suitcase Weights or equivalent front counter weight.	471	\$ 1,044.00
L7551	54" CUTTING WIDTH 8.7 cu. ft. capacity. Roll-Over Box Scraper. 3-Position Lock actuated from tractor seat. Requires 3 to 5 BL8060 Front Suitcase Weights or equivalent front counter weight.	488	\$ 1,138.00
B7542*	42" CUTTING WIDTH 8.0 cu. ft. capacity.	285	\$ 663.00
BL7548*	48" CUTTING WIDTH 9.0 cu. ft. capacity.	334	\$ 731.00
L7554*	54" CUTTING WIDTH 10.0 cu. ft. capacity.	392	\$ 760.00

\* Subject to availability.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.  
Complete revision January 1, 2007.



# B-Series Implements Trencher

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
------------	-------------	----------------	----------------------

### TRENCHER MATCHING CHART

	B5550A
B7200HST	X
B8200HST	X
B9200HST	X
B1550HST	X
B1750HST	X
B2150HST	X
B1700HSD(B)	X
B2100HSD(B)	X
B2400HSD(B) / B2410HSD(B)	X
B2710HSD/B2910HSD	X

**B5550A\***      **GENERAL PURPOSE TRENCHER**      750      \$ 6,849.00

Pre-assembled with three foot (3') H. D. Boom & Tip; H. D. Chain with 8" Digging Bits. Included are one set each of 10" and 12" Bits assembled onto chain, but inverted, providing 8 inch cutting width, just turn around for either 10" or 12" widths. Includes Crumber Assembly. One (1) Mounting Kit required, see chart below.  
NOTE: Kubota Front Loader or FZB2019 Front Blade and B8063 Bracket Kit with 2, BL8060-1 wts. required, or B2765 Front Blade.

### MOUNTING KIT (One Required)

TRACTOR	KIT WHOLEGOODS NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
B7200HST B1550HST B1750HST	B5506A* Mounting Kit	18	\$180.00
B8200HST B9200HST B2150HST	B5507* Mounting Kit	17	\$199.00
B1700HSD(B) B2100HSD(B) B2400HSD(B)	B5551B③* Hydraulic Kit B4671A* Support Frame Kit	30 20	\$418.00 \$176.00
B2410HSD(B)	B5551B①②③* Hydraulic Kit B4681④* Support Frame Kit	30 20	\$418.00 \$180.00
B2710HSD / B2910HSD	B5551B①②* Hydraulic Kit	30	\$418.00

\* Subject to availability.

① Requires (1) rear hydraulic outlet block, 6C040-95100. Order from the parts department. Includes heavy duty top link bracket.

② Supersedes B5551A.

③ Requires B4671A Support Frame Kit.

④ Requires B4681 Support Frame Kit.

**TRENCHERS REQUIRE APPROPRIATE KUBOTA  
LOADER COUNTER BALLAST FOR SAFE OPERATION.**

(continued on next page)

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2007.

# B-Series Implements

## Trencher



### REPLACEMENT H.D. CHAINS CHART

WHOLEGOODS NUMBER	WITH STANDARD DUTY BOOM		
	2' Boom	3' Boom	4' Boom <sup>①</sup>
B5516* Chain	Order 1	Order 1	Order 1
B5517* Chain Extensions	N/A	Order 1	Order 2

① Chain is for replacement of existing booms only. 4' Boom is no longer available

WHOLEGOODS NUMBER	WITH HEAVY-DUTY BOOM	
	2' Boom	3' Boom
B5516 Chain	Order 1	Order 1
B5517 Chain Extensions	N/A	Order 1

BOOM			
B5569 <sup>②</sup> *	2' H.D. Boom (Dealer Installed Option)	40 lb.	\$ 199.00
B5579*	3' H.D. Boom (Standard in base price)	65 lb.	\$ 237.00

② Chain needs the extension section removed when installing the 2' Boom in place of the 3' H.D. Boom.

### REPLACEMENT BIT SETS CHART (Trenching Widths)

BOOMS	WITH STANDARD DUTY BOOM APPLICATION					
	3"	4"	6"	8"	10"	12"
3' - B5503*	3-B5509*	3-B5519*	3-B5529*	3-B5539*	3-B5549*	3-B5559*
4' - B5504*	3-B5509*	3-B5519*	3-B5529*	3-B5539*	3-B5549*	N/A

BOOMS	WITH HEAVY-DUTY APPLICATION				
	3"	4"	6"	8"	10"
3' - B5579*	5-B5509*	5-B5519*	5-B5529*	5-B5539*	N/A

\* Subject to availability.



## B-Series Implements Trencher

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>REPLACEMENT CRUMBER</b>			
B5505*	Crumber Assembly	25	\$ 165.00
<b>REPLACEMENT HEAVY-DUTY CHAINS</b>			
B5516*	Chain	56	\$ 480.00
B5517*	Chain Extension	13	\$ 127.00
<b>REPLACEMENT BIT SETS</b>			
B5509*	3" Bit Set	3	\$ 136.00
B5519*	4" Bit Set	11	\$ 146.00
B5529*	6" Bit Set	12	\$ 141.00
B5539*	8" Bit Set	13	\$ 141.00
B5549*	10" Bit Set	17	\$ 189.00
B5559*	12" Bit Set	25	\$ 225.00

\* Subject to availability.

**This page intentionally left blank.**



# B-Series Implements Tillers

TRACTOR / ROTARY TILLER MATCHING CHART

<b>CURRENT Model Tractors</b>	<b>ROTARY TILLER MODELS</b>
B2630 B3030	<b>BL60C (57")</b>
B7400 B7410	<b>B40C (37") FL850 (34")</b>
B7500DTN B7510DTN	<b>FL850 (34") B40C (37")</b>
B7500 B7510	<b>FL1021C or FL1021RC ( 40" ) BL52C ( 49" )</b>
B2630 B3030 B2410 B2710 B2910 B7610 B7800	<b>FL1021C or FL1021RC ( 40" ) FL1271C or FL1271RC ( 50" ) BL52C ( 49" ) BL60C ( 57" )</b>
<b>PRIOR Model Tractors</b>	
B1550 B1700 B4200DT B5200E/DT B6200 B7100HSD B7200 B7300	<b>FL850 ( 34" ) or B40C ( 37" )</b>
B1750 B2100	<b>FL1021C or FL1021RC ( 40" ) BL52C ( 49" )</b>
B2400 B2150	<b>FL1021C or FL1021RC ( 40" ) FL1271C or FL1271RC ( 50" ) BL52C ( 49" ) BL60C ( 57" )</b>
B8200	<b>FL1021C or FL1021RC ( 40" ) B40C ( 37" )</b>
B9200HST	<b>FL1021C or FL1021RC ( 40" )</b>
B9200E B9200DT	<b>FL1021C or FL1021RC ( 40" ) B40C ( 37" ) BL52C ( 49" ) BL60C ( 57" )</b>

# B-Series Implements

## Tillers



**NOTE: 3 POINT HITCH MOUNTED IMPLEMENTS REQUIRE FRONT COUNTER WEIGHT  
IN THE FORM OF FRONT MOUNTED IMPLEMENTS OR FRONT BUMPER WEIGHTS.**

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>*** ROTARY TILLERS ***</b>			
FL850	34" CUTTING WIDTH Center or Offset Mounted/Friction Slip Clutch/Skid Shoe Depth Control/14.7" diameter Rotor w/Blades.	297	\$ 1,831.00
B40C	37" CUTTING WIDTH Center Mounted/Offset up to 8"/Skid Shoe Depth Control.	370	\$ 1,690.00
FL1021C	40" CUTTING WIDTH Offset or Center Mounted/Skid Shoe Depth Control 17.3" dia. Rotor.	466	\$ 2,327.00
FL1021RC	40" CUTTING WIDTH Reverse Cutting Rotation/Offset or Center Mounting Skid Shoe Depth Control/17.3" diameter Rotor.	500	\$ 2,449.00
BL52C	49" CUTTING WIDTH Center Mounted/Offset up to 8"/Skid Shoe Depth Control.	435	\$ 1,877.00
FL1271C	50" CUTTING WIDTH Offset or Center Mounted/Skid Shoe Depth Control 17.3" diameter Rotor.	493	\$ 2,572.00
FL1271RC	50" CUTTING WIDTH Reverse Cutting Rotation/Offset or Center Mounting Skid Shoe Depth Control/17.3" diameter Rotor.	500	\$ 2,589.00
BL60C	57" CUTTING WIDTH Center Mounted/Offset up to 8"/Skid Shoe Depth Control.	500	\$ 1,975.00



## B-Series Tractor Engines

**NEW Engine Replacement Order Guide**  
**"B" Series Tractors**  
**(All Engines are Fully Assembled and Run Tested)**

<b>ORDER CODE</b>	<b>DESCRIPTION</b>	<b>APPROX. SHIP WT.</b>	<b>SUGGESTED LIST PRICE</b>
<b>TIER I</b>			
D850-5B*	Replacement engine for B1550E/DT/HSE/HSD	251	\$ 3,635.00
D905-D10*	Replacement engine for B1700	275	\$ 3,173.00
D1005-D10*	Replacement engine for B2100	275	\$ 3,365.00
D1105-D10	Replacement engine for B2400	275	\$ 3,558.00
D1105-ED16	Replacement engine for B2410HSD/HSDB/HSE	400	\$ 3,558.00
V1305ED12	Replacement engine for B2710HSD	320	\$ 3,750.00
D722-D10	Replacement engine for B7300	255	\$ 2,885.00
D722-E-D16	Replacement engine for B7400HSD	169	\$ 2,885.00
D1005-ED16	Replacement engine for B7500DT/HSD	300	\$ 3,365.00
D950-A-DT	Replacement engine for: B8200E/F (S/N 11643-12138) B8200HSE (S/N up to 10888) B8200HSD (S/N up to 51771) B8200DT (S/N 50001-54115)	285	\$ 3,801.00
V1200-A	Replacement engine for B9200E/DT/HSE/HSD	211	\$ 4,362.00
<b>TIER II</b>			
V1305E2D12	Replacement engine for B2710HSD	320	\$ 3,846.00
V1505E2D16	Replacement engine for B2910HSD/B7800HSD	400	\$ 4,135.00
D1105E2D21	Replacement engine for B2630	400	\$ 3,558.00
V1505E2D21	Replacement engine for B3030	400	\$ 4,135.00
V1505E2D2Q①	Replacement engine for B3030HSDCC/HSDCC	400	\$ 4,135.00

\* Subject to availability.

① For the replacement of the engine in the B3030HSDCC, the Alternator Stay Kit, Part No. 6C231-31110, must be ordered from the Parts Department.

