

B-Series Implements Loader/Bucket/Mower Matching Chart



| Tractor Models | Mower | Loader Valve | Bucket Struck / Heaped Capacity | Attachments |
|----------------------------------|--|--|--|--|
| Current Models | | | | |
| B7400HSD B7500DT/HSD | RCK54-75B⓪ Or RC54-24B* RCK54-24B Or RC60-24B* RCK60-24B | LA271* No valve option, four position valve is standard LA272 B2006 or B2007 LA272(FL-1) B2006 (Standard) | 48" width B1614 (Standard) 5.2 cu. ft. / 6.2 cu. ft. | Optional B1763 Grille Guard used with LA271 / LA272 B1775 Grille Guard for installation without Loader |
| B7500DT/HSD | RCK54-75B⓪ | LA301* No valve option, four position valve is standard LA302 B2008 or B2009 LA302(FL-1) B2008 (Standard) | 48" width B1614 (Standard) 5.2 cu. ft. / 6.2 cu. ft. | Grille Guard Standard on Loader B1775 Grille Guard for installation without Loader |
| B2410 ALL | RC54-24B* RCK54-24B Or RC60-24B* RCK60-24B | LA351* No valve option, four position valve is standard LA352 B2006 or B2007 LA352(FL-1) B2006 (Standard) | 50" width B1615 (Standard) 5.5 cu. ft. / 6.5 cu. ft. | Grille Guard Standard on Loader B1775 Grille Guard for installation without Loader |
| B2710HSD B2910HSD B7800HSD | RCK60-27B or RC72-27B | LA401* LA402-1 B2069 or B2079 LA402(FL-1) B2069 (Standard) | 54" width B1616 (Standard) 6.7 cu. ft. / 8.1 cu. ft. 60" width B1617 (Optional) 8.1 cu. ft. / 9.9 cu. ft. | Grille Guard Standard on Loader B1775 Grille Guard for installation without Loader BL1767 Quick Coupler L2077A Pallet Fork Frame Requires K9048 36" Pallet Forks |
| Prior Models | | | | |
| B7300HSD | RCK54-75B Or RC54-24B* RCK54-24B Or RC60-24B* RCK60-24B | LA271* No valve option, four position valve is standard LA272 B2006 or B2007 LA272(FL-1) B2006 (Standard) | 48" width B1614 (Standard) 5.2 cu. ft. / 6.2 cu. ft. | Optional B1763 Grille Guard used with LA271 B1775 Grille Guard for installation without Loader |
| B1700 ALL B2100 ALL | RC54-24B* RCK54-24B or RC60-24B* RCK60-24B | LA301* No valve option, four position valve is standard LA302 B2008 or B2009 LA302(FL-1) B2008 (Standard) | 48" width B1614 (Standard) 5.2 cu. ft. / 6.2 cu. ft. | Grille Guard Standard on Loader B1775 Grille Guard for installation without Loader |
| B2400 ALL | RC54-24B* RCK54-24B Or RC60-24B* RCK60-24B | LA351* No valve option, four position valve is standard LA352 B2006 or B2007 LA352(FL-1) B2006 (Standard) | 50" width B1615 (Standard) 5.5 cu. ft. / 6.5 cu. ft. | Grille Guard Standard on Loader B1775 Grille Guard for installation without Loader |
| B2150 ALL | RC60-21B RC72-13 | LA350A | B1608A (Standard) 6.4 cu. ft. / 7.8 cu. ft. | B1788 Grille Guard |

* Subject to availability.

⓪ Not compatible with B4672A Backhoe, Heavy Duty Top Link Bracket.

IMPORTANT: Three point hitch ballast is required with loader installed for stability. See operator's manual for ballast recommendations.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision November 1, 2003.



B-Series Implements Front Loaders

| ORDER CODE | DESCRIPTION | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|---|---------------------|-------------------------|
| CURRENT B-SERIES LOADERS (All compatible with mid-mount mowers) | | | |
| LA272* ②④ | FRONT LOADER Includes Mounting Kit and Standard Bucket (B1614). Requires Valve. | 664 | \$ 2,222.00 |
| LA272FL* ④ | FRONT LOADER Includes Mounting Kit, B2006 Valve and B1614 Bucket. | 700 | \$ 2,770.00 |
| LA272FL-1 ④ | FRONT LOADER Includes Mounting Kit, 4-Position Valve and B1614 Bucket. | 700 | \$ 2,770.00 |
| LA302* ②④ | FRONT LOADER Includes Mounting Kit, Grille Guard and Standard Bucket (B1614). Requires valve. | 664 | \$ 2,473.00 |
| LA302FL* ④ | FRONT LOADER Includes Mounting Kit, Grille Guard, B2008 Valve and B1614 Bucket. | 700 | \$ 3,021.00 |
| LA302FL-1 ④ | FRONT LOADER Includes Mounting Kit, Grille Guard, 4-Position Valve and B1614 Bucket. | 700 | \$ 3,021.00 |
| LA352* ②④ | FRONT LOADER Includes Mounting Kit, Grille Guard and Standard Bucket (B1615). Requires Valve. | 845 | \$ 2,750.00 |
| LA352FL* ④ | FRONT LOADER Includes Mounting Kit, Grille Guard, B2006 Valve, and B1615 Bucket. | 1000 | \$ 3,298.00 |
| LA352FL-1 ④ | FRONT LOADER Includes Mounting Kit, Grille Guard, 4-Position Valve, and B1615 Bucket. | 1000 | \$ 3,298.00 |
| LA402* ①④ | FRONT LOADER Includes Mounting Kit and Grille Guard. Requires Valve and Bucket. | 845 | \$ 2,450.00 |
| LA402-1 ①④ | FRONT LOADER Includes Mounting Kit, Grille Guard and 4-Position Valve. Requires Bucket. | 845 | \$ 2,998.00 |
| LA402FL* ③④ | FRONT LOADER Includes Mounting Kit, Grille Guard, B2069 Valve and B1616 Bucket. | 900 | \$ 3,398.00 |

① For compatibility with quick hitch front mount implements, use B2079 four position valve.

② Use four position valve if FZB2019 Front Blade is added.

③ B2069 Valve is not compatible with quick hitch front mount snowblower hydraulic chute rotator B2774, if front implements are to be added.

④ Rear ballast is required with Loader installed. If Ballast Box is not ordered with loader, proper ballast must be supplied. See operator's manual for ballast recommendations.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.
Complete revision November 1, 2003.

B-Series Implements Front Loaders



| ORDER CODE | DESCRIPTION | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|------------|--|------------------|----------------------|
| B8160 | BALLAST BOX for BX and B Series tractors Note: If Ballast Box is not ordered with loader, proper ballast must be supplied. See operator's manual for ballast recommendations. | 105 | \$ 160.00 |

IMPORTANT: Three point hitch ballast is required with Loader installed for stability. See operator's manual for ballast recommendations.

LA272 AND LA352 LOADER VALVES (Not for use with LA272FL-1 or LA352FL-1)

| | | | |
|--------|---|----|-----------|
| B2006① | Three Position, Bucket Spool | 35 | \$ 548.00 |
| B2007② | Optional Four Position, Bucket Spool Required for FZB2019 Front Blade / Loader combination. | 35 | \$ 588.00 |

LA302 LOADER VALVES (Not for use with LA302FL-1)

| | | | |
|--------|---|----|-----------|
| B2008① | Three Position, Bucket Spool | 35 | \$ 548.00 |
| B2009② | Optional Four Position, Bucket Spool Required for FZB2019 Front Blade / Loader combination. | 35 | \$ 588.00 |

LA402 LOADER VALVES (Not for use with LA402-1)

| | | | |
|--------|--|----|-----------|
| B2069① | Three Position, Bucket Spool | 35 | \$ 548.00 |
| B2079② | Optional Four Position, Bucket Spool Required for Front Blade or Snowblower/Loader combination. | 35 | \$ 588.00 |

LA401 AND LA402 LOADER OPTIONAL ATTACHMENTS

| | | | |
|---------|-----------------------------------|-----|-----------|
| BL1767 | Quick Coupler for LA401 and LA402 | 35 | \$ 239.00 |
| K9048 | 36" Pallet Forks | 154 | \$ 350.00 |
| L2077A③ | Pallet Fork Frame | 145 | \$ 544.00 |

- ① Three position bucket spool provides immediate regenerative bucket dumping.
- ② Four position bucket spool, the regenerative circuit is detented, push control lever past detent for fast regenerative dumping.
- ③ L2077A is compatible with BL1767 Quick Coupler. The previous L2077 is not compatible with BL1767 Quick Coupler.

IMPORTANT: Three point hitch ballast is required with loader installed for stability. See operator's manual for ballast recommendations.



B-Series Implements Front Loaders

| ORDER CODE | DESCRIPTION | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|----------------------|--|------------------|----------------------|
| GRILLE GUARDS | | | |
| B1788* | GRILLE GUARD For LA300 and LA350(A) | 46 | \$ 230.00 |
| B1775 ① | GRILLE GUARD AND STAY KIT (Non-Loader applications) B1700, B2100, B2400, B7300, B2710, B7400, B7500, B7800, B2410, B2910 Tractors | 20 | \$ 144.00 |
| B1763 | GRILLE GUARD (Optional) Tractors with LA271 and LA272(FL) Loaders B7300HSD, B7400HSD, B7500DT/HSD | 20 | \$ 98.00 |

* Subject to availability.

① The B1775 Kit provides compatibility with Mid Mount Mowers, Front Blade, Snowblower and Front Weights.

REPLACEMENT FRONT LOADER BUCKETS

(Note: B Series Loaders (LA271, LA272, LA301, LA302, LA351, LA352) come standard with Bucket when ordered.)

| ORDER CODE | DESCRIPTION | FITS LOADER MODELS | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|------------|--------------------|----------------------------|----------------|----------------------|
| B1622 | 40" Standard | (B1620) | 48 | \$ 313.00 |
| B1647 | 48" Square Back | (B1630B - B1630C) | 87 | \$ 421.00 |
| B1648 | 54" Light Material | (B1630B - B1630C) | 124 | \$ 350.00 |
| B1614 | 48" Standard | (LA271- LA301-LA272-LA302) | 120 | \$ 340.00 |
| B1607 | 48" Standard | (LA300) | 160 | \$ 436.00 |
| B1608A | 50" Standard | (LA350A) | 176 | \$ 376.00 |
| B1615 | 50" Standard | (LA351-LA352) | 137 | \$ 378.00 |
| B1616 | 54" Bucket | (LA401-LA402) | 125 | \$ 400.00 |
| B1617 | 60" Bucket | (LA401-LA402) | 150 | \$ 496.00 |

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.
Complete revision November 1, 2003.

B-Series Implements Backhoes



| Tractor Model | Acceptable ROPS Models for Backhoe Application | Backhoe Model B4672A ^⑤ (6.0 FT.) | Backhoe Model BL4690B ^⑤ (7.5 FT.) | 10" BT1950A | 12" BT1951A | 16" BT1952A | 24" BT1953A |
|---|--|---|--|-------------|-------------|-------------|-------------|
| CURRENT MODELS | | | | | | | |
| B7400 ^③ B7500 ^③ B2410 | SFB-F24 ^② | X ^③ | | X | X | X | X |
| B2710 B2910 B7800 | SFB-F29A ^② | X | X | X | X | X | X |
| PRIOR MODELS | | | | | | | |
| B1550 B1750 B7100 B7200 | B1072 ONLY | X ^① | | X | X | X | |
| B1700 B2100 B2400 B7300 | SFB-F24 ^{②④} | X ^⑥ | | X | X | X | X |
| B2150 B8200 B9200 | B1083 | X ^① | X ^⑦ | X | X | X | X |

If your Tractor ***is not*** equipped with one of these corresponding ROPS, one must be ordered separately.

- ① Backhoe does not include Heavy Duty Top Link Bracket. B7100, B7200, B1550, B1750 model Tractors require part number 70050-93214. B8200, B9200, and B2150 model tractors require part number 70050-93213. Plus Seat spacers 70050-93682 and 70050-93219.
- ② Order for field replacement if tractor is equipped with standard ROPS, refer to DB-01-16 ROPS program for \$225.00 credit eligibility, credit is available with purchase of Kubota Backhoe only.
- ③ Requires B4681 Support Frame Kit for B7400, B7500, and B2410 models.
- ④ SFB-F24 supercedes B1073.
- ⑤ Not compatible with Top-N-Tilt Kits.
- ⑥ Requires B4671A Support Frame Kit. B4671A supercedes B4671. B4671A is compatible with the following Mid-Mount Mowers is so equipped: RCK54-24B*, RCK54-75B, RCK60-24B (RCK60-24B requires B3094 Kit for B7300HSD and B7400 HSD only).
- ⑦ B8200, B9200, and B2150 require 700050-93213 Bracket.
- ⑧ B4672A Backhoe Heavy Duty Top Link Bracket not compatible with RCK54-75B Mid-mount mower.

Page 6 of 13 40a



B-Series Implements Backhoes

| ORDER CODE | DESCRIPTION | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|------------|---|----------------|----------------------|
| B4672A ①②③ | BACKHOE 2-pt mounted with fixed Top Link. Self-contained hydraulic system powered by direct coupling to PTO. Subframe B4671A required on B1700, B2100, B2400, B7300 Tractors. B4681 Subframe required on B7400, B7500 and B2410 Tractors. Uses B21 (BT751) Buckets. You must order Bucket separately. Refer to Compatibility Chart and check ROPS Application Chart. | 850 | \$ 5,913.00 |
| BL4690B ① | BACKHOE 2-pt mounted with fixed Top Link. Self-contained hydraulic system powered by direct coupling to PTO. Uses B21 (BT751) Buckets. You must order Bucket separately. Check ROPS Application Chart on previous page. B8200, B9200 B2150 require 70050-93213 Bracket | 912 | \$ 6,376.00 |

B4672A SUPPORT FRAME KIT (One Required)

| | | | |
|------------|-------------------------------|----|-----------|
| | TRACTORS | | |
| B4671A ③④* | B1700 / B2100 / B2400 / B7300 | 20 | \$ 153.00 |
| B4681 ④ | B7400 / B7500 / B2410 | 21 | \$ 160.00 |

B4672A AND BL4690A BACKHOE BUCKETS

| | | | |
|---------|----------------------|-----|-----------|
| BT1950A | 10" Bucket — 3 Teeth | 63 | \$ 356.00 |
| BT1951A | 12" Bucket — 3 Teeth | 67 | \$ 421.00 |
| BT1952A | 16" Bucket — 4 Teeth | 93 | \$ 547.00 |
| BT1953A | 24" Bucket — 5 Teeth | 102 | \$ 726.00 |

- ① These Backhoes are not compatible with Top-N-Tilt Kits.
 - ② Backhoe includes Heavy Duty Top Link Bracket for B7300 / 7400 / 7500 / 7800 / 1700 / 2100 / 2400 / 2410 / 2710 / 2910 tractors.
 - ③ B4671A is compatible with RCK54-24B, RCK54-75B, or RCK60-24B Mid-Mount Mower Decks.
 - ④ B4681 can be used for prior model B1700, B2100, B2400 and B7300, but hydrostatic model requires additional parts. You must order from Parts (1) 6C050-99650 HST Pedal Stay and (1) 70000-74002 M12 - 1.25 x 55 special bolt. The B4681 will supersede the B4671A when current inventory is depleted.
 - ⑤ B4672A Backhoe Heavy Duty Top Link Bracket not compatible with RCK54-75B Mid-mount Mower.
- * Subject to availability.

B-Series Implements Mower Matching Charts



| Tractor Model Number | Mowers Current & Non-Current *Subject to Availability | Comments Please Match comments with appropriate number designation |
|-------------------------------------|--|--|
| CURRENT MODELS | | |
| B7400HSD B7500DT/HSD | RCK54-75B ^⑦ Or RCK54-24B ^⑥ Or RCK60-24B ^⑥ | ⑥ B7400 & B7500 Tractors are compatible with RCK54-24B and RCK60-24B with Serial #'s 30001 and higher. ⑦ B4672A Backhoe Heavy-Duty Top Link Bracket not compatible with RCK54-75B Mid-mount Mower. |
| B2410 ALL | RC54-24B* ^⑤ RCK54-24B ^⑥ Or RC60-24B* ^⑤ RCK60-24B ^⑥ | ⑤ Limited availability, use for replacement if customer has GC54-B, GC54-24B, GC60-B, or GC60-24B Grass Catchers, otherwise upgrade to RCK54-24B or RCK60-24B. ⑥ B2410 Tractors are compatible with RCK54-24B and RCK60-24B with Serial #'s 30001 and higher. |
| B2710HSD B2910HSD B7800HSD | RCK60-27B or RC72-27B | |
| PRIOR MODELS | | |
| B1700 ALL B2100 ALL B2400 ALL | RC54-24B* ^⑤ RCK54-24B or RC60-24B* ^⑤ RCK60-24B | ⑤ Limited availability, use for replacement if customer has GC54-B, GC54-24B, GC60-B, or GC60-24B Grass Catchers, otherwise upgrade to RCK54-24B or RCK60-24B. |
| B1550 B1750 | RC54-B RC60-B | Part # 66414-99110 (Clutch Kit Req. RC54-B) Part # 66416-99110 (Clutch Kit Req. RC60-B) |
| B2150 ALL | RC60-21B RC72-B (see comments) | Applications with turf tires require adjustment of Lift Linkage to prevent the rear tires from contacting the RC72-B deck when raised. |
| B4200 Gear | RC44-42 | |
| B5200 Gear | RC48-62A ^① | ① Requires FP72-A Kit |
| B6200HST B7200HST | RC54-B (see comments) RC60-B (see comments) | Both mower decks requires B3093 Kit |
| B6200 Gear B7200 Gear | RC48-62A ^① RC60-72A ^① | ① Requires FP72-A Kit |
| B7100HSD | RC54-71B ^③ RC60-71B ^③ | ③ Does not fit old B7100HSD Tractors below Serial # 61076. |
| B7300HSD | RCK54-75B Or RC54-24B* ^⑤ RCK54-24B Or RC60-24B* ^④ RCK60-24B ^④ | ④ Requires B3094 Conversion Kit. ⑤ Limited availability, use for replacement if customer has GC54-B, GC54-24B, GC60-B, or GC60-24B Grass Catchers, otherwise upgrade to RCK54-24B or RCK60-24B. |
| B8200 Gear | RCB60-1A* ^② | ② Requires FP82-A Kit |
| B8200HSE/HSD B9200 ALL | RC60-82H | |
| B9200 Gear B9200HSE/HSD | RC60-21B ^④ | ④ Requires B3094 Conversion Kit. |

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.
Complete revision November 1, 2003.



B-Series Implements Mounted Mowers

| ORDER CODE | DESCRIPTION | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---|---|----------------|----------------------|
| B SERIES MID-MOUNT MOWERS | | | |
| RCK54-75B① | 54" CUTTING WIDTH, ECONOMY DECK 3 - Blade Finishing Mower/RH Discharge/ Suspended Type/Shaft Drive/Quick Mount Mechanism | 256 | \$ 1,850.00 |
| RCK54-24B① | 54" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism IMPORTANT: READ FOOTNOTE ① | 265 | \$ 2,219.00 |
| RCK60-24B① | 60" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism IMPORTANT: READ FOOTNOTE ① | 265 | \$ 2,340.00 |
| RCK60-27B | 60" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism | 256 | \$ 2,340.00 |
| RC72-27B | 72" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism | 260 | \$ 2,948.00 |
| NON-CURRENT MODEL REPLACEMENT MOWERS | | | |
| RC54-71B*② | 54" CUTTING WIDTH B7100HSD only. Not Compatible with B1630B Loader. | 390 | \$ 2,265.00 |
| RC60-71B*② | 60" CUTTING WIDTH B7100HSD only. Not Compatible with B1630B Loader. | 445 | \$ 2,389.00 |
| RC44-42* | 44" CUTTING WIDTH 3-Blade Finishing Mower / Mid PTO Shaft Drive. | 271 | \$ 1,722.00 |
| RC48-62A* | 48" CUTTING WIDTH Requires Front PTO (FP72-A or B2559). RH discharge / 3-Blade finishing Mower / 3 Anti-Scalp Rollers. (Not compatible with 9.5 - 16 R1 Optional Rear Tires.) | 341 | \$ 1,686.00 |
| RC54-24B*③ | 54" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism | 256 | \$ 2,219.00 |
| RC60-24B*③ | 60" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism | 265 | \$ 2,410.00 |

- ① RCK54-24B and RCK60-24B **after Serial Numbers 30001** are applicable on B7400, B7500 and B2410 tractors. For B2410 Tractor with ABR8707 and ABR8769 Tires, the Mid-Mount Mower Deck cannot be locked in the transport position with the extension steppers installed.
- ② Fits new style B7100HSD, serial number 61077 and above.
- ③ Limited availability, use for replacement if customer has GC54-B, GC54-24B, GC60-B or GC60-24B Grass Catcher. If no Grass Catcher, please upgrade replacements to RCK54-24B or RCK60-24B Mower.
- ④ B4672A Backhoe H.D. Top Link Bracket not compatible with RCK54-76B Mid-Mount Mower.
- * Subject to availability.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.
Complete revision November 1, 2003.

B-Series Implements Mounted Mowers



| ORDER CODE | DESCRIPTION | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---|--|-------------------|-------------------------|
| NON-CURRENT MODEL REPLACEMENT MOWERS (Continued) | | | |
| RC60-72A* | 60" CUTTING WIDTH Requires Front PTO Kit (FP72-A or B2559). RH discharge / 3-Blade Finishing Mower / Shaft Drive / 3 Anti-Scalp Rollers. (Not compatible with 9.5-16 R1 Optional Rear Tires.) | 447 | \$ 1,739.00 |
| RC60-72H* | 60" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / Shaft Drive / 3 Anti-Scalp Rollers. (Not compatible with 9.5-16 R1 Optional Rear Tires.) | 447 | \$ 2,265.00 |
| RC60-82H* | 60" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / Shaft Drive / 3 Anti-Scalp Rollers. (Not compatible with 9.5-16 R1 Optional Rear Tires.) | 450 | \$ 1,954.00 |
| RC54-B* | 54" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / 3 Anti-Scalp Rollers / Shaft Drive. One Lever Quick Mount mechanism. | 265 | \$ 2,265.00 |
| RC60-B* | 60" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / 3 Anti-Scalp Rollers / Shaft Drive. One Lever Quick Mount mechanism. | 265 | \$ 2,389.00 |
| RC60-21B* | 60" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / 3 Anti-Scalp Rollers / Shaft Drive. | 265 | \$ 2,389.00 |
| RCB60-1A* | 60" CUTTING WIDTH Requires front PTO FP82-A RH discharge / 3-Blade Finishing Mower / 3 Anti-Scalp Rollers | 265 | \$ 1,565.00 |
| RC72-B* | 72" CUTTING WIDTH 3 Blade Finishing Mower / RH Discharge | 422 | \$ 3,325.00 |

* Subject to availability.

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.
Complete revision November 1, 2003.



B-Series Implements Mounted Mowers

| ORDER CODE | DESCRIPTION | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|-------------|-------------------|-------------------------|
|---------------|-------------|-------------------|-------------------------|

FRONT PTO KITS FOR MID-MOUNT MOWERS (NON-CURRENT)

| | | | |
|---------|---------------|----|-----------|
| FP72-A* | FRONT PTO KIT | 66 | \$ 480.00 |
|---------|---------------|----|-----------|

The following Tractor Serial Numbers require an FP72-A to install the RC48-62A Mower:

B5200E and B5200D: All Serial No. Tractors.
B6200E and B7200E: Serial No. 20000 and above.
B6200D and B7200D: Serial No. 60000 and above.

| | | | |
|---------|---------------|----|-----------|
| FP82-A* | FRONT PTO KIT | 64 | \$ 462.00 |
|---------|---------------|----|-----------|

The following Tractor Serial Numbers require an FP82-A to install the RCB60-1A Mower:

B8200E: Serial No. 20000 and above.
B8200DT: Serial No. 60000 and above.

CONVERSION KITS FOR MID-MOUNT MOWERS

| | | | |
|--------|----------------|----|-----------|
| B3093* | Conversion Kit | 15 | \$ 337.00 |
| B3094* | Conversion Kit | 15 | \$ 361.00 |
| B3099* | Conversion Kit | 25 | \$ 238.00 |

OVERRUNNING CLUTCH KIT (order part number below) (Non-current B1550 - B1750 Gear Models)

66414-99110 for RC54-B

66416-99110 for RC60-B

S/N 20001~29999

S/N 10001~19999 with "U" mark behind the S/N requires Shaft 2 (66416-99171)

S/N 10001~19999 without "U" mark behind the S/N requires Shaft 3 (66416-99181)

*Subject to availability.

B-Series Implements

Grass Catchers



Grass Catcher Matching Chart
By Tractor Model
By Mower Model

| Current - Tractor Models | Mower | Grass Catcher |
|--|------------------------------|--|
| B7400 | RCK54-24B | GCK54-24B |
| B7500 B2410 | RCK54-24B or RCK60-24B | GCK54-24B or GCK60-24B |
| B2710 B2910 B7800 | RCK60-27B | GCK60-24B Requires B3097 Conversion Kit |
| Prior - Tractor Models | | |
| B1550 B1750 | RC54-B | GC54-B |
| B1550 B1750 B6200HST B7200HST | RC54-B or RC60-B | GC54-24B Not compatible with backhoe ROPS Requires B3096 Conversion Kit or GC60-24B Not compatible with backhoe ROPS Requires B3096 Conversion Kit |
| B1700 B2100 B2400 | RCK54-24B or RCK60-24B | GCK54-24B or GCK60-24B |
| B7100HSD | RC54-71B | GC54-B Not compatible with backhoe ROPS |
| B7300 | RCK54-24B | GCK54-24B |



B-Series Implements Grass Catchers

| ORDER CODE | DESCRIPTION | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|--|--|-------------------|-------------------------|
| B SERIES GRASS CATCHERS | | | |
| GCK54-24B | GRASS CATCHER Three (3) Bags; 9.75 bushel capacity | 200 | \$ 1,625.00 |
| GCK60-24B | GRASS CATCHER Three (3) Bags; 9.75 bushel capacity | 200 | \$ 1,625.00 |
| B3097 | CONVERSION KIT Converts GCK60-24B to fit RCK60-27B on B2710, B2910, B7800 tractor | 25 | \$ 88.00 |
| NON-CURRENT B SERIES GRASS CATCHERS | | | |
| GC54B* | GRASS CATCHER Three (3) Bags; 9.75 bushel capacity. GC54B Grass Catchers prior to S/N 59301570 require Dealer modification for B7100HSD application. | 207 | \$ 1,531.00 |
| GC60-CV | CONVERSION KIT Required when mounting RC60-21B Mid-Mount Mower Deck onto B2150 Tractor. | 34 | \$ 131.00 |
| GC54-24B | GRASS CATCHER Three (3) Bags; 9.75 bushel capacity | 200 | \$ 1,497.00 |
| GC60-24B | GRASS CATCHER Three (3) Bags; 9.75 bushel capacity | 200 | \$ 1,497.00 |
| B3096 | CONVERSION KIT Converts GC54-24B to GC54B Converts GC60-24B to GC60B | 20 | \$ 149.00 |

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.
Complete revision November 1, 2003.

B-Series Implements

Rear Mount Mowers



THREE POINT HITCH MOUNTED FINISHING MOWERS

| Current - Tractor Models | Rear Finishing Mowers (Formed Deck) |
|---------------------------------|-------------------------------------|
| B7400HSD | RFM-48 |
| B7500 | RFM-48 RFM-60 |
| B2410 | RFM-48 RFM-60 RFM-72 |
| B2710 B2910 B7800 | RFM-60 RFM-72 |
| Prior - Tractor Models | |
| B1700 B2100 | RFM-48 RFM-60 |
| B2400 | RFM-48 RFM-60 RFM-72 |
| B4200DT B7100HSD B7300HSD | RFM-48 |

NOTE: ALL REAR MOUNT MOWERS REQUIRE 1 TO 5 BL8060-1 FRONT SUITCASE WEIGHTS OR EQUIVALENT FRONT COUNTERWEIGHT.

REAR MOUNT ROTARY FINISHING MOWERS

| | | | |
|--------|--|-----|-------------|
| RFM-48 | 48" CUTTING WIDTH Side discharge, 2-Blade Finishing Mower. Gauge Wheel cutting height adjustment from 1 to 5.5 inches. Requires PTO operation of 540 rpm. | 570 | \$ 1,700.00 |
| RFM-60 | 60" CUTTING WIDTH Side discharge, 3-Blade Finishing Mower. Gauge Wheel cutting height adjustment from 1 to 5.5 inches. Requires PTO operation of 540 rpm. | 670 | \$ 1,956.00 |
| RFM-72 | 72" CUTTING WIDTH Side discharge, 3-Blade Finishing Mower. Gauge Wheel cutting height adjustment from 1 to 5.5 inches. Requires PTO operation of 540 rpm. | 710 | \$ 2,059.00 |

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.
Complete revision November 1, 2003.