

Value Leader VL EFGCH Series Flail Mowers Specifications

SPEC	VL EFGCH125	VL EFGCH155	VL EFGCH175
Working Width	48"	60"	68"
Overall Width	54"	67"	75"
Min. HP Req.	22hp	25hp	30hp
Hitch	Cat.1	Cat.1	Cat.1
Gear Box Rating	65Hp	65Hp	65Hp
Cutting Offset	1" Offset	17" Offset	22" Offset
Hydraulic Offset	15 1/2"	15 1/2"	15 1/2"
Hammer Blades	20 Hammer Blades	24 Hammer Blades	28 Hammer Blades
Optl. Grass Blades	40 Blades	48 Blades	56 Blades
Housing Thickness	1/4"	1/4"	1/4"
SidePlate Thickness	1/4"	1/4"	1/4"
Roller Dia.	4"	4"	4"
Rotor Shaft Dia.	4 1/2"	4 1/2"	4 1/2"
Blade Swing	14"	14"	14"
No. of Belts	2 Belts	3 Belts	3 Belts
3pt. Conn. Width	19 3/4" - 27 1/2"	19 3/4" - 27 1/2"	19 3/4" - 27 1/2"
DriveLine Type	Series 5 6-Spline 36" w/ Shear Bolt	Series 5 6-Spline 36" w/ Shear Bolt	Series 5 6-Spline 36" w/ Shear Bolt
Warranty	2 Years	2 Years	2 Years
Weight	631lbs.	752lbs.	812lbs.
Crated Weight	661lbs.	782lbs.	842lbs.





