

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**7 Backhoe
(For 790 Tractor)
Equipment for Base Machine**

7.5 ft. (2.3 m) Digging Depth Quik-Tatch Mounting 180 Degree Swing Control Console Two Lever Control Six Spool Control Valve 9 In. Bucket Operator's Seat with	Transport Lock Hydraulic Stabilizers with Combination Grouser and Smooth Pads Mountings, Hydraulics, Subframe and Rear Hanger Brackets for 790 Tractor
---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0512TY		7 Backhoe (For 790 Tractor) <i>Tractor Must be Equipped with a Front Loader. 790 Tractors Require BM18005 Power Beyond Kit and AM107212 ROPS Extension Kit. On 790 Tractors with 11.2-24, 4PR (R1) Tires, the Stabilizer will not Contact Ground for Adequate Stability.</i>	991	6,960.00
--------	--	--	-----	----------

MOUNTINGS, HYDRAULICS, SUBFRAME, AND REAR HANGER

1002		Less Mountings, Hydraulics, Subframe and Rear Hanger Brackets	-168	(1,104.00)
1003		Mountings, Hydraulics, Subframe and Rear Hanger Brackets for 755, 855 and 955 Tractors with 52, 70 or 70A Loader	-23	(324.00)
1005		Mountings, Hydraulics, Subframe and Rear Hanger Brackets for 770 and 790 Tractors with 419, 300 or 70 Loader		In Base Price

Buckets:

4000		9 In. Bucket		In Base Price
4001		13 In. Bucket	15	40.00
4002		16 In. Bucket	21	66.00
4003		20 In. Bucket	24	132.00
4004		Less Bucket	-43	(304.00)

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**7 Backhoe
(For 790 Tractor)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION				
		Buckets:		
BM19558		13 In. Bucket (1.04 Cu. Ft.)	58	344.00
BM19559		16 In. Bucket (1.33 Cu. Ft.)	64	370.00
BM19560		20 In. Bucket (1.74 Cu. Ft.)	67	436.00
BM19557		9 In. Bucket (0.64 Cu. Ft.)	43	304.00
		Hydraulics:		
BM18005		Power Beyond Kit	7	220.00
		Miscellaneous:		
TY20366		Mountings, Hydraulics (755, 855, 955)	30	365.00
BM22373		Mountings, Hydraulics, Subframe and Rear Hanger Brackets for 770 and 790 Tractors with 419, 300 or 70 Loader	168	1,104.00
TY21514		Rear Hanger Brackets (755, 855, 955)	20	150.00
TY20367		Tractors Subframe (755, 855 and 955)	85	265.00
		Operator Environment:		
AM107212		10 In. Extension for Roll-Gard Cross Tube <i>Required for Use with 7 Backhoe on 790 Tractors.</i>		See Parts

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**8B Backhoe
(For 990 Tractor)
Equipment for Base Machine**

8.5 ft. (2.6 m) Digging Depth Quik-Tatch Mounting 180 Degree Swing Control Console Two Lever Control Six Spool Control Valve 12 In. Bucket Operators Seat with Transport Lock	Hydraulic Stabilizers with Combination Grouser and Smooth Pads Mountings, Hydraulics, Subframe and Rear Hanger Brackets for 870,970,990 and 1070 Tractors
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1840M		8B Backhoe (For 990 Tractor) <i>Tractor Must be Equipped with a Front Loader. 990 Tractors Require BM18010 Power Beyond Kit.</i>	1,527	7,810.00
-------	--	--	-------	----------

MOUNTINGS, HYDRAULICS, SUBFRAME, AND REAR HANGER

1000		Mountings, Hydraulics, Subframe and Rear Hanger Brackets for 870, 970, 990 and 1070 Tractors		In Base Price
1004		Less Mountings, Hydraulics and Subframe	-40	(1,015.00)

Buckets:

3000		12 In. Bucket		In Base Price
3001		18 In. Bucket	15	66.00
3002		24 In. Bucket	34	137.00
3003		36 In. Bucket	64	259.00
3004		Less Bucket	-82	(514.00)

ATTACHMENTS - ORDER AS DESIRED

French Canadian Kit:				
9220		French Canadian Operator's Manual and Decal Kit	1	No Charge
Miscellaneous:				
9000		Rubber Stabilizer Pads	50	245.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

8B Backhoe
(For 990 Tractor)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Buckets:		
BM19568		12 In. Standard Bucket (1.53 Cu. Ft.)	82	514.00
BM19569		18 In. Standard Bucket (2.47 Cu. Ft.)	97	580.00
BM19570		24 In. Standard Bucket (3.48 Cu. Ft.)	116	651.00
BM19571		36 In. Standard Bucket (5.50 Cu. Ft.)	146	773.00
		Hydraulics:		
BM18010		Power Beyond Kit	11	232.00
		Miscellaneous:		
AH75164		Elbow Assy., 90 Degree Adjustable <i>Order AH75164 or AV43772 When 8, 8A or 8B Backhoe is Mounted on 850 (SN 009000 and Below) or 950 (SN 012000 and Below) Tractors.</i>		See Parts
BM17019		Mountings, Hydraulics, Subframe and Rear Hanger Brackets (870, 970, 990, 1070)	400	1,015.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

260 Backhoe
(For 2305, 2210 Tractors)
Equipment for Base Machine

6 ft. 2 In. (1.89 m) Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve	Hydraulics 8 In. Bucket Swivel Seat Bracket Transport Locking Pins Hydraulic Stabilizers Subframe Mounting and Power Beyond Hydraulics
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1160LV		260 Backhoe (For 2305, 2210 Tractors) <i>Tractors Must be Equipped with a Front Loader. Power Beyond Hydraulics Included with Subframe Mounting Order Codes. If Ordering for a 2210 Tractor, LVB24980 Seat Kit is Required.</i>	839	5,110.00
--------	--	---	-----	----------

SUBFRAME MOUNTING/POWER BEYOND HYDRAULICS

1001		Subframe Mounting/Power Beyond Hydraulics (For 2305 Tractors)		In Base Price
1002		Subframe Mounting/Power Beyond Hydraulics (For 2210 Tractors)		Same Price
1010		Less Subframe Mounting/Power Beyond Hydraulics	-176	(900.00)

Buckets:

2000		8 In. Bucket (0.63 Cu Ft)		In Base Price
2001		12 In. Bucket (0.90 Cu Ft)	11	48.00
2002		16 In. Bucket (1.31 Cu. Ft.)	17	83.00
2010		Less Bucket	-38	(267.00)

ATTACHMENTS - ORDER AS DESIRED

French Canadian Kit:

9220		French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	---	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Buckets:

	LVB24976	12 In. Bucket (0.90 Cu. Ft.)	49	315.00
	LVB24977	16 In. Bucket (1.31 Cu. Ft.)	55	350.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

260 Backhoe
(For 2305, 2210 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
LVB24975		8 In. Bucket (0.63 Cu. Ft.)	38	267.00
LVB24981		Hydraulics: Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose. Kit is Included with the Backhoe Subframe as Standard Equipment. For Stand-Alone Use Only.</i>	5	172.00
BM19556		Miscellaneous: Rubber Street Pad Kit	9	101.00
LVB24980		Seat Kit (2210) <i>2210 Tractor Seats need to be Upgraded to the 2305 Seat to Work with Swivel Mechanism. Kit Includes Bracket for SMV Sign.</i>		120.00
LVB24982		Stabilizer Cylinder Protection Kit	12	90.00
LVB24973		Mountings and Hardware for Tractors: Subframe Mounting/Power Beyond Hydraulics Kit (For 2210 Tractors with 260 Backhoe)	176	900.00
LVB24974		Subframe Mounting/Power Beyond Hydraulics Kit (For 2305 Tractors with 260 Backhoe)	176	900.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**46 Backhoe
(For 2320, 2520, 4100, 4110, 4115 Tractors)
Equipment for Base Machine**

6.5 ft. (2.0 m) Digging Depth	9 In. Bucket
Two Double Acting Swing Cylinders	Operator's Seat with Transport Lock
180 Degree Swing	Hydraulic Stabilizers with Flip-Over Pads
Narrow Control Console	Subframe Mounting
Two Lever Control	
Six Spool Control Valve	
Hydraulics	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1150LV	46 Backhoe (For 2320, 2520, 4100, 4110, 4115 Tractors) <i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit. With Full Axle Oscillation and Sharp Turning Angle, Tires have some Interference with 200X/200CX Loader Tubes when 46 Backhoe is Installed. This Condition is worse with R3 Tires than R4's. 4100, 4110, 4115 Tractors Require Folding ROPS and Tall ROPS Upper Hoop Kit (LVB25573).</i>		979	6,160.00
--------	--	--	-----	----------

SUBFRAME MOUNTING

1000	Subframe Mounting (For 4100, 4110 Tractors)			In Base Price
1002	Subframe Mounting (For 2520, 4115 Tractors) <i>Hanger Kit (LVB24886) is Required for use on 4115 Tractors with a 410 Loader and 46 Backhoe. Hanger Kit (LVB24873) is Required for use on 4115 Tractors with 200 Series Loader and LVB25418 Backhoe Subframe. See Sales Manual.</i>			Same Price
1003	Subframe Mounting (For 2320 Tractors)			Same Price
1010	Less Subframe Mounting		-213	(871.00)

Buckets:

2000	9 In. Bucket (0.64 Cu Ft)			In Base Price
2001	13 In. Bucket (1.04 Cu Ft)		15	40.00
2002	16 In. Bucket (1.33 Cu. Ft.)		21	66.00
2003	20 In. Bucket (1.74 Cu. Ft.)		24	132.00
2004	24 In. Bucket (2.14 Cu. Ft.)		35	181.00
2010	Less Bucket		-43	(304.00)

ATTACHMENTS - ORDER AS DESIRED

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

46 Backhoe
(For 2320, 2520, 4100, 4110, 4115 Tractors)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS - ORDER AS DESIRED Continued...				
9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
ATTACHMENTS FOR FIELD CONVERSION				
Buckets:				
	BM19558	13 In. Bucket (1.04 Cu. Ft.)	58	344.00
	BM19559	16 In. Bucket (1.33 Cu. Ft.)	64	370.00
	BM19560	20 In. Bucket (1.74 Cu. Ft.)	67	436.00
	BM19561	24 In. Bucket (2.14 Cu. Ft.)	78	485.00
	BM19557	9 In. Bucket (0.64 Cu. Ft.)	43	304.00
Hydraulics:				
	BM19290	Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4100, 4110 and 4115 Tractors Equipped without Dual SCV.</i>	9	232.00
	LVB25603	Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2320, 2520, 4100, 4110, and 4115 Tractors Equipped with Dual SCV.</i>	9	232.00
Mountings and Hardware for Tractors:				
	LVB24886	Hanger Kit, 3 In. <i>Required for use on 4115 Tractors with 410 Loader and LVB24843 Backhoe Subframe.</i>	17	82.00
	LVB24873	Hanger Kit, 4 In. <i>Required for Use on 4115 Tractors with 200 Series Loader and LVB25418 Backhoe Subframe.</i>	10	No Charge
	LVB24842	Subframe Mounting Kit (For 2320 Tractors with 46 Backhoe)	213	871.00
	LVB24843	Subframe Mounting Kit (For 2520, 4115 Tractors with 46 Backhoe) <i>Hanger Kit (LVB24886) is Required for use on 4115 Tractors with a 410 Loader and 46 Backhoe.</i>	213	871.00
	LVB25417	Subframe Mounting Kit (For 4100, 4110 Tractors with 46 Backhoe)	213	871.00
Operator Environment:				
	LVB25573	Tall ROPS Upper Hoop Kit <i>Required for Use with 46 Backhoe on 4100, 4110, 4115 Tractors.</i>	41	150.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**447 Backhoe
(For 3120-3720, 4200-4400, 4210-4410 Tractors)
Equipment for Base Machine**

7 ft. 8 In. (2.3 m) Digging Depth	Hydraulics
Quik-Tatch Mounting	9 In. Bucket
Two Double Acting Swing Cylinders	Operator's Seat with Transport Lock
180 Degree Swing	Hydraulic Stabilizers with Flip-Over Pads
Narrow Control Console	Rockshaft Assist Mounting
Two Lever Control	Brackets and Hardware for 3120-3720 Tractors
Six Spool Control Valve	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6100LV		447 Backhoe (For 3120-3720, 4200-4400, 4210-4410 Tractors) <i>Does Not Fit Cab Tractors. Tractor's Must be Equipped with a Front Loader. Tractors Require Tall Folding ROPS and Power Beyond Kit. LVB24795 Heavy-Duty Subframe Kit is Required for Use on 4300-4400, 4310-4410 Tractors with a 47 or 447 Backhoe Engaged in Rental and Commercial Applications. See Sales Manual.</i>	1,098	6,920.00
--------	--	---	-------	----------

MOUNTING BRACKETS AND HARDWARE FOR TRACTOR

1002		Rockshaft Assist Mounting Brackets and Hardware for 3120-3720 Tractors		In Base Price
1003		Rockshaft Assist Mounting Brackets and Hardware for 4200-4400 and 4210-4410 Tractors		Same Price
1010		Less Mounting Brackets and Hardware	-40	(324.00)

Buckets:

3000		9 In. Bucket (0.64 Cu. Ft.)		In Base Price
3001		13 In. Bucket (1.04 Cu. Ft.)		40.00
3002		16 In. Bucket (1.33 Cu. Ft.)		66.00
3003		20 In. Bucket (1.74 Cu. Ft.)		132.00
3004		24 In. Bucket (2.14 Cu. Ft.)		181.00
3005		36 In. Bucket (3.34 Cu. Ft.)		304.00
3010		Less Bucket		(304.00)

ATTACHMENTS - ORDER AS DESIRED

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

447 Backhoe
(For 3120-3720, 4200-4400, 4210-4410 Tractors)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS - ORDER AS DESIRED Continued...				
9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
9000		Miscellaneous: Rubber Street Pad Kit	9	101.00
ATTACHMENTS FOR FIELD CONVERSION				
		Buckets:		
BM19558		13 In. Bucket (1.04 Cu. Ft.)	58	344.00
BM19559		16 In. Bucket (1.33 Cu. Ft.)	64	370.00
BM19560		20 In. Bucket (1.74 Cu. Ft.)	67	436.00
BM19561		24 In. Bucket (2.14 Cu. Ft.)	78	485.00
BM19562		36 In. Bucket (3.34 Cu. Ft.)	96	608.00
BM19557		9 In. Bucket (0.64 Cu. Ft.)	43	304.00
		Hydraulics:		
LVB25085		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use on 4210-4410 Tractors.</i>	19	232.00
LVB25505		Power Beyond Kit (Open Station Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Tractors.</i>	18	232.00
LVB25221		Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use on 4200-4400 Tractors.</i>	15	290.00
		Miscellaneous:		
BM19556		Rubber Street Pad Kit	9	101.00
LVB25238		Stablizer Cylinder Protection Kit	10	130.00
		Mountings and Hardware for Tractors:		
LVB24795		Heavy-Duty Subframe Kit <i>Required for Use on 4300-4400, 4310-4410 Tractors with 47 or 447 Backhoes Engaged in Rental and Commercial Applications and Highly Recommended for Standard Backhoe Use.</i>	138	385.00
LVB25611		Rockshaft Assist Mounting Brackets and Hardware (3120-3720)	125	324.00
BM19564		Rockshaft Assist Mounting Brackets and Hardware (4200-4400, 4210-4410)	40	324.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**448 Backhoe
(For 3120-3720, 4120-4720, 4300-4400, 4310-4410, 4500-4700, 4510-4710 Tractors)
Equipment for Base Machine**

8 ft. 9 In.(2.7 m) Digging Depth Quick-Tatch Mounting Two Double Acting Swing Cylinders 180 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics	12 In. Bucket Operator's Seat with Transport Locks Hydraulic Stabilizers with Flip-Over Pads Rockshaft Assist Mounting Brackets, Hardware and Adapter Frame Plate for 4510-4710 and 4120-4720 Tractors
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6110LV		448 Backhoe (For 3120-3720, 4120-4720, 4300-4400, 4310-4410, 4500-4700, 4510-4710 Tractors) <i>Does Not Fit Cab Tractors. Tractor's must be Equipped with a Front Loader. Tractors require Tall Folding ROPS and Power Beyond Kit. Installation of LVB25628 PRT Oil Cooler Kit is Recommended for 4000 Twenty Series Tractors with a PRT Trans. and Equipped with a Backhoe that will be used for Extended Continuous Periods of Time. LVB24795 Heavy-Duty Subframe Kit is Required for use on 4300-4400, 4310-4410 Tractors with a 48 or 448 Backhoe.</i>	1,640	8,380.00
--------	--	--	-------	----------

MOUNTINGS BRACKETS AND HARDWARE FOR TRACTOR

1000		Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410)	-110	(371.00)
1002		Rockshaft Assist Mounting Brackets and Hardware For 4510-4710 Tractors Manufactured after Nov. '02 and 4120-4720 Tractors <i>See Sales Manual for Serial Numbers. For 4500-4700 and 4510-4710 Tractors Manufactured Before Nov. '02, See Sales Manual for Additional Required Service Parts.</i>		In Base Price
1005		Rockshaft Assist Mounting Brackets and Hardware (3120-3720)	-25	(371.00)
1010		Less Mounting Brackets and Hardware	-150	(695.00)

ADAPTER FRAME FOR BACKHOE

2000		Adapter Frame Weldment Plate (4300-4400, 4310-4410, 3120-3720)	-109	(60.00)
2001		Adapter Frame Weldment Plate (4500-4700, 4510-4710, 4120-4720)		In Base Price
2010		Less Adapter Frame Weldment Plate	-215	(770.00)

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

448 Backhoe
(For 3120-3720, 4120-4720, 4300-4400, 4310-4410, 4500-4700, 4510-4710 Tractors)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ADAPTER FRAME FOR BACKHOE Continued...				
Buckets:				
3000		12-Inch Bucket (1.53 Cu. Ft.)		In Base Price
3001		18-Inch Bucket (2.47 Cu. Ft.)	19	66.00
3002		24-Inch Bucket (3.48 Cu. Ft.)	35	137.00
3003		36-Inch Bucket (5.50 Cu. Ft.)	72	259.00
3010		Less Bucket	-82	(514.00)
ATTACHMENTS - ORDER AS DESIRED				
French Canadian Kit:				
9220		French Canadian Operator's Manual and Decal Kit	1	No Charge
Miscellaneous:				
9000		Rubber Street Pad Kit	9	101.00
ATTACHMENTS FOR FIELD CONVERSION				
Backhoe Adapter Frames:				
LVB25613		Adapter Frame Weldment Plate (4300-4400, 4310-4410, 3120-3720)	110	710.00
LVB25614		Adapter Frame Weldment Plate (4500-4700, 4510-4710, 4120-4720)	218	770.00
Buckets:				
BM19568		12 In. Standard Bucket (1.53 Cu. Ft.)	82	514.00
LVB25173		14 In. Heavy Duty Bucket (1.74 Cu. Ft)		567.00
LVB25174		18 In. Heavy Duty Bucket (2.68 Cu. Ft)		623.00
BM19569		18 In. Standard Bucket (2.47 Cu. Ft.)	97	580.00
LVB25175		24 In. Heavy Duty Bucket (3.71 Cu. Ft)		698.00
BM19570		24 In. Standard Bucket (3.48 Cu. Ft.)	116	651.00
LVB25176		36 In. Heavy Duty Bucket (5.76 Cu. Ft)		848.00
BM19571		36 In. Standard Bucket (5.50 Cu. Ft.)	146	773.00
LVB25177		40 In. Heavy Duty Bucket (6.41 Cu. Ft)		905.00
Hydraulics:				
LVB25085		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for use with Backhoe on 4310-4410 Tractors.</i>	19	232.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

448 Backhoe

(For 3120-3720, 4120-4720, 4300-4400, 4310-4410, 4500-4700, 4510-4710 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	LVB25505	Power Beyond Kit (Open Station Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Tractors.</i>	18	232.00
	LVB25512	Power Beyond Kit (Open Station Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Tractors.</i>	16	232.00
	LVB25220	Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4500-4700 Tractors.</i>	14	260.00
	LVB25221	Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use on 4300-4400 Tractors.</i>	15	290.00
		Miscellaneous:		
	BM19556	Rubber Street Pad Kit	9	101.00
	LVB25239	Stabilizer Cylinder Protection Kit	12	130.00
		Mountings and Hardware for Tractors:		
	LVB24795	Heavy-Duty Subframe Kit <i>Required for Use on 4300-4400, 4310-4410 Tractors with a 48 or 448 Backhoe</i>	138	385.00
	LVB25611	Rockshaft Assist Mounting Brackets and Hardware (3120-3720)	125	324.00
	BM19564	Rockshaft Assist Mounting Brackets and Hardware (4200-4400, 4210-4410)	40	324.00
	LVB25568	Rockshaft Assist Mounting Brackets and Hardware For 4510-4710 Tractors Manufactured After Nov. '02 and 4120-4720 Tractors <i>See Sales Manual for Serial Numbers. For 4500-4700 and 4510-4710 Tractors Manufactured Before Nov. '02, See Sales Manual for Additional Required Service Parts.</i>	150	695.00
		Transmission:		
	LVB25628	PRT Oil Cooler Kit	15	200.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Front Blade
(For X400/X500 HDGT's, X700's, 425-455, 2210, 2305,
2320, 2520, 4010, 4100, 4110 and 4115 Tractors)

Equipment for Base Machine

54 In. Clearing Width "Straight" 48 In. Clearing Width "Fully Angled" Replaceable Cutting Edge Heavy 11-Gauge, Curved Blade Angled Left or Right Up to 27 Degrees	Two Adjustable Skid Shoes Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin Less Front Hitch Less Hydraulic Angling
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1491M		54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 4010, 4100, 4110 and 4115 Tractors) X700, X465, X475 and 425 Require BM20761 Hydraulic Coupler Kit.	181	480.00
<p><i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i></p> <p><i>See Sales Manual for Ballast Requirements.</i></p>				

FRONT QUICK-HITCH

1000		Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	83	546.00
1001		Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	83	546.00
1006		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
1007		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
1010		Less Front Quick-Hitch		In Base Price

HYDRAULIC ANGLING (REQUIRED FOR OPERATION)

2000		Hydraulic Angling (For X400/X500 HDGT's, X700's) BM20761 Hydraulic Coupler Kit Required on X700, X465 and X475.	10	169.00
2001		Hydraulic Angling (425, 445, 455) BM20761 Hydraulic Coupler Kit Required on 425 Tractor.	9	147.00
2005		Hydraulic Angling (2210, 2305)	22	159.00
2006		Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)	9	159.00
2010		Less Hydraulic Angling		In Base Price

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Front Blade
(For X400/X500 HDGT's, X700's, 425-455, 2210, 2305,
2320, 2520, 4010, 4100, 4110 and 4115 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS - ORDER AS DESIRED				
9100		European CE Kit: European CE Certification Kit	1	No Charge
9220		French Canadian Kit: French Canadian Decals for 48 In. and 54 In. Front Blades <i>Order M147479 French Canadian Operator's Manual for X400/X500 HDGT and X700 Series Garden Tractors.</i> <i>Order M126797 French Canadian Operator's Manual for 425-455, 318, 322, 332, 420, and 430 Tractors.</i> <i>Order M147588 French Canadian Operator's Manual for 2210, 2305, 2320, 2520, 4010, 4100, 4110 and 4115 Tractors.</i>	1	No Charge
ATTACHMENTS FOR FIELD CONVERSION				
		Front Hitch:		
LVB24898		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
BM20921		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	83	546.00
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	83	546.00
		Hydraulics:		
LVB24901		Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)	9	159.00
BM17650		Hydraulic Angling (415, 425, 445, 455)	9	147.00
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	10	169.00
BM20922		Hydraulic Angling Kit (2210, 2305)	22	159.00
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	5	44.00
		Miscellaneous:		
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
LVB25302		Front Attaching Support Kit <i>For 2520, 4100, 4110, 4115 Tractors.</i> <i>If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required. 2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB25396		Front Attaching Support Kit (2210, 2305) <i>2210, 2305 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB24895		Front Attaching Support Kit (2320) <i>2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	23	44.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Front Blade
(For X400/X500 HDGT's, X700's, 425-455, 2210, 2305,
2320, 2520, 4010, 4100, 4110 and 4115 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
LVB25293		Front Attaching Support Kit (4010) <i>Required for Installation and Use with all Mid Mounted Mowers and all Front Attaching Implements (Blade, Broom and Snow Blower) with 4010 Tractors.</i>	18	44.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00
AM119321		Heavy Duty Skid Shoe (1)		See Parts
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>		See Parts
TY15845		Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)		See Parts
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires		See Parts
TY15958		Tire Chains (Pair) for 26x12-12 Tires		See Parts
BM18021		Wheel Spacer Kit (425, 445, 455) <i>For all Wheel Steer Tractors when Installing TY15956 Chains. Not for X400/X500 HDGT's or X700 Series Tractors.</i>	5	110.00
		Weights:		
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	47	200.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	20	122.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

74 Front Mounted Blade (For 4300-4400, 4310-4410)
Equipment for Base Machine

54 In. Blade with Spring Mounting Frame
Trip
Hydraulic Angling
Skid Shoes
Lift Cylinder
Hydraulic Hoses

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3670M		74 Front Mounted Blade (For 4300-4400, 4310-4410) <i>Tractor Requires Dual Selective Control Valve. Not for Use with 3120-3720 Tractors.</i>	604	2,410.00
-------	--	---	-----	----------

BLADES

1000	54 In. Blade			In Base Price
1001	60 In. Blade		2	16.00
1002	66 In. Blade		12	38.00
1003	Less Blade		-258	(600.00)

ATTACHMENTS - ORDER AS DESIRED

Blades:				
9000	54 In. Top Blade Extension		20	52.00
9001	60 In. Top Blade Extension		20	55.00
9002	66 In. Top Blade Extension		24	67.00
9003	Side Blade Extension		40	100.00
French Canadian Kit:				
9220	French Canadian Operator's Manual and Decal Kit		1	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Blades:				
BM22315	54 In. Blade		258	600.00
TY9574	54 In. Top Blade Extension		20	52.00
BM22317	60 In. Blade		260	616.00
TY9576	60 In. Top Blade Extension		20	55.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

74 Front Mounted Blade (For 4300-4400, 4310-4410)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM22319	66 In. Blade	270	638.00
	BM22127	66 In. Top Blade Extension	24	67.00
	TY13028	Side Blade Extension	40	100.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**366 Front Mounted Blade
(For 3120-3720 Tractors)**
Equipment for Base Machine

66 In. Blade with Spring Trip Hydraulic Angling Skid Shoes A-frame Quick Change System (Common with 59 In. Snow	Blower) Hydraulic Hoses Mounting Frame
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6003M		366 Front Mounted Blade (For 3120-3720 Tractors) <i>Not for use with 4200-4410 Tractors.</i>	604	2,869.00
-------	--	--	-----	----------

FRONT HITCH

1000		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720)		In Base Price
1010		Less Front Three-Point Hitch with A-Frame Quick Attach System		(1,040.00)

ATTACHMENTS - ORDER AS DESIRED

		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
--	--	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Blades:		
BM22127		66 In. Top Blade Extension	24	67.00
TY13028		Side Blade Extension	40	100.00
		Front Hitch:		
LVB24797		A-Frame Quick Attach System (3120-3720)	22	130.00
LVB25582		Front Three-Point Hitch (3120-3720)	106	855.00
LVB24815		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720) <i>Consists of (1) LVB24797, (1) LVB25759, (1) LVB25582</i>	140	1,040.00
		Front PTO:		
LVB25759		Front PTO Bracket (3120-3720)	12	55.00
		Miscellaneous:		
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms <i>Required for use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and Mid-Mount Mowers.</i>		170.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

84 Front Mounted Blade
(For 4500-4700, 4510-4710 Tractors)
Equipment for Base Machine

84 In. Blade with Spring Trip Hydraulic Angling Skid Shoes Lift Cylinder Hydraulic Hoses	Mounting Frame
---	----------------

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3680M		84 Front Mounted Blade (For 4500-4700, 4510-4710 Tractors) <i>Tractor Requires Dual Selective Control Valve.</i> <i>Not for Use with 4120-4720 Tractors.</i>	817	3,090.00
-------	--	---	-----	----------

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	---	---	-----------

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**380A Front Mounted Blade
(For 790 Tractor)**
Equipment for Base Machine

54 In. Blade with Spring Mounting Frame
Trip
Hydraulic Angling
Skid Shoes
Lift Cylinder
Hydraulic Hoses

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1093M		380A Front Mounted Blade (For 790 Tractor) <i>Tractor Requires Dual Selective Control Valve.</i>	646	2,410.00
-------	--	--	-----	----------

BLADES

1000		54 In. Blade		In Base Price
1001		60 In. Blade	2	16.00
1002		66 In. Blade	12	38.00
1003		Less Blade	-258	(600.00)

ATTACHMENTS - ORDER AS DESIRED

Blades:

9000		54 In. Top Blade Extension	20	52.00
9001		60 In. Top Blade Extension	20	55.00
9002		66 In. Top Blade Extension	24	67.00
9003		Side Blade Extension	40	100.00

ATTACHMENTS FOR FIELD CONVERSION

Blades:

BM22315		54 In. Blade	258	600.00
TY9574		54 In. Top Blade Extension	20	52.00
BM22317		60 In. Blade	260	616.00
TY9576		60 In. Top Blade Extension	20	55.00
BM22319		66 In. Blade	270	638.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**380A Front Mounted Blade
(For 790 Tractor)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM22127	66 In. Top Blade Extension	24	67.00
	TY13028	Side Blade Extension	40	100.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

200X Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
HOOD GUARD Continued...				

BUCKETS:

Additional Bucket Options are Available as "9000" Codes.

8010		49 In. (1250 mm) Materials Bucket		In Base Price
8095		Less Bucket	-165	(514.00)

ATTACHMENTS - ORDER AS DESIRED

Buckets:

9012		49 In. (1250mm) Materials Bucket	165	514.00
9015		53 In. (1350mm) Materials Bucket	170	541.00
9020		61 In. (1550mm) Materials Bucket	186	564.00

French Canadian Kit:

9099		French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	---	---	-----------

Miscellaneous:

9010		Bucket Level Indicator	4	41.00
9090		iMatch Quik Hitch Bushing Kit	4	40.00

ATTACHMENTS FOR FIELD CONVERSION

Ballast Box:

BW15073		Ballast Box	127	202.00
BW15074		Ballast Box Extension	32	98.00

Buckets:

BW14144		49 In. (1250mm) Materials Bucket	165	514.00
BW14145		53 In. (1350mm) Materials Bucket	170	541.00
BW14146		61 In. (1550mm) Materials Bucket	186	564.00

Hood Guards:

BW15217		Hood Guard (2210, 2305, 2320)	23	172.00
BW15634		Hood Guard (2520)	31	172.00
BW15049		Hood Guard (4100, 4110, 4115)	37	172.00

Miscellaneous:

BW15476		Bucket Level Indicator	4	41.00
BW15056		iMatch / Quik-Coupler Bushing Kit	4	40.00

Mounting Frames:

BW15396		Mounting Frame (2210)	91	290.00
BW15426		Mounting Frame (2305)	87	290.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

200X Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BW15324	Mounting Frame (2320)	80	290.00
	BW15330	Mounting Frame (2520)	100	290.00
	BW15398	Mounting Frame (4100, 4110)	91	290.00
	BW15471	Mounting Frame (4115)	93	290.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

200CX Loader
Equipment for Base Machine

Quik-Park Loader Mounting System Less Ballast Box
Quik-Change Attachment Carrier
Mounting Frame
Hood Guard
Bucket Level Indicator
49 In.(1250 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

*F.O.B. Welland, Ontario or Freight Equalization Point
(Refer To Chart at Front of Section.)*

2511W		200CX Loader <i>For 2305, 2320, 2520, 2210, 4100, 4110 and 4115 Tractors.</i>	641	2,713.00
-------	--	--	-----	----------

TRACTOR MOUNTING FRAME

2000		Mounting Frame (2320)	-7	Same Price
2010		Mounting Frame (2305)		In Base Price
2020		Mounting Frame (4100, 4110)	11	Same Price
2040		Mounting Frame (2520)	20	Same Price
2050		Mounting Frame (2210)	11	Same Price
2060		Mounting Frame (4115)	13	Same Price
2095		Less Mounting Frame	-80	(290.00)

BALLAST

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual for Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, Code 9090 or BW15056 is Required.

4020		Ballast Box	127	202.00
4030		Ballast Box With Extension	159	298.00
4095		Less Ballast Box		In Base Price

HOOD GUARD

5010		Hood Guard (2210, 2305, 2320)		In Base Price
5015		Hood Guard (2520)	8	Same Price
5020		Hood Guard (4100, 4110, 4115)	14	Same Price

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

200CX Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
5095		HOOD GUARD Continued... Less Hood Guard	-34	(172.00)
Buckets:				
<i>Additional Bucket Options are Available as "9000" Codes.</i>				
8000		49 In. (1250 mm) Materials Bucket		In Base Price
8095		Less Bucket	-170	(514.00)
ATTACHMENTS - ORDER AS DESIRED				
Buckets:				
9012		49 In. (1250mm) Materials Bucket	165	514.00
9015		53 In. (1350mm) Materials Bucket	170	541.00
9020		61 In. (1550mm) Materials Bucket	186	564.00
European CE Kit:				
9500		European CE Conversion Kit, 200CX Loader <i>This Code Must be Ordered to Receive a 200CX Loader Which Meets CE Mark Requirements. Kit Includes Pictorial Decals and Operators Manual in English, French, German, Swedish and Italian.</i>	6	No Charge
French Canadian Kit:				
9099		French Canadian Operator's Manual and Decal Kit	1	No Charge
Miscellaneous:				
9090		iMatch Quik Hitch Bushing Kit	4	40.00
9095		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
ATTACHMENTS FOR FIELD CONVERSION				
Ballast Box:				
BW15073		Ballast Box	127	202.00
BW15074		Ballast Box Extension	32	98.00
Buckets:				
BW14144		49 In. (1250mm) Materials Bucket	165	514.00
BW14145		53 In. (1350mm) Materials Bucket	170	541.00
BW14146		61 In. (1550mm) Materials Bucket	186	564.00
Hood Guards:				
BW15217		Hood Guard (2210, 2305, 2320)	23	172.00
BW15634		Hood Guard (2520)	31	172.00
BW15049		Hood Guard (4100, 4110, 4115)	37	172.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

200CX Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Miscellaneous:		
BW15389		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
BW15476		Bucket Level Indicator	4	41.00
BW15056		iMatch / Quik-Coupler Bushing Kit	4	40.00
		Mounting Frames:		
BW15396		Mounting Frame (2210)	91	290.00
BW15426		Mounting Frame (2305)	87	290.00
BW15324		Mounting Frame (2320)	80	290.00
BW15330		Mounting Frame (2520)	100	290.00
BW15398		Mounting Frame (4100, 4110)	91	290.00
BW15471		Mounting Frame (4115)	93	290.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

300 Loader
Equipment for Base Machine

Quik-Park Loader Mounting System Less Ballast Box
Quik Change Attachment Carrier
Mounting Frame
Hood Guard
Bucket Level Indicator
61 In.(1550 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

*F.O.B. Welland, Ontario or Freight Equalization Point
(Refer To Chart at Front of Section.)*

2111W		300 Loader <i>For 790, 770, 3203 Tractors.</i>	811	3,130.00
-------	--	---	-----	----------

TRACTOR MOUNTING FRAME, HOSES AND HOOD GUARD

2000		Mounting Frame, Hoses and Hood Guard (790 Serial No. LV0790G790001-)		In Base Price
2010		Mounting Frame, Hoses and Hood Guard (770, 790 Serial No. - LV0790G790000)	4	166.00
2020		Mounting Frame, Hoses and Hood Guard (3203)	46	(180.00)
2095		Less Mounting Frame, Hoses and Hood Guard <i>770, 790 Hood Guard (BW15350) is Required to Install Loader.</i>	126	(734.00)

BALLAST

Three Point Hitch Ballast Is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, Code 9090 or BW15056 is Required.

4000		Ballast Box	127	202.00
4010		Ballast Box with Extension	159	298.00
4095		Less Ballast Box		In Base Price

Buckets:

Additional Bucket Options are Available as "9000" Codes.

8000		61 In. (1550 mm) Materials Bucket		In Base Price
8095		Less Bucket	-186	(564.00)

ATTACHMENTS - ORDER AS DESIRED

Buckets:

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS - ORDER AS DESIRED Continued...		
9015		53 In. (1350mm) Materials Bucket	170	541.00
9020		61 In. (1550mm) Materials Bucket	186	564.00
9025		73 In. (1850mm) Materials Bucket	223	646.00
9030		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	246	695.00
		French Canadian Kit:		
9099		French Canadian Operator's Manual and Decal Kit	1	No Charge
		Miscellaneous:		
9070		Tooth Bar for 61 In. (1550 mm) Bucket	136	313.00
9072		Tooth Bar for 73 In. (1850 mm) Bucket	140	365.00
9080		61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	51	105.00
9082		73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	60	128.00
9090		iMatch Quik Hitch Bushing Kit	4	40.00
9095		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
		ATTACHMENTS FOR FIELD CONVERSION		
		Ballast Box:		
	BW15073	Ballast Box	127	202.00
	BW15074	Ballast Box Extension	32	98.00
		Buckets:		
	BW14145	53 In. (1350mm) Materials Bucket	170	541.00
	BW14764	61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	245	695.00
	BW14146	61 In. (1550mm) Materials Bucket	186	564.00
	BW14147	73 In. (1850mm) Materials Bucket	212	646.00
		Cutting Edges:		
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	49	105.00
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	60	128.00
		Hood Guards:		
	BW15534	Hood Guard (3203)	11	172.00
	BW15350	Hood Guard (770, 790)	40	172.00
		Miscellaneous:		
	BW15389	Australian Code of Practice Kit	1	No Charge
	BW15223	Bucket Level Indicator	4	41.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BW15349	Hoses and Parts <i>For 770, 790 Tractors.</i>	9	205.00
	BW15599	Hoses and Parts (3203)	10	236.00
	BW15357	Oil Line Conversion Kit <i>For 770, 790 Serial No. - LV0790G790000.</i>	4	166.00
	BW15056	iMatch / Quik-Coupler Bushing Kit	4	40.00
		Mounting Frames:		
	BW15204	Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	37	146.00
	BW15206	Mounting Frame (770, 790) <i>770, 790 Hood Guard (BW15350) is Required to Install Loader.</i>	77	357.00
	BWA1199	Mounting Frame with Hoses and Parts and Hood Guard (770, 790 Serial No.- LV0790G790000)	130	900.00
	BWA1198	Mounting Frame with Hoses and Parts and Hood Guard (For 790 Serial No. LV0790G790001-)	126	734.00
	BWA1355	Mounting Frame with Hoses and Parts and Hood Guard (3203)	58	554.00
		Tooth Bars:		
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket	136	313.00
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket	140	365.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300X Loader Stocker Packages

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
F.O.B. Welland, Ontario or Freight Equalization Point				
PACKAGE 11 ORDER CODE				
2521W11		300X Loader Mtg. Frame and Hood Guard for 3120-3720 Tractors, 61 In. Heavy Duty Mat. Bucket (1550mm) with Holes for Cutting Edge, Less Ballast Box	997	3,401.00
PACKAGE 12 ORDER CODE				
2521W12		300X Loader Mtg. Frame and Hood Guard for 3120-3720 Tractors, 61 In. Mat. Bucket (1550mm), Ballast Box	904	3,467.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

300X Loader
Equipment for Base Machine

Quik-Park Loader Mounting System Less Ballast Box
Quik Change Attachment Carrier
Mounting Frame
Hood Guard
Bucket Level Indicator
61 In.(1550 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

*F.O.B. Welland, Ontario or Freight Equalization Point
(Refer To Chart at Front of Section.)*

2521W		300X Loader <i>For 3120-3720, 4200-4400, 4210-4410, 870, 855 and 955 Tractors.</i>	779	3,270.00
-------	--	---	-----	----------

TRACTOR MOUNTING FRAME AND HOSES

2000		Mounting Frame and Hoses (3120-3720 Open Station Tractors, 4200-4400, 4210-4410)		In Base Price
2005		Mounting Frame and Hoses (3320-3720 Cab Tractors)	-10	Same Price
2010		Mounting Frame and Hoses (855, 955)	40	320.00
2020		Mounting Frame and Hoses (870)	59	302.00
2095		Less Mounting Frame and Hoses	-47	(351.00)

BALLAST

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, Code 9090 or BW15056 is Required.

4000		Ballast Box	127	202.00
4010		Ballast Box with Extension	159	298.00
4095		Less Ballast Box		In Base Price

HOOD GUARD

5000		Hood Guard (4200-4400, 4210-4410)		In Base Price
5005		Hood Guard (3120-3720)	-2	Same Price
5010		Deluxe Hood Guard (3120-3720)	20	215.00
5015		Hood Guard (855, 955)	-4	(22.00)
5020		Hood Guard (870)	-1	(62.00)

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300X Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
5095		HOOD GUARD Continued... Less Hood Guard	-47	(172.00)
Buckets:				
<i>Additional Bucket Options are Available as "9000" Codes.</i>				
8000		61 In. (1550 mm) Materials Bucket		In Base Price
8095		Less Bucket	-186	(564.00)
ATTACHMENTS - ORDER AS DESIRED				
Buckets:				
9015		53 In. (1350mm) Materials Bucket	170	541.00
9020		61 In. (1550mm) Materials Bucket	186	564.00
9025		73 In. (1850mm) Materials Bucket	223	646.00
9030		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	246	695.00
European CE Kit:				
9500		European CE Conversion Kit, 300X Loader <i>This Code Must be Ordered to Receive a 300X Loader Which Meets CE Mark Requirements. Kits Includes Tow Hitch Support, Pictorial Decals and Operator's Manual in English, French, German, Swedish and Italian.</i>	12	63.00
French Canadian Kit:				
9099		French Canadian Operator's Manual and Decal Kit	1	No Charge
Miscellaneous:				
9070		Tooth Bar for 61 In. (1550 mm) Bucket	136	313.00
9072		Tooth Bar for 73 In. (1850 mm) Bucket	140	365.00
9080		61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	51	105.00
9082		73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	60	128.00
9090		iMatch Quik Hitch Bushing Kit	4	40.00
9095		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
ATTACHMENTS FOR FIELD CONVERSION				
Ballast Box:				
	BW15073	Ballast Box	127	202.00
	BW15074	Ballast Box Extension	32	98.00
Buckets:				
	BW14145	53 In. (1350mm) Materials Bucket	170	541.00
	BW14764	61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	245	695.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300X Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BW14146	61 In. (1550mm) Materials Bucket	186	564.00
	BW14147	73 In. (1850mm) Materials Bucket	212	646.00
		Cutting Edges:		
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	49	105.00
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	60	128.00
		Hood Guards:		
	BWA1190	Deluxe Hood Guard (3120-3720)	67	387.00
	BW15222	Deluxe Hood Guard Attachment	22	215.00
	BW14378	Hood Guard <i>For 4200-4400, 4210-4400 Tractors.</i>	47	172.00
	BW15416	Hood Guard <i>For 870 Tractors.</i>	47	110.00
	BW15219	Hood Guard (3120-3720)	45	172.00
	BW15351	Hood Guard (855, 955)	43	150.00
		Miscellaneous:		
	BW15389	Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
	BW15223	Bucket Level Indicator	4	41.00
	BW15349	Hoses and Parts <i>For 855, 955 Tractors.</i>	9	205.00
	BW15348	Hoses and Parts (4200-4400, 4210-4410, 3120-3720, 870)	10	205.00
	BW15357	Oil Line Conversion Kit <i>For 855, 870, and 955 Tractors.</i>	4	166.00
	BW15056	iMatch / Quik-Coupler Bushing Kit	4	40.00
		Mounting Frames:		
	BW15347	Mounting Frame <i>For 870 Tractors.</i>	92	282.00
	BW15456	Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	43	146.00
	BW15204	Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	37	146.00
	BW15346	Mounting Frame (855, 955)	74	300.00
	BWA1248	Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors)		351.00
	BWA1191	Mounting Frame with Hoses and Parts (4200-4400, 4210-4410, 3120-3720 Open Station Tractors)	47	351.00
	BWA1192	Mounting Frame with Hoses and Parts (855, 955)	87	671.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300X Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BWA1193	Mounting Frame with Hoses and Parts (870)	106	653.00
		Tooth Bars:		
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket	136	313.00
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket	140	365.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300CX Loader Stocker Packages

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
F.O.B. Welland, Ontario or Freight Equalization Point				
PACKAGE 11 ORDER CODE				
2531W11		300CX Loader Mtg. Frame and Hood Guard for 3120-3720 Tractors, 61 In. Heavy Duty Mat. Bucket (1550mm) with Holes for Cutting Edge, Less Ballast Box	913	3,981.00
PACKAGE 12 ORDER CODE				
2531W12		300CX Loader Mtg. Frame and Hood Guard for 3120-3720 Tractors, 61 In. Heavy Duty Mat. Bucket (1550mm) with Holes for Cutting Edge, Ballast Box	1,040	4,178.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

300CX Loader
Equipment for Base Machine

Quik-Park Loader Mounting System Less Ballast Box
Quik Change Attachment Carrier
Mounting Frame
Hood Guard
Bucket Level Indicator
61 In.(1550 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

*F.O.B. Welland, Ontario or Freight Equalization Point
(Refer To Chart at Front of Section.)*

2531W		300CX Loader <i>For 3120-3720, 990, 970, 1070, 4300-4400, 4310-4410 Tractors.</i>	856	3,850.00
-------	--	--	-----	----------

TRACTOR MOUNTING FRAME AND HOSES

2000		Mounting Frame and Hoses (3120-3720 Open Station Tractors, 4300-4400, 4310-4410)		In Base Price
2005		Mounting Frame and Hoses (3320-3720 Cab Tractors)	-10	Same Price
2010		Mounting Frame and Hoses (990 Serial No. LV0990G590001-)	55	136.00
2020		Mounting Frame and Hoses (970, 990 Serial No. - LV0990G590000 and 1070)	59	307.00
2095		Less Mounting Frame and Hoses	-48	(351.00)

BALLAST

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Use with iMatch Quik Hitch, Code 9090 or BW15056 is Required.

4000		Ballast Box	127	202.00
4010		Ballast Box with Extension	194	298.00
4095		Less Ballast Box		In Base Price

HOOD GUARD

5000		Hood Guard (4300-4400, 4310-4410)		In Base Price
5005		Hood Guard (3120-3720)	-2	Same Price
5010		Deluxe Hood Guard (3120-3720)	20	215.00
5015		Hood Guard (970, 990, 1070) <i>Required For Loader Installation on 970, 990, 1070 Tractors, Includes Front Weight Bracket.</i>	-1	(62.00)

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300CX Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
HOOD GUARD Continued...				
5095		Less Hood Guard	-47	(172.00)
Buckets:				
<i>Additional Bucket Options are Available as "9000" Codes.</i>				
8000		61 In. (1550 mm) Materials Bucket		In Base Price
8095		Less Bucket	-186	(564.00)
ATTACHMENTS - ORDER AS DESIRED				
Buckets:				
9020		61 In. (1550mm) Materials Bucket	186	564.00
9025		73 In. (1850mm) Materials Bucket	223	646.00
9030		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	246	695.00
9035		73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	282	780.00
9040		73 In. (1850 mm) High Volume Bucket	348	936.00
9041		85 In. (2150 mm) High Volume Bucket	394	1,153.00
Cutting Edges:				
9080		61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	51	105.00
9082		73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	60	128.00
European CE Kit:				
9500		European CE Conversion Kit, 300CX Loader <i>This Code Must be Ordered to Receive a 300CX Loader Which Meets CE Mark Requirements. Kit Includes Tow Hitch Support, Pictorial Decals and Operator's Manual in English, French, German, Swedish, and Italian.</i>	12	63.00
French Canadian Kit:				
9099		French Canadian Operator's Manual and Decal Kit	1	No Charge
Miscellaneous:				
9049		Third Function Hydraulic Lines and Hoses <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	18	291.00
9090		iMatch Quik Hitch Bushing Kit	4	40.00
9095		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
9200		Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	92	411.00
Tooth Bars:				
9070		61 In. (1550 mm) Tooth Bar for Bucket	136	313.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300CX Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
9072		ATTACHMENTS - ORDER AS DESIRED Continued... 73 In. (1850 mm) Tooth Bar for Bucket	140	365.00
		ATTACHMENTS FOR FIELD CONVERSION		
		Ballast Box:		
	BW15073	Ballast Box	127	202.00
	BW15074	Ballast Box Extension	32	98.00
		Buckets, Attachments & Accessories (Loaders):		
	LVB25341	72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier.</i>	415	790.00
		Buckets:		
	BW14764	61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	245	695.00
	BW14146	61 In. (1550mm) Materials Bucket	186	564.00
	KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		908.00
	KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		683.00
	KV22801	66 in. Utility Bucket (20.6 cu. ft.)		735.00
	BW14765	73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	282	780.00
	BW14658	73 In. (1850 mm) High Volume Bucket	318	936.00
	BW14147	73 In. (1850mm) Materials Bucket	212	646.00
	BW15273	85 In. (2150 mm) High Volume Bucket	394	1,153.00
		Cutting Edges:		
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	49	105.00
	U16748	66 in. Bolt-On Cutting Edge <i>Requires Seven Grade 8 Plow Bolts and Nuts (PB750225). Compatible with Appropriate CWP Attachments Only.</i>		See Parts
	T32742	72 in. Bolt-On Cutting Edge <i>Requires Seven Grade 8 Plow Bolts and Nuts (PB750225). Compatible with Appropriate CWP Attachments Only.</i>		See Parts
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	60	128.00
		Hood Guards:		
	BWA1190	Deluxe Hood Guard (3120-3720)	67	387.00
	BW15222	Deluxe Hood Guard Attachment	22	215.00
	BW14378	Hood Guard <i>For 4300-4400, 4310-4410 Tractors.</i>	47	172.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300CX Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BW15416	Hood Guard <i>For 970, 990 and 1070 Tractors. Required For Loader Installation on 970, 990, 1070 Tractors, Includes Front Weight Bracket.</i>	47	110.00
	BW15219	Hood Guard (3120-3720)	45	172.00
		Miscellaneous:		
	BW15389	Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
	BW15223	Bucket Level Indicator	4	41.00
	BW15352	Hoses and Parts <i>For 4300-4400, 4310-4410, 3120-3720, 970, 990 and 1070 Tractors.</i>	11	205.00
	BW15359	Oil Line Conversion Kit <i>For 970, 990 (Serial No. -LV0990G590000) and 1070 Tractors.</i>	4	171.00
	BW15244	Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	92	411.00
	BW15630	Third Function Hydraulic Lines and Hoses <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	18	291.00
	BW15056	iMatch / Quik-Coupler Bushing Kit	4	40.00
		Mounting Frames:		
	BW15347	Mounting Frame <i>For 970, 990, and 1070 Tractors.</i>	92	282.00
	BW15456	Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	43	146.00
	BW15204	Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	37	146.00
	BWA1201	Mounting Frame with Hoses and Parts (990 Serial No. LV0990G590001-)	103	487.00
	BWA1276	Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors)		351.00
	BWA1200	Mounting Frame with Hoses and Parts (4300-4400, 4310-4410, 3120-3720 Open Station Tractors)	48	351.00
	BWA1202	Mounting Frame with Hoses and Parts (970, 990 Serial No.- LV0990G590000 and 1070)	107	658.00
		Tooth Bars:		
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket	136	313.00
	KV12294	66 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>		349.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300CX Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	KV11598	72 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>		379.00
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket	140	365.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400X Loader Stocker Packages

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
F.O.B. Welland, Ontario or Freight Equalization Point				
PACKAGE 15 ORDER CODE				
2541W15		400X Loader, Less Ballast Box, Hood Guard for 4120-4720 Tractors and 73 In. (1850 mm) Heavy-Duty Bucket with Holes for Cutting Edge	997	4,404.00
PACKAGE 16 ORDER CODE				
2541W16		400X Loader, Ballast Box with Extension, Hood Guard for 4120-4720 Tractors and 73 In. (1850 mm) Heavy-Duty Bucket with Holes for Cutting Edge	1,156	4,697.00
PACKAGE 17 ORDER CODE				
2541W17		400X Loader, Ballast Box, Hood Guard for 4120-4720 Tractors and 73 In. (1850 mm) Materials Bucket	1,054	4,467.00
PACKAGE 18 ORDER CODE				
2541W18		400X Loader, Less Ballast Box, Hood Guard for 4120-4720 Tractors and 73 In. (1850 mm) Materials Bucket	927	4,270.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

400X Loader
Equipment for Base Machine

Quik-Park Loader Mounting System Less Ballast Box
Quik Change Attachment Carrier
Mounting Frame
Hood Guard
Bucket Level Indicator
73 In.(1850 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

*F.O.B. Welland, Ontario or Freight Equalization Point
(Refer to Chart at Front of Section)*

2541W		400X Loader <i>For 4120-4720, 4500-4700, 4510-4710 Tractors.</i>	927	4,270.00
-------	--	---	-----	----------

TRACTOR MOUNTING FRAME

2000		Mounting Frame (4120-4720 Open Station Tractors, 4500-4700, 4510-4710)		In Base Price
2005		Mounting Frame (4320-4720 Cab Tractors)	-16	Same Price
2095		Less Mounting Frame	-43	(146.00)

BALLAST

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, Code 9090 or BW15056 is Required.

4000		Ballast Box	127	202.00
4010		Ballast Box with Extension	159	298.00
4095		Less Ballast Box		In Base Price

HOOD GUARD

5000		Hood Guard (4500-4700, 4510-4710)		Same Price
5005		Hood Guard (4120-4720)		In Base Price
5010		Deluxe Hood Guard (4120-4720)		215.00
5095		Less Hood Guard	-47	(172.00)

Buckets:

Additional Bucket Options are Available as "9000" Codes.

8000		73 In. (1850 mm) Materials Bucket		In Base Price
8095		Less Bucket	-212	(646.00)

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400X Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
Buckets: Continued...				
ATTACHMENTS - ORDER AS DESIRED				
Buckets:				
9020		61 In. (1550mm) Materials Bucket	186	564.00
9025		73 In. (1850mm) Materials Bucket	223	646.00
9030		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	246	695.00
9035		73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	282	780.00
9040		73 In. (1850 mm) High Volume Bucket	348	936.00
9041		85 In. (2150 mm) High Volume Bucket	394	1,153.00
Cutting Edges:				
9080		61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	51	105.00
9082		73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	60	128.00
European CE Kit:				
9500		European CE Conversion Kit, 400X Loader <i>This Code Must be Ordered to Receive a 400X Loader Which Meets CE Mark Requirements. Kit Includes Tow Hitch Support, Pictorial Decals and Operator's Manual in English, French, German, Swedish and Italian.</i>	12	63.00
9510		European CE (France) Anti-Drop Valve Kit	9	706.00
French Canadian Kit:				
9099		French Canadian Operator's Manual and Decal Kit	1	No Charge
Miscellaneous:				
9049		Third Function Hydraulic Lines and Hoses <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	18	291.00
9090		iMatch Quik Hitch Bushing Kit	4	40.00
9095		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
9200		Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	92	411.00
Tooth Bars:				
9070		61 In. (1550 mm) Tooth Bar for Bucket	136	313.00
9072		73 In. (1850 mm) Tooth Bar for Bucket	140	365.00
ATTACHMENTS FOR FIELD CONVERSION				
	BW15073	Ballast Box: Ballast Box	127	202.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400X Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BW15074	Ballast Box Extension	32	98.00
	LVB25343	Buckets, Attachments & Accessories (Loaders): 72 In. Quik-Tatch Heavy Duty 4-in-1 Front Loader Bucket <i>Third Function Hydraulic Line and Hose Kit is Required on 300CX, 400X, 400CX loaders. CWP Powered Buckets come with Flat Face Couplers and Welland Loaders do not. A Coupler Change out on the 3rd SCV Line Kit will be Required to Properly Interface with the CWP Hydraulic Attachments. See Sales Manual.</i>	685	2,483.00
	LVB25342	72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge <i>Requires Skid Steer Attachment Carrier.</i>	470	942.00
	LVB25341	72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier.</i>	415	790.00
	LVB25345	84 In. Light Material Bucket <i>Requires Skid Steer Attachment Carrier.</i>	519	974.00
		Buckets:		
	BW14764	61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	245	695.00
	BW14146	61 In. (1550mm) Materials Bucket	186	564.00
	KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		908.00
	KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		683.00
	KV22801	66 in. Utility Bucket (20.6 cu. ft.)		735.00
	BW14765	73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	282	780.00
	BW14658	73 In. (1850 mm) High Volume Bucket	318	936.00
	BW14147	73 In. (1850mm) Materials Bucket	212	646.00
	BW15273	85 In. (2150 mm) High Volume Bucket	394	1,153.00
		Cutting Edges:		
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	49	105.00
	U16748	66 in. Bolt-On Cutting Edge <i>Requires Seven Grade 8 Plow Bolts and Nuts (PB750225). Compatible with Appropriate CWP Attachments Only.</i>		See Parts
	T32742	72 in. Bolt-On Cutting Edge <i>Requires Seven Grade 8 Plow Bolts and Nuts (PB750225). Compatible with Appropriate CWP Attachments Only.</i>		See Parts
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	60	128.00
		European CE Kit:		
	BW15473	European CE (France) Anti-Drop Valve Kit	9	706.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400X Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Hood Guards:		
BWA1184		Deluxe Hood Guard (4120-4720 Tractors)	60	387.00
BW15222		Deluxe Hood Guard Attachment	22	215.00
BW14378		Hood Guard <i>For 4500-4700, 4510-4710 Tractors.</i>	47	172.00
BW15221		Hood Guard (4120-4720)	38	172.00
		Miscellaneous:		
BW15389		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
BW15223		Bucket Level Indicator	4	41.00
BW15334		Hoses and Parts	11	160.00
BW15244		Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	92	411.00
BW15260		Third Function Hydraulic Lines and Hoses <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	18	291.00
BW15056		iMatch / Quik-Coupler Bushing Kit	4	40.00
		Mounting Frames:		
BW15456		Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	43	146.00
BW15205		Mounting Frame (4500-4700, 4510-4710, 4120-4720 Open Station Tractors)	43	146.00
		Tooth Bars:		
BW15227		61 In. (1550 mm) Tooth Bar for Bucket	136	313.00
KV12294		66 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>		349.00
KV11598		72 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>		379.00
BW15228		73 In. (1850 mm) Tooth Bar for Bucket	140	365.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

400CX Loader
Equipment for Base Machine

Quik-Park Loader Mounting System 73 In. (1850 mm) Materials Bucket
 Quik Change Attachment Carrier Less Ballast Box
 Mechanical Self-Leveling
 Mounting Frame
 Hood Guard
 Bucket Level Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

*F.O.B. Welland, Ontario or Freight Equalization Point
(Refer to Chart at Front of Section)*

2551W		400CX Loader <i>For 4120-4720, 4500-4700, 4510-4710 Tractors.</i>	1,100	4,790.00
-------	--	--	-------	----------

TRACTOR MOUNTING FRAME

2000		Mounting Frame (4120-4720, Open Station Tractors, 4500-4700, 4510-4710)		In Base Price
2005		Mounting Frame (4320-4720 Cab Tractors)	-16	Same Price
2095		Less Mounting Frame	-43	(146.00)

BALLAST

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, Code 9090 or BW15056 is Required.

4000		Ballast Box	127	202.00
4010		Ballast Box with Extension	159	298.00
4095		Less Ballast Box		In Base Price

HOOD GUARD

5000		Hood Guard (4500-4700, 4510-4710)		Same Price
5005		Hood Guard (4120-4720)		In Base Price
5010		Deluxe Hood Guard (4120-4720)		215.00
5095		Less Hood Guard	-47	(172.00)

Buckets:

Additional Bucket Options are Available as "9000" Codes.

8000		73 In. (1850 mm) Materials Bucket		In Base Price
8095		Less Bucket	-212	(646.00)

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400CX Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
Buckets: Continued...				
ATTACHMENTS - ORDER AS DESIRED				
Buckets:				
9020		61 In. (1550mm) Materials Bucket	186	564.00
9025		73 In. (1850mm) Materials Bucket	223	646.00
9030		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	246	695.00
9035		73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	282	780.00
9040		73 In. (1850 mm) High Volume Bucket	348	936.00
9041		85 In. (2150 mm) High Volume Bucket	394	1,153.00
Cutting Edges:				
9080		61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	51	105.00
9082		73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	60	128.00
European CE Kit:				
9500		European CE Conversion Kit, 400CX Loader <i>This Code Must be Ordered to Receive a 400CX Loader Which Meets CE Mark Requirements. Kit Includes Tow Hitch Support, Pictorial Decals and Operator's Manual in English, French, German, Swedish and Italian.</i>	12	63.00
9510		European CE (France) Anti-Drop Valve Kit	9	706.00
French Canadian Kit:				
9099		French Canadian Operator's Manual and Decal Kit	1	No Charge
Miscellaneous:				
9049		Third Function Hydraulic Lines and Hoses <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	18	291.00
9090		iMatch Quik Hitch Bushing Kit	4	40.00
9095		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
9200		Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	92	411.00
Tooth Bars:				
9070		61 In. (1550 mm) Tooth Bar for Bucket	136	313.00
9072		73 In. (1850 mm) Tooth Bar for Bucket	140	365.00
ATTACHMENTS FOR FIELD CONVERSION				
	BW15073	Ballast Box: Ballast Box	127	202.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400CX Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BW15074	Ballast Box Extension	32	98.00
	LVB25343	Buckets, Attachments & Accessories (Loaders): 72 In. Quik-Tatch Heavy Duty 4-in-1 Front Loader Bucket <i>Third Function Hydraulic Line and Hose Kit is Required on 300CX, 400X, 400CX loaders. CWP Powered Buckets come with Flat Face Couplers and Welland Loaders do not. A Coupler Change out on the 3rd SCV Line Kit will be Required to Properly Interface with the CWP Hydraulic Attachments. See Sales Manual.</i>	685	2,483.00
	LVB25342	72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge <i>Requires Skid Steer Attachment Carrier.</i>	470	942.00
	LVB25341	72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier.</i>	415	790.00
	LVB25345	84 In. Light Material Bucket <i>Requires Skid Steer Attachment Carrier.</i>	519	974.00
		Buckets:		
	BW14764	61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	245	695.00
	BW14146	61 In. (1550mm) Materials Bucket	186	564.00
	KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		908.00
	KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		683.00
	KV22801	66 in. Utility Bucket (20.6 cu. ft.)		735.00
	BW14765	73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	282	780.00
	BW14658	73 In. (1850 mm) High Volume Bucket	318	936.00
	BW14147	73 In. (1850mm) Materials Bucket	212	646.00
	BW15273	85 In. (2150 mm) High Volume Bucket	394	1,153.00
		Cutting Edges:		
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	49	105.00
	U16748	66 in. Bolt-On Cutting Edge <i>Requires Seven Grade 8 Plow Bolts and Nuts (PB750225). Compatible with Appropriate CWP Attachments Only.</i>		See Parts
	T32742	72 in. Bolt-On Cutting Edge <i>Requires Seven Grade 8 Plow Bolts and Nuts (PB750225). Compatible with Appropriate CWP Attachments Only.</i>		See Parts
	BW14763	73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	60	128.00
		European CE Kit:		
	BW15473	European CE (France) Anti-Drop Valve Kit	9	706.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400CX Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Hood Guards:		
BWA1184		Deluxe Hood Guard (4120-4720 Tractors)	60	387.00
BW15222		Deluxe Hood Guard Attachment	22	215.00
BW14378		Hood Guard <i>For 4500-4700, 4510-4710 Tractors.</i>	47	172.00
BW15221		Hood Guard (4120-4720)	38	172.00
		Miscellaneous:		
BW15389		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	1	No Charge
BW15446		Bucket Level Indicator	4	41.00
BW15334		Hoses and Parts	11	160.00
BW15244		Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	92	411.00
BW15260		Third Function Hydraulic Lines and Hoses <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	18	291.00
BW15056		iMatch / Quik-Coupler Bushing Kit	4	40.00
		Mounting Frames:		
BW15456		Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	43	146.00
BW15205		Mounting Frame (4500-4700, 4510-4710, 4120-4720 Open Station Tractors)	43	146.00
		Tooth Bars:		
BW15227		61 In. (1550 mm) Tooth Bar for Bucket	136	313.00
KV12294		66 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>		349.00
KV11598		72 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>		379.00
BW15228		73 In. (1850 mm) Tooth Bar for Bucket	140	365.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

3-Bag Power Flow System
(For 2305, 2320, 2520, 2210 and 4115)
Equipment for Base Machine

14 Bushel Capacity
Polyethylene Hopper Top
3 Polyester Bags
Attaching Parts
Chute

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1402GX		3-Bag Power Flow System (For 2305, 2320, 2520, 2210 and 4115) <i>All Tractors Require a High Performance Power Flow Kit for the Appropriate Mower Deck. Tractors Using OnRamp Mower Decks also Require Appropriate Deck Shield Kit Listed in "Attachments for Field Conversion". Not Compatible with 72-Inch Decks. (5) R66949 Quik-Tatch Weights are Recommended for Proper Ballast.</i>	114	1,189.00
--------	--	---	-----	----------

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Material Collection System Power Flow Blowers:		
BM21495		54 In. High Performance Power Flow (For Use with 54C or 54D Mower Deck)	36	441.00
BM21496		62 In. High Performance Power Flow (For Use with 62C or 62D Mower Deck)	36	441.00
		Miscellaneous:		
LVB24947		54D OnRamp Belt Cover Kit <i>Required for Use with 54D OnRamp Mower Deck.</i>	2	41.00
LVB24948		62D OnRamp Belt Cover Kit <i>Required for Use with 62D OnRamp Mower Deck.</i>	4	59.00
		Weights:		
R66949		Quik-Tatch Weight, 42 Lb. <i>When Installed on 2305, 2320, 2520, 2210, or 4115 Tractors, (1) M128726 Rod and (4) A15147 Spring Clips are Required.</i>	42	37.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

3-Bag Power Pak Material Collection System
(For 318, 322, 332, 420, 430, 425, 445, 455, F900's, 790,
3120-3720, 4010 Thru 4400-4410 Tractors)
Equipment for Base Machine

10 Bushel Capacity
Polyethylene Hopper Top
3 Polyester Bags
Less Engine and Power Pak Blower
Less Attaching Parts

Less Mower Boot

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2710M		3-Bag Power Pak Material Collection System (For 318, 322, 332, 420, 430, 425, 445, 455, F900's, 790, 3120-3720, 4010 Thru 4400-4410 Tractors) <i>F911 and F925 Front Mowers require AM101468 Steering Cylinder Guard Kit.</i> <i>For 4200-4400, 4210-4410 and 3120-3720 Tractors, a Dual SCV and a Third SCV Kit is Required to Raise and Lower Material Collection System and Mower Deck.</i> <i>See Sales Manual for Ballast Requirements.</i>	71	630.00
-------	--	--	----	--------

ENGINE AND POWER PAK BLOWER

1000		5 H.P. Engine and Power Pak Blower	82	970.00
1001		Less 5 H.P. Engine and Power Pak Blower		In Base Price

ATTACHING PARTS

2000		Attaching Parts (F900's)	43	465.00
2001		Less Attaching Parts		In Base Price
2002		Attaching Parts (318, 322, 332, 420, 430, 425, 445, 455) <i>For Mounting on 425, 445, 455 Tractors the Following Parts are Required; (2) M124214 Brackets (4) 19M7285 Capscrews M12 x M30 and (4) 14M7275 M12 Nuts. Order thru Parts.</i>	101	515.00
2003		Attaching Parts (790, 4010 thru 4400-4410 and 3120-3720 Tractors)	88	465.00

MOWER BOOT

3001		Mower Boot for 60 In. Mower Deck (420,430, 425-455, F900's, 4010, 4100, 4110, 4115, 790, 55 and 70 Series Tractors)	6	75.00
3002		Less Mower Boot		In Base Price
3003		Mower Boot for 46 In. Mower Deck	6	67.00
3005		Mower Boot with Baffle for 60 In. Mower Deck (4200-4400, 4210-4410, 3120-3720)	6	117.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

3-Bag Power Pak Material Collection System
(For 318, 322, 332, 420, 430, 425, 445, 455, F900's, 790,
3120-3720, 4010 Thru 4400-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
MOWER BOOT Continued...				
3006		Mower Boot with Baffle for 48 In. and 54 In. Mower Decks (300 and 400 Series L>, 4010, 4100, 4110)	6	110.00

ATTACHMENTS - ORDER AS DESIRED

9223		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:

BM16453		46 In. Mower Boot	6	67.00
BM19800		48 In. and 54 In. Mower Boot with Baffle (318, 322, 332, 420, 430, 425, 445, 455, 4010, 4100, 4110)	6	110.00
BM16454		50 In. Mower Boot (655) <i>For 655 Tractor.</i>	6	65.00
BM16455		60 In. Mower Boot (F900's, 4010, 4100, 4110, 4115, 790, 55 and 70 Series)	6	75.00
BM19801		60 In. Mower Boot With Baffle (4200-4400, 4210-4410, 3120-3720)	6	117.00
BM16451		Attaching Parts (318, 322, 332, 420, 430, 425, 445, 455)	101	515.00
BM16571		Attaching Parts (790, 4010 thru 4400-4410, 3120-3720)	88	465.00
BM16686		Attaching Parts (F900's)	43	465.00
BM20521		Engine (5 H.P.) and Power Pak Blower	82	970.00
M74665		Hook		See Parts
M74666		Hook		See Parts
BM20582		Remote Air Intake Kit	3	62.00
AM101468		Steering Cylinder Guard		See Parts
AM30577		Turnbuckle <i>For Easier Installation and Removal of Power Pak. Requires one M74665 Hook and one M74666 Hook.</i>		See Parts
Weights: <i>For Various Wheel Weight and Hardware Options Reference Tractor Price Pages, Operator's Manual and Sales Manual.</i>				
R66949		Quik-Tatch Weight, 42 Lb. <i>When Installed on Front Bumper of 425, 445 or 455 Tractor, (1) M112887 Rod and (2) M40461 Spring Clips are Required.</i>	42	37.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

Hydraulic Dump Power Pak Material Collection System
(For 790, 3120-3720, 4010 Thru 4400-4410, Tractors)
Equipment for Base Machine

13 Bushel Capacity
Polypropylene Hopper Top
Polyethelene Boot
Mounting for Category I
3-Point Hitch
Parking Stands

Less Engine and Power-Pak
Blower
Less Mower Boot

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2666M		Hydraulic Dump Power Pak Material Collection System (For 790, 3120-3720, 4010 Thru 4400-4410, Tractors) <i>Tractors Require Dual SCV. 4200-4400, 4210-4410 and 3120-3720 Tractors also Require Third SCV Kit</i>	437	3,880.00
-------	--	--	-----	----------

ENGINE AND POWER PAK BLOWER

1000		5 H.P. Engine and Power Pak Blower	82	970.00
1001		Less 5 H.P. Engine and Power Pak Blower		In Base Price

OPERATOR'S MANUAL FOR HYDRAULIC DUMP M.C.S.

4000		Operator's Manual For 790, 55 and 70 Series Tractors		In Base Price
4001		Operator's Manual For 4010, 4100, 4110 and 4115 Tractors		Same Price
4002		Operator's Manual For 4200-4400, 4210-4410 and 3120-3720 Tractors		Same Price

MOWER BOOT

2000		Mower Boot With Baffle for 54 In. Mower Deck on 4010, 4100 and 4110 Tractors	6	110.00
2001		Mower Boot for 50 In. Mower Deck on 655 Tractor	6	65.00
2002		Mower Boot for 60 In. Mower Deck on 4010, 4100, 4110, 4115, 790, 55 and 70 Series Tractors	6	75.00
2003		Less Mower Boot		In Base Price
2005		Mower Boot With Baffle for 60 In. Mower Deck on 4200-4400, 4210-4410 and 3120-3720 Tractors	6	117.00

ATTACHMENTS - ORDER AS DESIRED

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**Hydraulic Dump Power Pak Material Collection System
(For 790, 3120-3720, 4010 Thru 4400-4410, Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS - ORDER AS DESIRED Continued...				
French Canadian Kit:				
9220		French Canadian Operator's Manual and Decal Kit for Hydraulic Dump MCS	1	No Charge
9223		French Canadian Operator's Manual and Decal Kit for Power Pak Engine	1	No Charge
ATTACHMENTS FOR FIELD CONVERSION				
Miscellaneous:				
BM19800		48 In. and 54 In. Mower Boot with Baffle (318, 322, 332, 420, 430, 425, 445, 455, 4010, 4100, 4110)	6	110.00
BM16454		50 In. Mower Boot (655)	6	65.00
BM16455		60 In. Mower Boot (F900's, 4010, 4100, 4110, 4115, 790, 55 and 70 Series)	6	75.00
BM19801		60 In. Mower Boot With Baffle (4200-4400, 4210-4410, 3120-3720)	6	117.00
BM20521		Engine (5 H.P.) and Power Pak Blower	82	970.00
BM20582		Remote Air Intake Kit	3	62.00
Weights:				
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54C In. Mid-Mount Side Discharge Mower
(For 2305, 2210 Tractors)
Equipment for Base Machine

54 In. Cutting Width	Anti-Scalp Front Roller
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
(4) Front and Rear Adjustable Gauge Wheels	Front Lip Reinforcement
PTO Shaft	Less Attaching Parts
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

902UM		54C In. Mid-Mount Side Discharge Mower (For 2305, 2210 Tractors)	210	1,300.00
-------	--	---	-----	----------

ATTACHING PARTS/MOWER DECK LIFT

1000		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	90	220.00
1001		Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>		360.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operators Manual and Decal Kit	1	No Charge
------	--	---	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:				
LVB25631		Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 (Independent Lift Kit). Not Available for 2210 Tractors.</i>		140.00
LVB25419		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	90	220.00
LVB25630		Independent Lift Kit for 2305, 2320 Tractors <i>Requires LVB25631 (Independent Lift Attaching Parts). Not Available for 2210 Tractors.</i>		220.00
Mower Deck and Mower Deck Attachments:				
BM20827		Mulch Kit (54C/54D/54X)	40	166.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**54D In. OnRamp Mid-Mount Side Discharge Mower
(For 2320 Tractor)**
Equipment for Base Machine

54 In. Cutting Width	Anti-Scalp Front Roller
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Quick	Front Lip Reinforcement
Release Gauge Wheels with	Stow 'N' Go Brackets
Memory Setting	Less Attaching Parts
PTO Shaft	
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0170LV		54D In. OnRamp Mid-Mount Side Discharge Mower (For 2320 Tractor)	369	1,650.00
--------	--	---	-----	----------

ATTACHING PARTS/MOWER DECK LIFT

1001		Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift, Code 1001 and LVB25630 Must be Ordered.</i>	90	290.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operators Manual and Decal Kit	1	No Charge
------	--	---	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:				
LVB25620		Attaching Parts for 2320 Tractor (Mechanical Mower Lift)	90	290.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00
LVB25630		Independent Lift Kit for 2305, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts.</i>		220.00
AM130907		Mower Deck and Mower Deck Attachments: Mower Deck Leveling Gauge		See Parts
BM20827		Mulch Kit (54C/54D/54X)	40	166.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**54 In. Mid-Mount Side Discharge Mower
(For 4010 Tractor)**
Equipment for Base Machine

54 In. Cutting Width
Three Cutting Blades
11 Gauge Stamped Steel Deck
Front and Rear Adjustable
Gauge Wheels
PTO Shaft
Mower Lift: Steel Rods from
Tractor Rockshaft

Quick Release Belt Shields
Anti-Scalp Front Roller
Hinged Discharge Chute
Greaseable Spindles
Front Lip Reinforcement
Less Attaching Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0020LV		54 In. Mid-Mount Side Discharge Mower (For 4010 Tractor) <i>Tractor Must be Equipped with LVB25293 Front Attaching Support Kit.</i>	210	1,490.00
--------	--	---	-----	----------

ATTACHING PARTS

1000		Attaching Parts	90	290.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

9300		European CE Kit: European CE Version 54 In. Mid-Mount Side Discharge Mower <i>This Code Must be Ordered to Recieve a 54 In. Mid-Mount Side Discharge Mower Which Meets CE Requirements For Decals.</i>	1	No Charge
9220		French Canadian Kit: French Canadian Decals & Operator's Manual	1	No Charge
9435		Miscellaneous: Swedish Operator's Manual	1	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Hydraulics: Rear Hydraulic Outlet Kit	15	265.00
LVB25319				
		Miscellaneous: Attaching Parts (4010)	90	290.00
LVB25264				
LVB25293		Front Attaching Support Kit (4010) <i>Required for Installation and Use with all Mid Mounted Mowers and all Front Attaching Implements (Blade, Broom and Snow Blower) with 4010 Tractors.</i>	18	44.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**54 In. Mid-Mount Side Discharge Mower
(For 4010 Tractor)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
		Mower Deck and Mower Deck Attachments:		
	BM17869	54 In. Tricycler Mulching Kit	25	187.00
	LVB25395	Mid Lift-Assist Kit for 4010 Mid Mount Mower Decks <i>Tractors Must be Equipped with LVB25264 Attaching Parts and LVB25319 Rear Hydraulic Outlet Kit</i>	49	568.00
	LVB25283	Mower Height Latch Kit	5	100.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54 In. Mid-Mount Side Discharge Mower
(For 4100, 4110 Tractors)
Equipment for Base Machine

54 In. Cutting Width
Three Cutting Blades
11 Gauge Stamped Steel Deck
Front and Rear Adjustable
Gauge Wheels
PTO Shaft
Mower Lift: Steel Rods From
Tractor Rockshaft

Quick Release Belt Shields
Anti-Scalp Front Roller
Hinged Discharge Chute
Greaseable Spindles
Front Lip Reinforcement
Less Attaching Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0021LV		54 In. Mid-Mount Side Discharge Mower (For 4100, 4110 Tractors) <i>Tractor Must be Equipped with LVB25302 Front Attaching Support. If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required.</i>	210	1,490.00
--------	--	---	-----	----------

ATTACHING PARTS

1000		Attaching Parts	90	290.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Decals & Operator's Manual	1	No Charge
------	--	---	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous: Attaching Parts <i>For 4100, 4110 Tractors.</i>	50	290.00
LVB25263		Front Attaching Support Kit <i>If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required.</i>	12	44.00
LVB25302				
		Mower Deck and Mower Deck Attachments: 54 In. Tricycler Mulching Kit	25	187.00
BM17869				
LVB24962		Mower Height Latch Kit	6	100.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

62C In. Mid-Mount Side Discharge Mower
(For 2305, 2210 Tractors)
Equipment for Base Machine

62 In. Cutting Width	Anti-Scalp Front Roller
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Adjustable	Front Lip Reinforcement
Gauge Wheels	Less Attaching Parts
PTO Shaft	
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

902VM		62C In. Mid-Mount Side Discharge Mower (For 2305, 2210 Tractors)	350	1,700.00
-------	--	---	-----	----------

ATTACHING PARTS/MOWER DECK LIFT

1000		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	90	220.00
1001		Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>		360.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operators Manual and Decal Kit	1	No Charge
------	--	---	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:				
LVB25631		Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 (Independent Lift Kit). Not Available for 2210 Tractors.</i>		140.00
LVB25419		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	90	220.00
LVB25630		Independent Lift Kit for 2305, 2320 Tractors <i>Requires LVB25631 (Independent Lift Attaching Parts). Not Available for 2210 Tractors.</i>		220.00
Mower Deck and Mower Deck Attachments:				
BM21890		Mulch Kit (62C/62D/62X)	25	182.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**62D In. OnRamp Mid-Mount Side Discharge Mower
(For 2320 Tractor)**
Equipment for Base Machine

62 In. Cutting Width	Anti-Scalp Front Roller
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Quick	Front Lip Reinforcement
Release Gauge Wheels with	Stow 'N' Go Brackets
Memory Settings	Less Attaching Parts
PTO Shaft	
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0180LV		62D In. OnRamp Mid-Mount Side Discharge Mower (For 2320 Tractor)	422	2,240.00
--------	--	---	-----	----------

ATTACHING PARTS/MOWER DECK LIFT

1001		Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift, Code 1001 and LVB25630 Must be Ordered.</i>	90	290.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operators Manual and Decal Kit	1	No Charge
------	--	---	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:				
LVB25620		Attaching Parts for 2320 Tractor (Mechanical Mower Lift)	90	290.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00
LVB25630		Independent Lift Kit for 2305, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts.</i>		220.00
AM130907		Mower Deck and Mower Deck Attachments: Mower Deck Leveling Gauge		See Parts
BM21890		Mulch Kit (62C/62D/62X)	25	182.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

62D In. OnRamp Mid-Mount Side Discharge Mower
(For 2520, 4115 Tractors)
Equipment for Base Machine

62 In. Cutting Width	Anti-Scalp Front Roller
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Quick	Front Lip Reinforcement
Release Gauge Wheels with	Stow 'N' Go Brackets
Memory Setting	Less Attaching Parts
PTO Shaft	
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0190LV		62D In. OnRamp Mid-Mount Side Discharge Mower (For 2520, 4115 Tractors)	422	2,240.00
--------	--	--	-----	----------

ATTACHING PARTS/MOWER DECK LIFT

1001		Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift (Not Available for 4115), LVB25605 Must be Ordered with Code 1010 (Less Attaching Parts).</i>	75	290.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Operators Manual and Decal Kit French Canadian Kit:	1	No Charge
------	--	---	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:				
LVB25687		Attaching Parts for 2520, 4115 (Mechanical Mower Lift)	90	290.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00
LVB25605		Independent Lift Kit for 2520 <i>Not Available for 4115 Tractor.</i>	10	585.00
Mower Deck and Mower Deck Attachments:				
AM130907		Mower Deck Leveling Gauge		See Parts
LVB24962		Mower Height Latch Kit <i>For Use with Mechanical Mower Lift.</i>	6	100.00
BM21890		Mulch Kit (62C/62D/62X)	25	182.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60 In. Mid-Mount Side Discharge Mower
(For 4010 Tractor)**
Equipment for Base Machine

60 In. Cutting Width Three Cutting Blades 10 Gauge Stamped Steel Deck Front and Rear Adjustable Gauge Wheels PTO Shaft Mower Lift: Steel Rods From Tractor Rockshaft	Quick Release Belt Shields Spring Loaded Front Gauge Wheels Anti-Scalp Rollers (3) Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Less Attaching Parts
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0030LV		60 In. Mid-Mount Side Discharge Mower (For 4010 Tractor) <i>Tractor Must be Equipped with LVB25293 Front Attaching Support Kit.</i>	350	2,320.00
--------	--	---	-----	----------

ATTACHING PARTS

1000		Attaching Parts	90	290.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

		European CE Kit:		
9300		European CE Version 60 In. Mid-Mount Side Discharge Mower <i>This Code Must be Ordered to Recieve a 60 In. Mid-Mount Side Discharge Mower Which Meets CE Requirements for Decals.</i>	1	No Charge
		French Canadian Kit:		
9220		French Canadian Decals and Operator's Manual	1	No Charge
		Miscellaneous:		
9435		Swedish Operator's Manual	1	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Hydraulics:		
LVB25319		Rear Hydraulic Outlet Kit	15	265.00
		Miscellaneous:		
LVB25264		Attaching Parts (4010)	90	290.00
LVB25293		Front Attaching Support Kit (4010) <i>Required for Installation and Use with all Mid Mounted Mowers and all Front Attaching Implements (Blade, Broom and Snow Blower) with 4010 Tractors.</i>	18	44.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60 In. Mid-Mount Side Discharge Mower
(For 4010 Tractor)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Mower Deck and Mower Deck Attachments:		
	BM17878	60 In. Tricycler Mulching Attachment	34	209.00
	LVB25395	Mid Lift-Assist Kit for 4010 Mid Mount Mower Decks <i>Tractors Must be Equipped with LVB25264 Attaching Parts and LVB25319 Rear Hydraulic Outlet Kit</i>	49	568.00
	LVB25283	Mower Height Latch Kit	5	100.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60 In. Mid-Mount Side Discharge Mower
(For 4100, 4110, 4115 Tractors)
Equipment for Base Machine

60 In. Cutting Width Three Cutting Blades 10 Gauge Stamped Steel Deck Front and Rear Adjustable Gauge Wheels PTO Shaft Mower Lift: Steel Rods From Tractor Rockshaft Quick Release Belt Shields	Spring Loaded Front Gauge Wheels Anti-Scalp Rollers (3) Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Less Attaching Parts
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0031LV		60 In. Mid-Mount Side Discharge Mower (For 4100, 4110, 4115 Tractors) <i>Tractor Must be Equipped with LVB25302 Front Attaching Support Kit. If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required.</i>	350	2,320.00
--------	--	---	-----	----------

ATTACHING PARTS

1000		Attaching Parts	90	290.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

European CE Kit:				
9300		European CE Version 60 In. Mid-Mount Side Discharge Mower <i>This Code Must be Ordered to Receive a 60 In. Mid-Mount Side Discharge Mower Which Meets CE Requirements for Decals.</i>	1	No Charge
French Canadian Kit:				
9220		French Canadian Decals and Operator's Manual	1	No Charge
Miscellaneous:				
9435		Swedish Operator's Manual	1	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:				
	LVB25263	Attaching Parts <i>For 4100, 4110, 4115 Tractors.</i>	50	290.00
	LVB25302	Front Attaching Support Kit <i>If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required.</i>	12	44.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60 In. Mid-Mount Side Discharge Mower
(For 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
		Mower Deck and Mower Deck Attachments:		
	BM17878	60 In. Tricycler Mulching Attachment	34	209.00
	LVB24962	Mower Height Latch Kit	6	100.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**60 In. Mid-Mount Side Discharge Mower
(For 755, 855, 955 Tractors)
Equipment for Base Machine**

60 In. Cutting Width Three Cutting Blades 10 Gauge Stamped Steel Deck Front and Rear Adjustable Gauge Wheels Mower Lift: Steel Rods From Tractor Rockshaft Quick Release Belt Shields	Spring Loaded Front Gauge Wheels Anti-Scalp Rollers (3) Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Less Attaching Parts Less PTO Shaft
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2734M		60 In. Mid-Mount Side Discharge Mower (For 755, 855, 955 Tractors) <i>Tractors Require Mid-PTO.</i>	420	2,320.00
-------	--	---	-----	----------

ATTACHING PARTS

1000		Attaching Parts for 755 Tractor <i>Includes PTO Shaft.</i>	40	365.00
1001		Attaching Parts for 855 Tractor <i>Includes PTO Shaft.</i>	40	365.00
1002		Attaching Parts for 955 Tractor <i>Includes PTO Shaft.</i>	40	365.00
1003		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

		European CE Kit:		
9300		European CE Version 60 In. Mid-Mount Side Discharge Mower <i>This Code Must be Ordered to Recieve a 60 In. Mid-Mount Side Discharge Mower Which Meets CE Requirements for Decals.</i>	1	No Charge
		French Canadian Kit:		
9220		French Canadian Decals and Operator's Manual	1	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:		
BM16947		Attaching Parts (755) <i>Includes PTO Shaft.</i>	28	365.00
BM16948		Attaching Parts (855) <i>Includes PTO Shaft.</i>	28	365.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60 In. Mid-Mount Side Discharge Mower
(For 755, 855, 955 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM16949	Attaching Parts (955) <i>Includes PTO Shaft.</i>	28	365.00
		Mower Deck and Mower Deck Attachments:		
	BM17878	60 In. Tricycler Mulching Attachment	34	209.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60 In. Mid-Mount Side Discharge Mower
(For 790 Tractor)**
Equipment for Base Machine

60 In. Cutting Width Three Cutting Blades 10 Gauge Stamped Steel Deck Front and Rear Adjustable Gauge Wheels Mower Lift: Steel Rods From Tractor Rockshaft Quick Release Belt Shields	Spring Loaded Front Gauge Wheels Anti-Scalp Rollers (3) Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Less Attaching Parts Less PTO Shaft
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2733M		60 In. Mid-Mount Side Discharge Mower (For 790 Tractor) <i>Tractors Require Mid PTO. Mower Deck is Not Compatible with R1 or R4 Tires.</i>	435	2,240.00
-------	--	--	-----	----------

ATTACHING PARTS

1001		Attaching Parts <i>Includes PTO Shaft.</i>	52	350.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

French Canadian Kit:

9220		French Canadian Decals and Operator's Manual	1	No Charge
------	--	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:

BM16770		Attaching Parts (790) <i>Includes PTO Shaft.</i>	52	350.00
---------	--	---	----	--------

Mower Deck and Mower Deck Attachments:

BM17878		60 In. Tricycler Mulching Attachment	34	209.00
---------	--	--------------------------------------	----	--------

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**60 In. 7-Iron Mid-Mount Side Discharge Mower
(For 3120-3720, 4200-4400, 4210-4410 Tractors)
Equipment for Base Machine**

60 In. Cutting Width Three Cutting Blades 7 Gauge Stamped Steel Deck Front and Rear Adjustable Gauge Wheels PTO Shaft Quick Release Belt Shields Spring Loaded Front Gauge Wheels	Anti-Scalp Rollers (3) Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Less Attaching Parts Less Hydraulic Cylinder Lift Kit
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0032LV	60 In. 7-Iron Mid-Mount Side Discharge Mower (For 3120-3720, 4200-4400, 4210-4410 Tractors) 3120-3720 Tractors Require Mid PTO and Third SCV Kit. Mower Deck is not Compatible with Galaxy Special Turf Golf Tires. LVB24810 is Required for Use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and Mid-Mount Mowers. For Installation of Mid-Mount Mower on Cab Tractor, Must Order (1) LVA140927, (3) 19M7783 and (1) 19M7788 Through Service Parts. See Sales Manual for 4300-4400, 4310-4410 Requirements.	325	2,240.00
--------	--	-----	----------

ATTACHING PARTS

1000	Attaching Parts (4210-4410, 3120-3720) Includes Mid Hydraulic Cylinder Lift Kit.	50	350.00
1001	Attaching Parts (4200-4400) Includes Mid Hydraulic Cylinder Lift Kit and PTO Shaft. See Sales Manual Regarding PTO Shaft.		400.00
1010	Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

9300	European CE Kit: European CE Version 60 In. Mid-Mount Side Discharge Mower This Code Must be Ordered to Receive a 60 In. Mid-Mount Side Discharge Mower Which Meets CE Requirements for Decals.	1	No Charge
9220	French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
9435	Miscellaneous: Swedish Operator's Manual	1	No Charge

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60 In. 7-Iron Mid-Mount Side Discharge Mower
(For 3120-3720, 4200-4400, 4210-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Hydraulics:		
	LVB25084	Third Selective Control Valve Kit <i>For 4210-4410 Tractors. Requires Dual SCV.</i>	11	210.00
	LVBM19694	Third Selective Control Valve Kit <i>For 4200-4400 Tractors, Requires Dual SCV.</i>	14	244.00
	LVB25506	Third Selective Control Valve Kit (Open Station Only) <i>Dual SCV is Standard on 3120-3720 Tractors.</i>	10	211.00
		Miscellaneous:		
	LVB25137	Attaching Parts (4200-4400) <i>Includes Mid Hydraulic Cylinder Lift Kit and PTO Shaft. See Sales Manual Regarding PTO Shaft.</i>	150	400.00
	LVB25580	Attaching Parts (4300, 4400, 4310, 4410, 3120-3720) <i>Includes Mid Hydraulic Cylinder Lift Kit. 4300 and 4400 Tractors also Require (1) AM123785 Lift Arm.</i>	50	350.00
	LVB25544	Bracket Kit <i>Required to Install 72 In. Mower on 4310-4410, Tractors Manufactured after January 2003. See Sales Manual for Specific Serial Numbers.</i>	10	31.00
	LVB24810	Front Three-Point Hitch/Mid Mount Mower Draft Arms <i>Required for use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and Mid-Mount Mowers.</i>		170.00
		Mower Deck and Mower Deck Attachments:		
	TCB10953	Mulch Kit (60 In. 7-Iron and 7-Iron II)	33	260.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**72 In. Mid-Mount Side Discharge Mower
(For 2520, 4115 Tractors)
Equipment for Base Machine**

72 In. Cutting Width Three Cutting Blades 9 Gauge Stamped Steel Deck Front and Rear Adjustable Gauge Wheels PTO Shaft Mower Lift: Steel Rods from Tractor Rockshaft	Quick Release Belt Shields Spring Loaded Front Gauge Wheels Anti-Scalp Rollers (3) Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Less Attaching Parts
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0040LV		72 In. Mid-Mount Side Discharge Mower (For 2520, 4115 Tractors) <i>Tractors Must be Equipped with LVB25302 Front Attaching Support Kit. If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required. 2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	448	2,930.00
--------	--	---	-----	----------

ATTACHING PARTS

1000		Attaching Parts	50	290.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

European CE Kit:				
9300		European CE Version 72 In. Mid-Mount Side Discharge Mower <i>This Code Must be Ordered to Receive a 72 In. Mid-Mount Side Discharge Mower Which Meets CE Requirements for Decals.</i>	1	No Charge
French Canadian Kit:				
9220		French Canadian Operator's Manual and Decal Kit	1	No Charge
Miscellaneous:				
9435		Swedish Operator's Manual	1	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:				
LVB25263		Attaching Parts	50	290.00
LVB25302		Front Attaching Support Kit <i>If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required. 2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00

Mower Deck and Mower Deck Attachments:

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**72 In. Mid-Mount Side Discharge Mower
(For 2520, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM18151	72 In. Tricycler Mulch Kit	46	282.00
	LVB24962	Mower Height Latch Kit	6	100.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**72 In. 7-Iron Mid-Mount Side Discharge Mower
(For 3120-3720, 4300-4400, 4310-4410 Tractors)
Equipment for Base Machine**

72 In. Cutting Width	Anti-Scalp Rollers (2)
Three Cutting Blades	Hinged Discharge Chute
7 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Adjustable	Front Lip Reinforcement
Gauge Wheels	Less Attaching Parts
PTO Shaft	Less Hydraulic Cylinder Lift Kit
Removable Belt Shields	
Spring Loaded Front Gauge Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0043LV		72 In. 7-Iron Mid-Mount Side Discharge Mower (For 3120-3720, 4300-4400, 4310-4410 Tractors) <i>3120-3720 Tractors Require Mid PTO and Third SCV Kit. Mower Deck is Not Compatible with R3 Turf Special or R1 Tires. See Sales Manual for Tire/Mower Clearance Chart. LVB24810 is Required for Use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and Mid-Mount Mowers. For Installation of Mid-Mount Mower on Cab Tractor, Must Order (1) LVA14927, (3) 19M7783 and (1) 19M7788 Through Service Parts. See Sales Manual for 4300-4400, 4310-4410 Requirements.</i>	448	2,930.00
--------	--	--	-----	----------

ATTACHING PARTS

1000		Attaching Parts <i>Includes Mid Hydraulic Cylinder Lift Kit.</i>	50	350.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Hydraulics: Dual Selective Control Valve Kit <i>For 4310-4410 Tractors.</i>	46	735.00
LVB25083				
		Single Selective Control Valve Kit <i>For 4300-4400 Tractors.</i>	29	450.00
LVB25084				
		Third Selective Control Valve Kit <i>For 4310-4410 Tractors, Requires Dual SCV.</i>	11	210.00
LVB25084				
		Third Selective Control Valve Kit <i>For 4200-4400 Tractors, Requires Dual SCV.</i>	14	244.00
LVB25084				

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**72 In. 7-Iron Mid-Mount Side Discharge Mower
(For 3120-3720, 4300-4400, 4310-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
LVB25506		Third Selective Control Valve Kit (Open Station Only) <i>Dual SCV is Standard on 3120-3720 Tractors.</i>	10	211.00
LVB25580		Miscellaneous: Attaching Parts (4300, 4400, 4310, 4410, 3120-3720) <i>Includes Mid Hydraulic Cylinder Lift Kit. 4300 and 4400 Tractors also Require (1) AM123785 Lift Arm.</i>	50	350.00
LVB25544		Bracket Kit <i>Required to Install 72 In. Mower on 4310-4410 Tractors Manufactured after January 2003. See Sales Manual for Specific Serial Numbers.</i>	10	31.00
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms <i>Required for use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and Mid-Mount Mowers.</i>		170.00
AM123785		Lift Arm <i>For 4300 and 4400 Tractors.</i>		See Parts
TCB10951		Mower Deck and Mower Deck Attachments: Mulch Kit (72 In. 7-Iron and 7-Iron II)	35	270.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**72 In. 7-Iron Mid-Mount Side Discharge Mower
(For 4120-4720, 4500-4700, 4510-4710 Tractors)
Equipment for Base Machine**

72 In. Cutting Width	Spring Loaded Front Gauge Wheels
Three Cutting Blades	Anti-Scalp Rollers (2)
7 Gauge Stamped Steel Deck	Hinged Discharge Chute
Front and Rear Adjustable Gauge Wheels	Greasable Spindles
Mowerlift: Steel Rods from Tractor Rockshaft	Front Lip Reinforcement
Removable Belt Shields	Less Attaching Parts
	Less PTO Shaft

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0042LV		72 In. 7-Iron Mid-Mount Side Discharge Mower (For 4120-4720, 4500-4700, 4510-4710 Tractors) <i>Tractors Require Mid PTO. Mower Deck is Not Compatible with R3 Turf Special or R1 Tires, R4 Tires will Rub if Deck is Raised to Full Transport Height. See Sales Manual for Tire/Mower Clearance Chart. 4510-4710 Tractors Require LVU14258 Oil Filter when Installing 72 In. Mower to Prevent Contact Between the Oil Filter and Mower Lift System. 00 Series and 10 Series Tractors Require (2) M148759 Front Plates for Installation of Mower Deck.</i>	448	2,930.00
--------	--	---	-----	----------

ATTACHING PARTS

1000		Attaching Parts <i>Includes PTO Shaft.</i>	200	410.00
1010		Less Attaching Parts		In Base Price

ATTACHMENTS - ORDER AS DESIRED

9300		European CE Kit: European CE Version 72 In. Mid-Mount Side Discharge Mower <i>This Code Must be Ordered to Receive a 72 In. Mid-Mount Side Discharge Mower Which Meets CE Requirements for Decals.</i>	1	No Charge
9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
9435		Miscellaneous: Swedish Operator's Manual	1	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous: 7-Iron Deck Attaching Parts and PTO Shaft <i>00 Series and 10 Series Tractors require (2) M148759 Front Plates for Installation of Mower Deck.</i>	200	410.00
--	--	--	-----	--------

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**72 In. 7-Iron Mid-Mount Side Discharge Mower
(For 4120-4720, 4500-4700, 4510-4710 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	M148759	Front Plate		See Parts
	LVU14258	Oil Filter		See Parts
		Mower Deck and Mower Deck Attachments:		
	TCB10951	Mulch Kit (72 In. 7-Iron and 7-Iron II)	35	270.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**72 In. Mid-Mount Side Discharge Mower
(For 855, 870, 955, 970,1070 Tractors)
Equipment for Base Machine**

72 In. Cutting Width Three Cutting Blades 9 Gauge Stamped Steel Deck Front and Rear Adjustable Gauge Wheels Mowerlift: Steel Rods from Tractor Rockshaft Quick Release Belt Shields	Spring Loaded Front Gauge Wheels Anti-Scalp Rollers (3) Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Less Attaching Parts Less PTO Shaft
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0297M		72 In. Mid-Mount Side Discharge Mower (For 855, 870, 955, 970,1070 Tractors) <i>Models 870, 970 and 1070 Tractors Require Mid PTO.</i>	448	2,930.00
-------	--	--	-----	----------

ATTACHING PARTS

1000		Attaching Parts For 855 and 955 Tractors <i>Includes PTO Shaft.</i>	101	660.00
1002		Less Attaching Parts		In Base Price
1003		Attaching Parts for 870 Tractor <i>AM106017 is Required when 70 Series Tractor is Equipped with 12.4-28 R1, 13.6-28 Turf, 13.6-28 R1 or 13.6-24 R1 Tires. Includes PTO Shaft.</i>	239	1,105.00
1004		Attaching Parts for 970 and 1070 Tractors <i>AM106017 is Required when 70 Series Tractor is Equipped with 12.4-28 R1, 13.6-28 Turf, 13.6-28 R1 or 13.6-24 R1 Tires. Includes PTO Shaft.</i>	238	1,105.00

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous: Adapter Bracket		See Parts
BM16772		Attaching Parts (855, 955) <i>Includes PTO Shaft.</i>	101	660.00
BM18504		Attaching Parts (870) <i>Includes PTO Shaft.</i>	239	1,105.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

72 In. Mid-Mount Side Discharge Mower
(For 855, 870, 955, 970,1070 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM18505		Attaching Parts (970, 1070) <i>Includes PTO Shaft.</i>	238	1,105.00
AM121375		Input Shaft (870)		See Parts
AM121376		Input Shaft (970, 1070)		See Parts
		Mower Deck and Mower Deck Attachments:		
BM18151		72 In. Tricycler Mulch Kit	46	282.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

261 3-Point Hitch Side Discharge Rotary Mower
Equipment for Base Machine

60 In. Cutting Width
3 Cutting Blades
One Piece Stamped Steel
Deck - .134 In. Thick
(2) Rear Support Wheels,
3-1/2x9 In.
(2) Front and (2) Center

Anti-Scalp Rollers
Greaseable Spindles
Category I 3-Point Hitch

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2744M		261 3-Point Hitch Side Discharge Rotary Mower <i>For Tractors up to 30 PTO HP.</i>	505	2,320.00
-------	--	---	-----	----------

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous: Gauge Wheel Kit	39	279.00
		Mower Deck and Mower Deck Attachments: 60 In. Tricycler Mulching Attachment	34	209.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

272 3-Point Hitch Side Discharge Rotary Mower
Equipment for Base Machine

72 In. Cutting Width
3 Cutting Blades
One Piece Stamped Steel
Deck - .157 In. Thick
(2) Rear Support Wheels,
3-1/2x12 In.
(2) Front and (2) Center

Anti-Scalp Rollers
Greaseable Spindles
Category I 3-Point Hitch

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2723M		272 3-Point Hitch Side Discharge Rotary Mower <i>For Tractors up to 35 PTO HP.</i>	668	2,810.00
-------	--	---	-----	----------

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous: Gauge Wheel Kit	32	265.00
BM18151		Mower Deck and Mower Deck Attachments: 72 In. Tricycler Mulch Kit	46	282.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 In. Quick-Hitch Rotary Broom
(For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115
Tractors)

Equipment for Base Machine

52 In. Clearing Width "Straight"	Caster Wheels
48 In. Clearing Width "Angled"	Brush Head Height Adjustment
Storage Stands	Three Spare Driveshaft Shear
21 In. Diameter Polypropylene Brush	Bolts "Mounted to Shell"
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Heavy Duty No. 50 Chain Drive	Less Hydraulic Angling
(2) Adjustable Rear Mounting	Less Front PTO
	Less Implement Drive Shaft

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3880M	52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115 Tractors) <i>X465 and X475 Requires BM20761 Hydraulic Coupler Kit. See Sales Manual for Ballast Requirements.</i> <i>Not Compatible with BM17347, 425-455 Quick-Hitch Updated for Use on X400/X500 HDGT's and X700's with BM20979 Front-Hitch Angling Retro-Fit Kit.</i> <i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	290	1,960.00
-------	--	-----	----------

FRONT QUICK-HITCH

1000	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	83	546.00
1005	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
1006	Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
1010	Less Front Quick-Hitch		In Base Price

HYDRAULIC ANGLING CYLINDER

2000	Hydraulic Angling (For X400/X500 HDGT's, X700's)	10	169.00
2005	Hydraulic Angling (2210, 2305)	22	159.00
2006	Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)		159.00
2010	Less Hydraulic Angling		In Base Price

2000 RPM FRONT PTO KIT

3000	2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744)	11	198.00
------	--	----	--------

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 In. Quick-Hitch Rotary Broom
(For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115
Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
2000 RPM FRONT PTO KIT Continued...				
3001		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X748) <i>For European RII Homologation Tractors, also order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	12	223.00
3003		2000 RPM Front PTO (4100 and 4110)	12	212.00
3004		2000 RPM Front PTO (4010 and 4115)	12	212.00
3005		2000 RPM Front PTO (2210, 2305)	24	212.00
3006		2000 RPM Front PTO (2320)	18	212.00
3007		2000 RPM Front PTO (2520)	17	212.00
3010		Less 2000 RPM Front PTO		In Base Price
IMPLEMENT DRIVE SHAFT				
4000		Implement Drive Shaft (X400/X500 HDGT's, X700's, 2210, 2305)	8	223.00
4002		Implement Drive Shaft (2320, 2520, 4010, 4100, 4110, 4115)	50	213.00
4001		European RII Implement Drive Shaft <i>Includes Shielding for CE, Supplemental CE Labels, FIGS OM. for X400/X500 HDGT's and X700's.</i>	10	265.00
4010		Less Implement Drive Shaft		In Base Price
ATTACHMENTS - ORDER AS DESIRED				
9220		French Canadian Kit: French Canadian Operator's Manual and Decals for 52 In. Rotary Broom	1	No Charge
ATTACHMENTS FOR FIELD CONVERSION				
LVB24898		Front Hitch: Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
BM20921		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	83	546.00
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) <i>Also Order BM20837, Angling Cylinder to Hydraulically Angle the Front Hitch.</i>	83	546.00
LVB25397		Front PTO: 2000 RPM Front PTO (2210, 2305)	24	212.00
LVB24900		2000 RPM Front PTO (2320)	18	212.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 In. Quick-Hitch Rotary Broom
(For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
	LVB24801	2000 RPM Front PTO (2520, 3120-3720)	17	212.00
	BM18695	2000 RPM Front PTO (4100, 4110)	12	212.00
	BM17330	2000 RPM Front PTO (415, 425, 445, 455) <i>For European RII Homologation Tractors, also Order BM17861 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	22	198.00
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	12	212.00
	BM20991	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700, X720, X724, X740, X744) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	11	198.00
	BM20382	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X748) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	12	223.00
	BM20978	Front PTO Shield <i>For BM20382 (4WD) 2000 RPM Front PTO when used on X595 or X748. Required to Meet Homologation Standards. Not Required for CE.</i>		110.00
	BM20966	Front PTO Shield Kit <i>For BM20991 (2WD) 2000 RPM Front PTO when used on X495 or X740. Required to Meet Homologation Standards. Not Required for CE.</i>		77.00
Hydraulics:				
	LVB24901	Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)	9	159.00
	BM20837	Hydraulic Angling (X400/X500 HDGT's, X700's) <i>For BM19782 Front Quick Hitch</i>	10	169.00
	BM20922	Hydraulic Angling Kit (2210, 2305)	22	159.00
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	5	44.00
Miscellaneous:				
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
	BM21777	Deflector Kit for 52 Broom		47.00
	LVB25302	Front Attaching Support Kit <i>For 2520, 4100, 4110, 4115 Tractors. If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required. 2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
	LVB25396	Front Attaching Support Kit (2210, 2305) <i>2210, 2305 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 In. Quick-Hitch Rotary Broom
(For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115
Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
LVB24895		Front Attaching Support Kit (2320) <i>2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	23	44.00
LVB25293		Front Attaching Support Kit (4010) <i>Required for Installation and Use With all Mid-Mounted Mowers and all Front Attaching Implements (Blade, Broom and Snow Blower) with 4010 Tractor.</i>	18	44.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00
BM20836		Implement Drive Shaft (2320, 2520, 4010, 4100, 4110, 4115)	50	213.00
BM21854		Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 2210, 2305)	8	223.00
BM21853		Thatching Wheel Kit for 52 Broom	25	199.00
TY15958		Tire Chains (Pair) for 26x12-12 Tires		See Parts
TY25326		Tire Chains for 26x10.50-12 Turf Drive Tires <i>For X400 All Wheel Steer Tractors with Standard 26x10.5-12 In Tires.</i>		See Parts
BM18021		Wheel Spacer Kit (425, 445, 455) <i>For 400 Series All Wheel Steer Tractors when Installing TY15956 Chains. Not for X-Series Tractors.</i>	5	110.00
BM20715		Weights: Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	47	200.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	20	122.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
(For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors)
Equipment for Base Machine

57 In. Clearing Width "Straight"	Broom Head Float
50 In. Clearing Width "Angled"	Four Spare Driveshaft Shear
Storage Stands	Bolts Two Sizes, "Mounted to
26 In. Diameter Polypropylene	Shell"
Brush	Less Mounting Frame
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Chain and Sprocket Final Drive	Less Front PTO
(2) Adjustable Rear Mounted	Less Implement Drive Shaft
Caster Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3790M		60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors) <i>X465 and X475 Tractors Require BM20761 Hydraulic Coupler Kit.</i> <i>Not Compatible with BM17347, 400 Series Quick Hitch.</i> <i>Compact Tractors Require Dual Selective Control Valve and Mid PTO. Small Chassis Compact Tractors also Require Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	320	3,000.00
-------	--	---	-----	----------

MOUNTING FRAME

1000		Mounting Frame (X400/X500 HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115)	23	350.00
1001		Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410)	78	1,006.00
1002		Mounting Frame with Drive Shaft and Hydraulic Angling (3120-3720)		668.00
1010		Less Mounting Frame		In Base Price

FRONT QUICK-HITCH / HYDRAULIC LIFT

2000		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	83	546.00
2002		Front Quick-Hitch and Hydraulic Lift (4210-4410)	45	569.00
2003		Front Quick-Hitch and Hydraulic Lift (4200-4400)	45	589.00
2004		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
2005		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
(For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
FRONT QUICK-HITCH / HYDRAULIC LIFT Continued...				
2006		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720)	140	1,040.00
2010		Less Front Quick-Hitch and Hydraulic Lift		In Base Price
<hr/>				
HYDRAULIC ANGLING				
<i>Hydraulic Angling for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i>				
3000		Hydraulic Angling (X400/X500 HDGT's, X700's)	10	169.00
3002		Hydraulic Angling Kit (2210, 2305)	22	159.00
3003		Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)	9	159.00
3010		Less Hydraulic Angling		In Base Price
<hr/>				
2000 RPM FRONT PTO KIT				
4000		2WD Front PTO (X400 HDGT's, X700, X720, X724, X740, X744)	11	198.00
4001		4WD Front PTO (X500 HDGT's, X728, X748)	12	223.00
4002		2000 RPM Front PTO Kit (4100, 4110)	12	212.00
4003		2000 RPM Front PTO Kit (4010, 4115)	12	212.00
4004		2000 RPM Front PTO Kit (4200-4400, 4210-4410)	25	180.00
4005		2000 RPM Front PTO Kit (2210, 2305)	24	212.00
4006		2000 RPM Front PTO Kit (2320)	18	212.00
4007		2000 RPM Front PTO Kit (2520, 3120-3720)	17	212.00
4010		Less 2000 RPM Front PTO Kit		In Base Price
<hr/>				
IMPLEMENT DRIVE SHAFT				
<i>Drive Shaft for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i>				
5001		Implement Drive Shaft (2320, 2520, 4010, 4100, 4110, 4115)	50	213.00
5003		Implement Drive Shaft (X400/X500 HDGT's, X700's, 2210, 2305)	8	223.00
5010		Less Implement Drive Shaft		In Base Price
<hr/>				
ATTACHMENTS - ORDER AS DESIRED				
9221		French Canadian Kit: French Canadian Operator's Manual and Decals for X400/X500 HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110 and 4115	1	No Charge

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
(For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS - ORDER AS DESIRED Continued...				
9222		French Canadian Operator's Manual and Decals for 4200-4400 and 4210-4410	1	No Charge
9223		French Canadian Operator's Manual and Decals for 3120-3720	1	No Charge
ATTACHMENTS FOR FIELD CONVERSION				
Front Hitch:				
	LVB24797	A-Frame Quick Attach System (3120-3720)	22	130.00
	LVB24898	Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
	BM20921	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
	BM19575	Front Quick-Hitch and Hydraulic Lift (4200-4400)	45	589.00
	LVB25306	Front Quick-Hitch and Hydraulic Lift (4210-4410)	45	569.00
	BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	83	546.00
	LVB25582	Front Three-Point Hitch (3120-3720)	106	855.00
	LVB24815	Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720) <i>Consists of (1) LVB24797, (1) LVB25759, (1) LVB25582</i>	140	1,040.00
Front PTO:				
	LVB25397	2000 RPM Front PTO (2210, 2305)	24	212.00
	LVB24900	2000 RPM Front PTO (2320)	18	212.00
	LVB24801	2000 RPM Front PTO (2520, 3120-3720)	17	212.00
	BM18695	2000 RPM Front PTO (4100, 4110)	12	212.00
	BM19576	2000 RPM Front PTO (4200-4400, 4210-4410)	25	180.00
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	12	212.00
	BM20991	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700, X720, X724, X740, X744) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	11	198.00
	BM20382	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X748)	12	223.00
	LVB25759	Front PTO Bracket (3120-3720)	12	55.00
Hitch:				
	BM21801	3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
(For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
BM21804		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.</i>	3	60.00
		Hydraulics:		
LVB24901		Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)	9	159.00
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	10	169.00
BM20922		Hydraulic Angling Kit (2210, 2305)	22	159.00
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	5	44.00
		Miscellaneous:		
BM20706		19.25x12.5x6.5 Heavy Duty Wheel Kit	18	279.00
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
BM19805		Debris Deflector	18	315.00
LVB25302		Front Attaching Support Kit <i>For 2520, 4100, 4110, 4115 Tractors. If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required. 2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB25396		Front Attaching Support Kit (2210, 2305) <i>2210, 2305 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB24895		Front Attaching Support Kit (2320) <i>2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	23	44.00
LVB25293		Front Attaching Support Kit (4010) <i>Required for Installation and Use with all Mid Mounted Mowers and all Front Attaching Implements (Blade, Broom and Snow Blower) with 4010 Tractors.</i>	18	44.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms <i>Required for use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and Mid-Mount Mowers.</i>		170.00
BM20836		Implement Drive Shaft (2320, 2520, 4010, 4100, 4110, 4115)	50	213.00
LVB24956		Implement Drive Shaft (3120-3720)	9	103.00
BM21854		Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 2210, 2305)	8	223.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
(For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
BM20626		Mounting Frame (X400/X500 HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115)	23	350.00
LVB24896		Mounting Frame and Hydraulic Angling (3120-3720)		565.00
BM19804		Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400, 4210-4410)	78	1,006.00
AM128682		Wafers, Polypropylene Bristle (Pack of 16)		See Parts
AM128683		Wafers, Steel Bristle (Pack of 16)		See Parts
Weights:				
BM17972		50 Lb. Cast Iron Wheel Weight (1)	55	92.00
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	50	44.00
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	71	130.00
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	47	200.00
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	1	23.00
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	1	10.00
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires <i>Two Wheel Steer only.</i>	1	14.00
BM18094		Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	1	7.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	20	122.00
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	32	74.00
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	1	5.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower
(X400/X500 HDGT's, X700's, 425-455, 2210, 2305,
2320, 2520, 4010, 4100, 4110, 4115 Tractors)
 Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 90 Degrees Right and Left	Reversible and Replaceable Scraper Blade
47 In. Clearing Width "Straight"	Four Extra Shear Bolts
15.5 In. Diameter Impeller	"Shell Mounted"
16 In. Diameter Auger	Hydraulic Chute Angling
Shear Bolt Protection	Less Front Quick-Hitch
Adjustable Spout Cap Deflector	Less Front PTO
Two-Stage Design	Less Implement Drive and Unstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1473M		47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115 Tractors) <i>BM20761 Hydraulic Coupler Kit Required on X465, X475 and 425 Tractors.</i>	318	1,950.00
<p><i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i></p> <p><i>See Sales Manual for Ballast requirements.</i></p>				

FRONT QUICK-HITCH

2000		Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	83	546.00
2005		Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	83	546.00
2006		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
2007		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
2010		Less Front Quick-Hitch		In Base Price

2000 RPM FRONT PTO KIT

3000		2000 RPM Front PTO (425, 445, 455)	12	198.00
3003		2000 RPM Front PTO (4100, 4110)	12	212.00
3004		2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744)	11	198.00
3005		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X748)	12	223.00
3006		2000 RPM Front PTO (4010, 4115)	12	212.00
3007		2000 RPM Front PTO (2210, 2305)	24	212.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower
(X400/X500 HDGT's, X700's, 425-455, 2210, 2305,
2320, 2520, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
2000 RPM FRONT PTO KIT Continued...				
3008		2000 RPM Front PTO Kit (2320)	18	212.00
3009		2000 RPM Front PTO (2520)	12	212.00
3010		Less Power Take Off		In Base Price
IMPLEMENT DRIVE AND UPSTOP				
4000		Implement Drive and Upstop (425, 445, 455)	15	198.00
4003		Implement Drive and Upstop (For X400/X500 HDGT's, X700's)	11	198.00
4004		Implement Drive and Upstop (2210, 2305)	13	246.00
4005		Implement Drive and Upstop (2320, 2520, 4010, 4100, 4110, 4115)	49	296.00
4010		Less Implement Drive and Upstop		In Base Price
ATTACHMENTS - ORDER AS DESIRED				
French Canadian Kit:				
9221		French Canadian Decals and Operators Manual (X400/X500 HDGT's, and X700's)	1	No Charge
9222		French Canadian Decals and Operators Manual (425, 445, 455)	1	No Charge
9223		French Canadian Decals and Operators Manual (318, 322, 420, 430)	1	No Charge
9226		French Canadian Decals and Operators Manual (CUT Tractors)	1	No Charge
ATTACHMENTS FOR FIELD CONVERSION				
Front Hitch:				
BM20979		Front Hitch/Angling Retro Fit Kit (For X400/X500 HDGT's, X700's) <i>Converts a Customer's old Front Quick Hitch and Angling Kit on a new X400/X500 HDGT or X700 Series Tractor. Required when using BM17347 Quick-Hitch and BM17650 Angling Kit.</i>	6	44.00
LVB24898		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
BM20921		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	83	546.00
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	83	546.00
Front PTO:				
LVB25397		2000 RPM Front PTO (2210, 2305)	24	212.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower
(X400/X500 HDGT's, X700's, 425-455, 2210, 2305,
2320, 2520, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
LVB24900		2000 RPM Front PTO (2320)	18	212.00
LVB24801		2000 RPM Front PTO (2520, 3120-3720)	17	212.00
BM18695		2000 RPM Front PTO (4100, 4110)	12	212.00
BM17330		2000 RPM Front PTO (415, 425, 445, 455) <i>European Region II 455 Requires BM17861.</i>	22	198.00
LVB25305		2000 RPM Front PTO Kit (4010, 4115)	12	212.00
BM20991		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700, X720, X724, X740, X744) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	11	198.00
BM20382		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X748)	12	223.00
Hydraulics:				
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	5	44.00
BM20896		Hydraulic Retro Kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	2	23.00
Miscellaneous:				
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
M88984		Drift Blade <i>Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>		See Parts
LVB25302		Front Attaching Support Kit <i>For 2520, 4100, 4110, 4115 Tractors. If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required. 2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB25396		Front Attaching Support Kit (2210, 2305) <i>2210, 2305 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB24895		Front Attaching Support Kit (2320) <i>2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	23	44.00
LVB25293		Front Attaching Support Kit (4010) <i>Required for Installation and Use with all Mid Mounted Mowers and all Front Attaching Implements (Blade, Broom and Snow Blower) with 4010 Tractors.</i>	18	44.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower
(X400/X500 HDGT's, X700's, 425-455, 2210, 2305,
2320, 2520, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
AM119321		Heavy Duty Skid Shoe (1) <i>For Snow Blowers Serial Numbered up to 060000.</i>		See Parts
BM24006		Implement Drive and Upstop (2210, 2305)	13	246.00
LVB24902		Implement Drive and Upstop (2320, 2520, 4010, 4100, 4110, 4115)	49	296.00
BM18172		Implement Drive and Upstop (318, 322, 332, 420, 430)	13	230.00
BM20871		Implement Drive and Upstop (425, 445, 455, F900's)	15	198.00
BM20708		Implement Drive and Upstop (X400/X500 HDGT's, X700's)	11	198.00
AM128337		Left-Side Skid Shoe Plate and Hardware		See Parts
BM20960		Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	3	95.00
LVB24958		Remote Spout Cap Control Kit <i>For 2320, 2520 Tractors. See Sales Manual for Required Attaching Parts.</i>	4	95.00
AM128336		Right-Side Skid Shoe Plate and Hardware		See Parts
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>		See Parts
TY15845		Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)		See Parts
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires <i>Compatible on all Wheel Steer Tractors with BM17332 Tires.</i>		See Parts
TY15958		Tire Chains (Pair) for 26x12-12 Tires		See Parts
BM18021		Wheel Spacer Kit (425, 445, 455) <i>For all Wheel Steer Tractors when Installing TY15956 Chains. Not for X400/X500 HDGT's or X700 Series Tractors.</i>	5	110.00
		Weights:		
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	47	200.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	20	122.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**59 In. Two-Stage Snow Blower
(For 3120-3720, 790, 855, 955, 670, 770, 4200-4400, 4210-4410 Tractors)
Equipment for Base Machine**

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
59 In. Clearing Width "Straight"	Hydraulic Chute Angling
16 In. Diameter Impeller	Less Front Hitch
16 In. Diameter Auger	Less Front PTO
Shear Bolt Protection	Less Mounting Kit and Less
Adjustable Spout Cap Deflector	Snow Blower Driveshaft
Two-Stage Design	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2757M		59 In. Two-Stage Snow Blower (For 3120-3720, 790, 855, 955, 670, 770, 4200-4400, 4210-4410 Tractors) <i>Tractors Require Dual SCV, Mid PTO and Rear Wheel Ballasting. LVB24810 is Required for use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and Mid-Mount Mowers. Current 59 In. Snow Blowers Ordered for 4200-4400 or 4210-4410 Tractors can be Converted to Work with 3120-3720 Tractors by Using the Following Bundle Numbers: LVB24815, LVB24801, LVB25741, LVB24800.</i>	457	3,350.00
-------	--	---	-----	----------

SNOW BLOWER MOUNTING KIT / DRIVESHAFT

1000		Snow Blower Mounting Kit and Driveshaft (855, 955, 670, 770, 790, 4200-4400, 4210-4410)	57	493.00
1005		Snow Blower Mounting Kit and Driveshaft (3120-3720)		242.00
1010		Less Snow Blower Mounting Kit and Driveshaft		In Base Price

FRONT HITCH

55 Series, 70 Series and 790 Require BM20070 Retro Kit.

2000		Front Quick-Hitch and Hydraulic Lift (4210-4410)	45	569.00
2001		Front Quick-Hitch and Hydraulic Lift (4200-4400)	45	589.00
2002		Front Quick-Hitch and Hydraulic Lift (670, 770, 790)	40	500.00
2004		Front Quick-Hitch and Hydraulic Lift (855, 955)	38	500.00
2005		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720)	140	1,040.00
2010		Less Front Quick-Hitch and Less Hydraulic Lift		In Base Price

FRONT PTO

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

59 In. Two-Stage Snow Blower
(For 3120-3720, 790, 855, 955, 670, 770, 4200-4400, 4210-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		FRONT PTO Continued...		
3000		2000 RPM Front PTO (4200-4400, 4210-4410)	25	180.00
3002		2000 RPM Front PTO (670)	35	315.00
3003		2000 RPM Front PTO (770, 790)	24	315.00
3004		2000 RPM Front PTO (855, 955)	23	275.00
3005		2000 RPM Front PTO (3120-3720)	17	212.00
3010		Less 2000 RPM Front PTO		In Base Price

ATTACHMENTS - ORDER AS DESIRED

		French Canadian Kit:		
9221		French Canadian Operator's Manual and Decal Kit for 55 Series and 70 Series Tractors	1	No Charge
9222		French Canadian Operator's Manual and Decal Kit for 4200-4400, 4210-4410, 790 and 3120-3720 Tractors	1	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Front Hitch:		
LVB24797		A-Frame Quick Attach System (3120-3720)	22	130.00
BM19575		Front Quick-Hitch and Hydraulic Lift (4200-4400)	45	589.00
LVB25306		Front Quick-Hitch and Hydraulic Lift (4210-4410)	45	569.00
BM16855		Front Quick-Hitch and Hydraulic Lift (670, 770, 790)	40	500.00
BM16492		Front Quick-Hitch and Hydraulic Lift (855, 955)	38	500.00
LVB25582		Front Three-Point Hitch (3120-3720)	106	855.00
LVB24815		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720) <i>Consists of (1) LVB24797, (1) LVB25759, (1) LVB25582</i>	140	1,040.00
		Front PTO:		
LVB24801		2000 RPM Front PTO (2520, 3120-3720)	17	212.00
BM19576		2000 RPM Front PTO (4200-4400, 4210-4410)	25	180.00
BM16856		2000 RPM Front PTO (670)	35	315.00
BM21379		2000 RPM Front PTO (770, 790)	24	315.00
BM16494		2000 RPM Front PTO (855, 955)	23	275.00
LVB25759		Front PTO Bracket (3120-3720)	12	55.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

59 In. Two-Stage Snow Blower
(For 3120-3720, 790, 855, 955, 670, 770, 4200-4400, 4210-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION Continued...				
		Miscellaneous:		
BM20070		3/8 In. to 1/4 In. Hydraulic Coupler Retro Kit <i>Allows 59 In. Snow Blower to Fit to 855, 955, 670, 770 and 790 Tractors.</i>	1	44.00
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms <i>Required for use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and Mid-Mount Mowers.</i>		170.00
AM128337		Left-Side Skid Shoe Plate and Hardware		See Parts
AM128336		Right-Side Skid Shoe Plate and Hardware		See Parts
LVB24800		Snow Blower Drive Shaft (3120-3720)	9	103.00
LVB25741		Snow Blower Mounting Kit (3120-3720) <i>Requires Snow Blower Driveshaft LVB24800.</i>		139.00
BM21660		Snow Blower Mounting Kit and Driveshaft (855, 955, 670, 770, 790, 4200-4400, 4210-4410)	57	493.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller
 Equipment for Base Machine

48 In. Tilling Width	6 Hybrid Tines per Flange
540 PTO Shaft Drive with "Quick Lock" Collar	6 Flanges - Total of 36 Tines
Pre-set Slip Clutch	4 Position Adjustable Skidshoes
15-35 PTO HP Rated Main Gearbox	ASA 60 Roller Chain
Breather on Gearbox and Chain Case	Parking Stands
Dipstick on Gearbox	Adjustable Rear Hinged Cover Door
Sight Glass on Chain Case	Center Mounted Cat 1 Hitch
7 In. Tilling Depth	iMatch & Alpha Compatible 3-Point Hitch
14 In. Rotor Diameter	Drive Shaft (CUT Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0200LV		647 Rotary Tiller <i>For X400/X500 HDGT, X700 Series, 2210, 2305, 2320, 2520, 4010, 4100, 4110 and 4115 Tractors. X400/X500 HDGT and X700 Series Tractors must be equipped with 540 RPM rear PTO Drive and Category 1 3-Point Hitch. Front Ballast is required. See Sales Manual for specific requirements.</i>	321	1,960.00
--------	--	--	-----	----------

DRIVE SHAFT

1000		Drive Shaft for Compact Utility Tractors	29	In Base Price
1001		Drive Shaft for X400/X500 HDGT and X700 Series Tractors	29	27.00
1010		Less Drive Shaft	-29	(263.00)

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operator's Manual and Decal	1	No Charge
------	--	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Hitch: 3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00
BM21801				
BM21804		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.</i>	3	60.00
		Miscellaneous: 540 RPM Rear PTO Drive (X700's) <i>Also order AM120840 Module for MY2005 and older X400 or X500 HDGTs.</i>		764.00
BM21914				
LVB25518		Drive Shaft Kit (CUTS)	29	263.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	LVB25545	Drive Shaft Kit (X400/X500 HDGT's, X700's)	29	290.00
		Weights:		
	BM20957	Front Weight Bracket "9 Weight Special" <i>For X400/X500 HDGT's, X700's</i>	33	149.00
	LVB25363	Front Weight Bracket Extension Kit (2305, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Seven Quik-Tatch Weights.</i>	25	149.00
	R66949	Quik-Tatch Weight, 42 Lb. <i>For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2320, 2520, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.</i>	42	37.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**655 Rotary Tiller
Equipment for Base Machine**

55 In. Tilling Width	15 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	7 Flanges - Total of 42 Tines	
15-35 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	ASA 80 Roller Chain	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
7 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0210LV	655 Rotary Tiller <i>For 790, 990, 4100, 4110, 4115, 2320, 2520, 4200-4400, 4210-4410, 3120-3720 and 3203 Tractors. Front Ballast is Required, See Sales Manual for Specific Requirements.</i>	436	2,190.00
--------	---	-----	----------

ATTACHMENTS - ORDER AS DESIRED

9220	French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Weights:			
LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	2	34.00
CH15318	Front Quik-Tatch Weight Kit (790) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>		See Parts
CH14083	Front Quik-Tatch Weight Kit (990) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>		See Parts
LVB25363	Front Weight Bracket Extension Kit (2305, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Seven Quik-Tatch Weights.</i>	25	149.00
LVBM19581	Front Weight Bracket Extension Kit (3203, 3020 Series) <i>Includes Extension Bracket and All Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	34	175.00
BM17998	Front Weight Bracket Extension Kit (790) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	19	150.00
BM17999	Front Weight Bracket Extension Kit (990) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Ten Quik-Tatch Weights.</i>	27	157.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

655 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
R66949		Quik-Tatch Weight, 42 Lb. <i>For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2320, 2520, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.</i>	42	37.00
BM19780		Quik-Tatch Weight, 70 lb.	72	70.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**665 Rotary Tiller
Equipment for Base Machine**

65 In. Tilling Width	16 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	8 Flanges - Total of 48 Tines	
30-50 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	ASA 100 Roller Chain	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
7 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0220LV		665 Rotary Tiller <i>For 790, 990, 4200-4410, 4500-4710, 3120-3720, 3203 and 4120-4720 Tractors. Front Ballast is Required. See Sales Manual for Specific Requirements.</i>	623	2,840.00
--------	--	--	-----	----------

ATTACHMENTS - ORDER AS DESIRED

9220		French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Code	Description	Weight LBS.	Price
Weights:			
LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	2	34.00
LVB25705	Front Quik-Tatch Weight Kit (4020 Series) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	2	33.00
CH15318	Front Quik-Tatch Weight Kit (790) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>		See Parts
CH14083	Front Quik-Tatch Weight Kit (990) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>		See Parts
LVBM19581	Front Weight Bracket Extension Kit (3203, 3020 Series) <i>Includes Extension Bracket and All Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	34	175.00
LVBM19596	Front Weight Bracket Extension Kit (4020 Series) <i>Includes Extension Bracket and All Hardware (Including Rod and Spring Pins) to Hold up to Twelve Front Quik-Tatch Weights.</i>	38	186.00
BM17998	Front Weight Bracket Extension Kit (790) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	19	150.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

665 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
		ATTACHMENTS FOR FIELD CONVERSION Continued...		
	BM17999	Front Weight Bracket Extension Kit (990) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Ten Quik-Tatch Weights.</i>	27	157.00
	BM19780	Quik-Tatch Weight, 70 lb.	72	70.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

673 Rotary Tiller
Equipment for Base Machine

73 In. Tilling Width	16 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	9 Flanges - Total of 54 Tines	
30-50 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	ASA 100 Roller Chain	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
7 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0230LV	673 Rotary Tiller <i>For 990, 4500-4600, 4510-4710, 4120-4720 Tractors. Front Ballast is Required, See Sales Manual for Specific Requirements.</i>	667	3,000.00
--------	---	-----	----------

ATTACHMENTS - ORDER AS DESIRED

9220	French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Weights:		
LVB25705	Front Quik-Tatch Weight Kit (4020 Series) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	2	33.00
CH14083	Front Quik-Tatch Weight Kit (990) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>		See Parts
LVBM19596	Front Weight Bracket Extension Kit (4020 Series) <i>Includes Extension Bracket and All Hardware (Including Rod and Spring Pins) to Hold up to Twelve Front Quik-Tatch Weights.</i>	38	186.00
BM17999	Front Weight Bracket Extension Kit (990) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Ten Quik-Tatch Weights.</i>	27	157.00
BM19780	Quik-Tatch Weight, 70 lb.	72	70.00

**JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**681 Rotary Tiller
Equipment for Base Machine**

81 In. Tilling Width	18 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	8 Flanges - Total of 48 Tines	
35-60 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	Gear Driveline	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
8 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
------	-----------------------	-------------	-------------	----------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0240LV	681 Rotary Tiller <i>For 990, 4500-4600, 4510-4710, 4120-4720 Tractors and 5000 Series Tractors. Front Ballast is Required, See Sales Manual for Specific Requirements.</i>	1,050	3,830.00
--------	--	-------	----------

ATTACHMENTS - ORDER AS DESIRED

9220	French Canadian Kit: French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

Weights:			
LVB25705	Front Quik-Tatch Weight Kit (4020 Series) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	2	33.00
CH14083	Front Quik-Tatch Weight Kit (990) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>		See Parts
LVBM19596	Front Weight Bracket Extension Kit (4020 Series) <i>Includes Extension Bracket and All Hardware (Including Rod and Spring Pins) to Hold up to Twelve Front Quik-Tatch Weights.</i>	38	186.00
BM17999	Front Weight Bracket Extension Kit (990) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Ten Quik-Tatch Weights.</i>	27	157.00
BM19780	Quik-Tatch Weight, 70 lb.	72	70.00

JOHN DEERE COMMERCIAL PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

Current Attachments for Non-Current Equipment for Compact Utility Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE US \$
ATTACHMENTS FOR FIELD CONVERSION				
Augers:				
BM17527		12 In. Double Flight Auger with Spiral Point and Serrated Cutting Edge	68	331.00
BM17528		14 In. Double Flight Auger with Spiral Point and Serrated Cutting Edge	88	375.00
BM17529		18 In. Double Flight Auger with Spiral Point and Serrated Cutting Edge	94	482.00
BM17525		6 In. Double Flight Auger with Spiral Point and Non-Serrated Cutting Edge	41	282.00
BM17536		8 In. Auger Extension	16	128.00
BM17526		9 In. Double Flight Auger with Spiral Point and Serrated Cutting Edge	53	287.00
BM17532		Auger Adapter Kit (Adapts 31B and 31C Auger to 31A Auger)	5	116.00
Miscellaneous:				
LVB25138		Attaching Parts (4100,4110) <i>For 54" and 60" Mowers</i>	90	290.00
TY13046		Front Mounted Gauge Wheels <i>For 550, 660, 670 and 680 Tillers.</i>	60	534.00
LVB25010		Mid Lift-Assist Kit <i>For 4110/4100 Mid-Mount Mower Decks (Codes 2003M, 1991M only). Tractors must be Equipped with LVB25138 Attaching Parts and LVBM19707 Rear Hydraulic Coupler Kit.</i>	33	459.00
BM18995		PTO Shaft <i>For 450 Tiller.</i>	34	365.00
LVB25405		PTO Shaft <i>For 550 Tiller.</i>	40	383.00
LVB25406		PTO Shaft <i>For 660, 670 and 680 Tillers.</i>	40	397.00