

L48 -> CLUTCH/TRANSMISSION -> C44504 HST (ROTARY) [COMPONENT PARTS] ## NOTE:ORDER BY REF.No.010 and Fig.No.C440

REF.No.100(32771-5955-0)NEW PARTS. ## L48

Update Date: 07/28/2014, Printing Date: 03/25/2019

Interchangeable =, Not Interchangeable NI, New for Old >>, Old for New <<

No	Part Number	Part Name	Qty	RoundUp	IC	S/N	Remarks	Kg
060	TA240-58600	ASSY ROTARY MOTOR	1					6.6
070	04611-00350	CIR-CLIP,INTERNAL	1					0.0066
080	TA240-58700	ASSY SWASH PLATE	1					2.431
090	TA240-58800	ASSY BRACKET	1					1.727
100	TA240-58820	METAL	2					0.022
110	03056-50510	SCREW CSK-HD	2					0.0022
120	TA240-58140	PLATE	1					0.3652
130	TA240-58150	GUIDE	1					0.0616
140	38450-21980	BEARING,BALL	2					0.495
150	04612-00250	CIR-CLIP,EXTERNAL	2					0.0044
160	04611-00400	CIR CLIP, INTERNAL	1					0.0088
170	58700-11290	SEAL,OIL	1					0.0264
180	TA240-58160	COVER DISTANCE PIECE	1					0.748
190	04611-00650	CIR-CLIP,INTERNAL	1					0.0242
200	04811-50650	O RING	1					0.0044
210	TA240-59500	ASSY PUMP	1					2.2
220	TA240-58310	ASSY PLUG	1					0.0396
230	04810-00110	O - RING 2,4*10,8	1					0.0022
230	04817-00110	O RING	1		=			0.0022
240	04811-50900	O RING	1					0.0066
250	04811-00180	O RING	1					0.0022
250	04816-00180	O RING	1		=			0.0044
260	TA240-58230	PIN STRAIGHT	2					0.0198
270	05912-00510	KEY STRAIGHT	1					0.0044
280	01311-10825	BOLT,SOCKET HEAD	2					0.044
290	TA240-58180	PIPE PTO	2					0.374
300	04811-00280	RING	4					0.0044
300	04816-00280	O RING	4		=			0.0066
310	TA240-58230	PIN STRAIGHT	2					0.0198
320	TA240-58250	BOLT HEX-SOC-HD	2					0.1584
330	TA240-58260	BOLT HEX-SOC-HD	1					0.0968
340	TA240-58300	PIPE	1					0.209

L48 -> CLUTCH/TRANSMISSION -> C44504 HST (ROTARY) [COMPONENT PARTS] ## NOTE:ORDER BY REF.No.010 and Fig.No.C440
 REF.No.100(32771-5955-0)NEW PARTS. ## L48
 Update Date: 07/28/2014, Printing Date: 03/25/2019

Interchangeable =, Not Interchangeable NI, New for Old >>, Old for New <<

No	Part Number	Part Name	Qty	RoundUp	IC	S/N	Remarks	Kg
350	04811-00150	O RING	2					0.0022
350	04816-00150	O RING	2		=			0.0066
360	TA240-58320	PIN STRAIGHT	1					0.0044