



KOYKER MANUFACTURING INC.

A DIVISION OF SIOUX STEEL COMPANY

200 N. Cleveland, P.O. Box 409
Lennox, SD 57039

Toll Free: (800) 456-1107

Local: (605) 647-2811

Fax: (605) 647-2813

info@koykermfg.com

www.koykermfg.com



Loaders

Loaders And Mounts To Fit Your Tractor

Backhoes

Ability To Do Your Own Dirt Work

Attachments

A Variety Of Options For Your Loader

Bale Caddie Accumulator

One Person Haying Operation

Post Pounder

Post Pounder And Puller In One





LOADER MODEL	TRACTOR HORSEPOWER RANGE	MAXIMUM PRESSURE	RAISING/ LOWERING TIME	MAXIMUM LIFT HEIGHT TO PIVOT PIN	LIFT CAPACITY MAXIMUM HEIGHT AT PIVOT PIN	LIFT CAPACITY TO MAXIMUM HEIGHT 19.7" FORWARD OF PIVOT PIN
50	10-25	2000 PSI	3/2 sec.	5 ft. 10 in.	700 lbs.	470 lbs.
80	12-25	2200 PSI	3/2 sec.	6 ft.	960 lbs.	700 lbs.
120	14-30	2200 PSI	4/2 sec.	7 ft. 1 in.	1250 lbs.	850 lbs.
125	14-30	2200 PSI	4/2 sec.	7 ft. 1 in.	1250 lbs.	850 lbs.
140	15-30	2200 PSI	4/3 sec.	7 ft. 10 in.	1300 lbs.	970 lbs.
145^A	20-45	2200 PSI	3/2 sec.	8 ft. 5 in.	1320 lbs.	990 lbs.
145^B	20-45	2200 PSI	4/3 sec.	8 ft. 5 in.	1810 lbs.	1350 lbs.
155^A	20-45	2200 PSI	4/2 sec.	8 ft. 5 in.	1480 lbs.	1100 lbs.
155^B	20-45	2200 PSI	5/3 sec.	8 ft. 5 in.	2030 lbs.	1500 lbs.
160^A	20-45	2200 PSI	4/2 sec.	8 ft. 5 in.	1480 lbs.	1100 lbs.
160^B	20-45	2200 PSI	5/3 sec.	8 ft. 5 in.	2020 lbs.	1500 lbs.
180	30-60	2200 PSI	4/3 sec.	9 ft. 6 in.	2470 lbs.	1610 lbs.
185	30-60	2200 PSI	4/3 sec.	9 ft. 6 in.	2470 lbs.	1610 lbs.
185^B	30-60	2200 PSI	3/2 sec.	9 ft. 6 in.	1890 lbs.	1220 lbs.
185^D	30-60	2200 PSI	4/3 sec.	9 ft. 6 in.	2470 lbs.	1610 lbs.
190	30-60	2200 PSI	4/3 sec.	9 ft. 6 in.	2470 lbs.	1610 lbs.
195^C	30-60	2200 PSI	4/3 sec.	9 ft. 6 in.	2470 lbs.	1610 lbs.
195^B	30-60	2200 PSI	3/2 sec.	9 ft. 6 in.	1890 lbs.	1220 lbs.
220	30-75	2200 PSI	5/3 sec.	10 ft. 2 in.	2750 lbs.	1800 lbs.
235	30-80	2200 PSI	5/3 sec.	10 ft. 7 in.	2640 lbs.	1740 lbs.
245	30-80	2200 PSI	5/3 sec.	10 ft. 7 in.	2640 lbs.	1740 lbs.
310	45-90	2500 PSI	5/3 sec.	11 ft. 7 in.	3590 lbs.	2430 lbs.
315	45-90	2200 PSI	5/3 sec.	11 ft. 3 in.	3200 lbs.	2170 lbs.
345	45-90	2500 PSI	5/3 sec.	11 ft. 7 in.	3590 lbs.	2430 lbs.
385	45-90	2500 PSI	6/4 sec.	11 ft. 5 in.	3325 lbs.	2290 lbs.
445	60-115	2500 PSI	5/3 sec.	12 ft.	3720 lbs.	2575 lbs.
510	60-160	2500 PSI	7/5 sec.	12 ft. 10 in.	5540 lbs.	3850 lbs.
545	80-135	2500 PSI	5/3 sec.	12 ft. 11 in.	4200 lbs.	2930 lbs.
585	90-180	2500 PSI	5/3 sec.	13 ft. 7 in.	5360 lbs.	3735 lbs.
600	90-180	2500 PSI	6/4 sec.	13 ft. 10 in.	5210 lbs.	3810 lbs.
645	90-200	2500 PSI	6/5 sec.	14 ft. 6 in.	6780 lbs.	4830 lbs.
1585	90-180	2500 PSI	4.8/3.4 sec.	13 ft. 7 in.	5216 lbs.	3607 lbs.
2585	90-180	2500 PSI	5/3 sec.	13 ft. 7 in.	5067 lbs.	3527 lbs.
2785	145-275	2900 PSI	6/4 sec.	15 ft. 6 in.	6320 lbs.	4500 lbs.
C185	30-60	2200 PSI	4.1/2.8 sec.	10 ft.	2055 lbs.	1430 lbs.
C200	45-75	2200 PSI	4.1/2.8 sec.	10 ft. 1 in.	2045 lbs.	1610 lbs.

A= 1 3/4" Cylinders

B= 2" Cylinders

C= 2 1/4" Cylinders

D= Short Pedestal

** All dimensions conform to ASAE standards. All dimensions depend on make, size and model of tractor and safety of operation. Specifications subject to change and/or improvement with notice.

THE HISTORY

In the late 1950's, Sioux Steel purchased the number one auger manufacturer, Koyker Manufacturing Company, which was located in Hull, Iowa. Koyker's product line was expanded in the mid 1960's, with the addition of a line of front-end tractor loaders and grain cleaners.

In the 1980's, Sioux Steel relocated it's Hull, IA facility, and its product lines to the Lennox, SD plant location. With the entire Koyker Division now located in Lennox, SD, Koyker re-focused and expanded their product line-up to include loader models for tractors ranging from 20hp to 285hp. This is the broadest loader line-up in the country. They also added Dakota backhoes, a line of skid-steer attachments, and the award winning Bale Caddie small bale accumulator. Koyker's state-of-the-art baked enamel system bakes on an automobile-type finish on all new products.

A VARIETY OF MODELS AVAILABLE! SEE COMPLETE LISTINGS ON OPPOSITE PAGE



140 LOADER

15-30 HP - WRAP STYLE MOUNT



160 LOADER

20-45 HP - WRAP STYLE MOUNT



185 LOADER

30-60 HP - PLATE PEDESTAL MOUNT



190 LOADER

30-60 HP - WRAP STYLE MOUNT



245 LOADER

30-80 HP - POCKET PEDESTAL MOUNT



315 LOADER

45-90 HP - WRAP STYLE MOUNT



385 LOADER

45-90 HP - PLATE PEDESTAL MOUNT



445 LOADER

60-115 HP - PLATE PEDESTAL MOUNT



545 LOADER

80-135 HP - PLATE PEDESTAL MOUNT



585 LOADER

90-180 HP - PLATE PEDESTAL MOUNT



C185 LOADER

30-60 HP - PLATE PEDESTAL MOUNT



C200 LOADER

45-75 HP - PLATE PEDESTAL MOUNT

FEATURES

- Quick Attach Mounting
- Solid Knee Joint Strength
- Self-Storing Parking Stand
- Fast Attaching Buckets
- Grapple Forks
- Dual Torque Tubes
- Easy On/Off Attachments
- Attachments

Not all features available on all loader models. Contact Koyker Manufacturing for more details.



2585 PRO LOADER

90-180 HP - PLATE PEDESTAL MOUNT



2785 PRO LOADER

145-275 HP - PLATE PEDESTAL MOUNT



Koyker Manufactures Farm Loaders That Mount:

CASE IH

JOHN DEERE

NEW HOLLAND

KUBOTA

MCCORMICK

NEW GRAPPLE AVAILABLE



645 FEATURES

- Fits 2WD or FWA, 90-200HP Tractors
- Optional Grapple Fork Available
- Dual Reinforced Torque Tubes
- Pocket Pedestal Mount
- Massive Joint Strength
- Fast Attach Buckets

Contact Koyker Manufacturing For More Details.



BACKHOE EQUIPMENT

KB660 BACKHOE



FEATURES

- Six Spool Sectional Control Valve With Safety Unload
- Adjustable Swing Speed
- Step Through Operators Area
- High Abrasion Resistant Hydraulic Hose
- Bucket Available in 9", 12" and 15" Widths
- Digging Depth is 78"
- Reach From Swing Pivot is 108"

KB800C BACKHOE



FEATURES

- Excavator Inspired Curved Boom
- Adjustable Swing Speed
- Step Through Operators Area
- High Abrasion Resistant Hydraulic Hose
- Heavy-Duty Excavator Style Buckets Available in 13", 16", 18" & 24"
- Digging Depth is 90"
- Reach From Swing Pivot is 93"

KB900C BACKHOE



FEATURES

- Excavator Inspired Curved Boom
- Adjustable Swing Speed
- Step Through Operators Area
- High Abrasion Resistant Hydraulic Hose
- Hydraulic & Manual Thumb Option Available
- Bucket Available in 13", 16", 18" & 24" Widths
- Digging Depth is 109"
- Reach From Swing Pivot is 144"

THE PRODUCTS

For years, Koyker Manufacturing Company of Lennox, South Dakota, has provided the farm loader industry with innovative ideas for a more efficient and dependable means of material handling.


Now, with the increasing popularity of the MFWD (Mechanical Front Wheel Drive) tractors, Koyker has again met the challenge and provided the market with a loader that will allow the efficient use of these tractors in material handling. The Koyker line of products provides you with state-of-the-art design and innovation for your on-farm handling chores. Features such as quality construction, ease of maintenance, and high performance operating capacities, all at a low price, make Koyker products some of the most efficient ever. With proper care and handling, it will provide many years of dependable service.

ATTACHMENTS FOR LOADERS

BALE SPEARS

FEATURES


- Singles Have 2200 LBS Capacity
- Doubles Have 4400 LBS Capacity
- Fully Tapered Tines Allow For Easier Penetration and Withdrawl
- Tapered Socket Provides Support For Spear
- Standard 4 Tine Square Bale Spear Has The Option Between 39" or 48" Tines
- Fast On-Off System



PALLET FORKS

FEATURES

- Change Attachments Quickly
- Attachments Install in Minutes
- Increased Versatility
- Lower Attachment Cost



PALLET FORKS WITH TELESCOPIC BOOM

FEATURES

- 5500 LBS Capacity
- Solid Pallet Fork Tines
- Adjustable Width 8" to 55"
- Bulkhead Height 38"
- Bulkhead Constructed of 1/4" High Tensile Steel Tubing
- Boom Adjust To 5 Different Lengths In 8" Increments



CAUTION



CAUTION - Be sure stabilizer spike is in place when handling large round hay bales with fork-type equipment.

CAUTION - A heavy load can cause your tractor to tip over. When moving heavy loads, keep the load as close to the ground as possible, go slowly around turns, and be sure the front and rear of tractor is properly counterbalanced with weights.

CAUTION - The operator is responsible for the safety of themselves and others when operating equipment.



BALE CADDIE ACCUMULATOR



BALE CADDIE

FEATURES

The Bale Caddie is a small bale accumulating system that makes accumulating, stacking and moving of small square hay bales truly a "one-person operation." Small hay bales have steadily grown in demand due to increased hay varieties and overall hay quality.

- One-Person Haying Operation
- 2" x 4" Tubular Steel Construction
- Spiked Steel Roller Powered By Hydraulic Motor
- 4 Rows of 3 Bales or 4 Rows of 2 Bales

As the baler ejects each bale, they are accumulated on the receiving bed. A push bar is engaged when the receiving bed is full and moves bales onto the accumulating bed. Once accumulating bed has 8-12 bales, the bales are deposited into the field. Bales are then ready for pickup using the bale grabber.

GRABBER

FEATURES

Versatile curved teeth allow for picking up and stacking bales in any configuration. From field to wagon, wagon to stack, stack to semi-trailer, pickup to flatbed. No more loading by hand, this is truly a one-person haying operation. Front-end loader and skid steer adaptable. Full tubular steel frame. Able to pick up any amount of bales from one to twelve with claws that will not cut bale's twine.

- Must Have Bale Caddie Accessory
- Speeds Up Loading Process
- Attaches To Front End Loader or Skid Steer
- Low Profile: Only 32 Inches Tall
- Claws Will Not Cut Bale Twines



THE FUTURE

Our continuing commitment to agriculture and dedication to modern manufacturing delivers products that are highly valued in the marketplace. It's why Koyker is a leading manufacturer of front-end loaders for all major brands of tractors in the United States.

With new products, such as the Bale Caddie Accumulator and the Post Puller/Pounder, Koyker Manufacturing is bringing the latest technologies to the marketplace. Koyker Manufacturing's continues to strive for innovation while producing proven products, made right here in the USA.

Contact Koyker Manufacturing today to learn more about each product line.

POST PULLER AND POUNDER

POST PULLER

FEATURES

Remove old fence with ease with this state-of-the-art skid steer post puller attachment. From 1" in diameter posts to railroad ties, this puller can handle it. Great for small trees, branches and bushes too!

- Doesn't Break Or Shred Wood Posts.
- Prevents Bending Of Metal Posts During Removal.
- One Person Operation.



FENCE POST PULLER

And Post Pounder - All In One!

POST PULLER AND POUNDER

FEATURES

Add the pounding hammer to the puller and you have a combined unit that does both. Tear out and build fence with the same attachment!

- One Person Operation For Improved Safety.
- Never Touch a Post By Hand.
- Recommended Minimum Lift Capacity of Skid Steer - 1500 lbs.



CONTACT US

Koyker Manufacturing
A Division of Sioux Steel Company
200 N. Cleveland, P.O. Box 409
Lennox, SD 57039

Toll Free: (800) 456-1107
Local: (605) 647-2811
Fax: (605) 647-2813
E-Mail: info@koykermfg.com
Website: www.koykermfg.com

*For more information about
Koyker Manufacturing
and our products, contact us at
1-800-456-1107 or log onto
www.koykermfg.com*





*For a local dealer in your area, contact Koyker Manufacturing
at 1-800-456-1107 or log onto www.koykermfg.com
and utilize the dealer locator option.*