

## L Series Snowblower Matching Chart

Charts for Quick Reference Only, Please refer to Wholegoods Numbers for proper applications

	Current Tractor Model	Order Code - Description	Mounting Kit Requirements	Completion Kit	OPTIONAL
FRONT SNOWBLOWERS	L3240, L3540, L3940  Requires: Tractor Mid-PTO Installation	<b>L2194A</b> ① 62" Front Snowblower (Includes Blower and Chute Rotator)  ① Requires L8338 for Mid PTO installation in L4240DT/GST/HST, L4740GST/HST, L5040GST, L5240HST, and L5740HST <b>**Can be used on GL-60 see Grand L-60 Series Section**</b>	<b>L2180-1</b> Quick Hitch <b>L2182</b> Driveline Kit (L3240, L3540, L3130, L3430, L3830) <b>L2186</b> Driveline Kit (L3940)	Not required with L2180-1 Quick Hitch	<b>L2179</b> Electric Chute Deflector  <b>L2177</b> Side Extension Kit (adds 5" overall cut)  <b>BL2666A</b> Hydraulic Chute Deflector Kit
	L4240, L4740, L5040, L5240, L5740  Requires: Tractor Mid-PTO Installation	<b>L2195A</b> ① 72" Front Snowblower (Includes Blower and Chute Rotator)  ① Requires L8338 for Mid PTO installation in L4240DT/GST/HST, L4740GST/HST, L5040GST, L5240HST, and L5740HST <b>**Can be used on GL-60 see Grand L-60 Series Section**</b>	<b>L2180-1</b> Quick Hitch <b>L2186</b> Driveline Kit (L4240, L4740, L5040, L5240, L5740, L4330, L4630, L5030)	Not required with L2180-1 Quick Hitch	<b>L2179</b> Electric Chute Deflector  <b>L2177</b> Side Extension Kit (adds 5" overall cut)  <b>BL2666A</b> Hydraulic Chute Deflector Kit
	L3560, L3240/L3540 Requires: Tractor Mid-PTO Installation on all models and an Internal Gears on ROPS GL60 models.	<b>L4469</b> ②③ 64" Utility Snowblower (Includes Manual Chute Deflector and Hyd. Chute Rotator)  <b>L4479</b> ②③ 74" Utility Snowblower (Includes Manual Chute Deflector and Hyd. Chute Rotator)	<b>L4554(A)</b> K3 Auto-Hitch and #70001-00623 <b>OR</b> <b>L4455(A)</b> K1 Manual-Hitch And <b>L4483</b> Driveline Kit (3cyl)	<b>L4432</b> when using on <b>L4554(A)</b> Hitch <b>OR</b> <b>L4431</b> when using on <b>L4455(A)</b> Hitch <b>OR</b>	<b>L2177</b> Side Extension Kit (adds 5" overall cut) <b>BL2666A</b> Hydraulic Chute Deflector Kit <b>L4456</b> Ground Pressure Relief
	L3940 – L5740, L4060, L4760, L5060, L5460, L6060  Requires: Tractor Mid-PTO Installation on all models and an Internal Gears L4240-L5740 ROPS and L4060-L6060 ROPS models.	<b>L4479</b> ①②③ 74" Utility Snowblower (Includes Manual Chute Deflector and Hyd. Chute Rotator) <b>L4474</b> ①②③ 74" Commercial Snowblower (Includes Hyd. Chute Deflector and Hyd. Chute Rotator) <b>L4485</b> ①②③ 80" Commercial Snowblower (Includes Hyd. Chute Deflector and Hyd. Chute Rotator)	<b>L4554(A)</b> K3 Auto-Hitch <b>OR</b> <b>L4455(A)</b> K1 Manual-Hitch And <b>L4484</b> Driveline Kit (4cyl)	<b>L4479</b> – requires <b>L4432</b> when using on <b>L4554(A)</b> Hitch <b>OR</b> <b>L4431</b> when using on <b>L4455(A)</b> Hitch <b>L4474/L4485</b> requires <b>L4434</b> when using <b>L4554(A)</b> <b>OR</b> <b>L4433</b> when using <b>L4455(A)</b>	<b>L2177 (L4479 only)</b> Side Extension Kit (adds 5" overall cut) <b>BL2666A (L4479 only)</b> Hydraulic Chute Deflector Kit  <b>L2470</b> 74" Teflon Cutting Edge for L4474 <b>L2471</b> 80" Teflon Cutting Edge for L4485 <b>L4456</b> Ground Pressure Relief
	<b>BL2664:</b> L3200, L3800, <b>L2501, L3301, L3901</b> L4400, L3240, L3540, L4600, <b>L4701</b> L3560  <b>L2674:</b> L3940, L4240, L4740, L5040, L5240, L5740, L4060, L4760, L5060, L5460, L6060	<b>Must order both BL2664</b> 64" REAR Snowblower or <b>L2674</b> 74" REAR Snowblower  <u>and</u>  BL2665 Manual Chute Rotator or B2784A Hydraulic Chute Rotator	No mounting kit required, units mount to 3-Pt. Hitch. Without Front Loader: (3) Front Weights recommended for BL2664 (4) Front Weights recommended for L2674	Completion kits not required on rear mounted snowblowers	<b>BL2666A</b> Hyd. Chute Deflector with Electric Selector Valve <b>M2686</b> Hyd. Chute Deflector <b>B2516A</b> Electric Chute Deflector <b>L2177</b> Side Extension Kit (Adds 5" to overall cut)

① Requires L8338 for Mid PTO installation all models and in L4240DT/GST/HST, L4740GST/HST, L5040GST, L5240HST, and L5740HST requires L8316 Internal gear kit.

② Requires L8387 Mid PTO on all models; Also L8316 internal gear Kit on all Non-Cab L60 Series.

③ Grand L40 Series tractors require mount kits L4473 for mounting the hitch on the tractor. Refer to wholegoods numbers.

**NOTE: Check all tractor and implement references for proper counter weight requirements.**

**See Prior Model Section at the end of this section for Prior Model Matching Charts**

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point.

Complete revision January 1, 2016.

## L Series Front Quick Hitch Mounted Snowblowers

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>GRAND L-60 &amp; L-40 FRONT QUICK HITCH MOUNTED UTILITY SNOWBLOWERS</b> <b><u>(Mid PTO Install Required)</u></b>				
L4469		64" Two-Stage Utility Snowblower - Requires: Completion Kit, Quick Hitch, and Driveline Kit (L3240, L3540, L3560)	532	\$4,625.00
L4479		74" Two-Stage Utility Snowblower - Requires: Completion Kit, Quick Hitch and Driveline Kit All Grand L40 & L60 Models	916	\$5,055.00
L2194A	①	62" Two-stage Utility Snowblower Requires: L4445 Adapter Kit, Quick Hitch, Driveline Kit, and a Completion Kit (L3240, L3540, L3560, L3940)	796	\$4,860.00
L2195A	①	72" Two-stage Utility Snowblower Requires: L4445 Adapter Kit, Quick Hitch, Driveline Kit and a Completion Kit (L4240 - L5740) (L4060 - L6060)	835	\$5,272.00
<b>Requires One Quick Hitch</b>				
L4455*	②⑤ ⑥⑦⑧	K1 Manual-Hitch (Does not include driveline - must order either L4483 or L4484 to install)	555	\$2,000.00
L4554*	②⑤ ⑥⑦	K3 Auto-Hitch - Equipped with Auto Module (includes 4 cyl. Driveline, for install on 3 cyl. Model order - #70001-00623 from the parts department instead of complete driveline kit L4483.)	720	\$7,995.00
L4455A	②⑤ ⑥⑦⑧	K1 Manual-Hitch (Does not include driveline - must order either L4483 or L4484 to install)	555	\$2,000.00
L4554A	②⑤ ⑥⑦	K3 Auto-Hitch - Equipped with Auto Module (includes 4 cyl. Driveline, for install on 3 cyl. Model order - #70001-00623 from the parts department instead of complete driveline kit L4483.)	720	\$7,995.00
<b>Requires One Completion Kit and One Driveline Kit</b>				
L4431		Completion Kit for Utility Snowblower (L4469 or L4479) or (L2194A or L2195A) for use on K1 Manual-Hitch L4455(A) (includes Male Half Driveline and Hyd. Hoses)	20	\$263.00
L4432		Completion Kit for Utility Snowblower (L4469 or L4479) or (L2194A or L2195A) for use on K3 Auto-Hitch L4554(A) (includes Auto Module, Hyd. Cylinder for Chute Deflector, Hyd. Hoses, and PTO Coupler.)	35	\$1,137.00
L4483		3 Cylinder Driveline Kit for use on L3560-L3240-L3540	30	\$747.00
L4484	④	4 Cylinder Driveline Kit for use on L4060-L6060 and L3940- L5740 Tractors	31	\$747.00

- ① The L2194A and L2195A Snowblowers can be used on the Grand L-60 Hitches. Requires L4445 Adapter Kit, Driveline Kit, and one Completion Kit for Snowblower
- ② To use K1 Manual-Hitch L4455(A) or K3 Auto-Hitch L4554(A) on Grand L-40 Series, it requires Grand L-40 Mount Kit(s) L4473. Two kits are required if tractor is not equipped with a loader.
- ④ Fully Auto Hitch includes 4 cylinder driveline.
- ⑤ L4455(A) or L4554(A) Quick Hitch not compatible with RC72-38 Mid-mount Mower.
- ⑥ L4455(A) or L4554(A) Quick Hitch not compatible with L2224, L2233A, L2257 Grille Guard or MX8068 Weight Bracket
- ⑦ The use of the Ground Pressure Relief L4456 is not required but recommended for easier maneuverability.
- ⑧ If the GPR is used on L4455(A) K1 Manual-Hitch, L4449 Kit is required.

\* Subject to availability.

## L Series Front Quick Hitch Mounted Snowblowers

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Grand L-60 Quick Hitch Options</b>			
L4472	Auto Module Upgrade Kit - Required to upgrade K1 Manual-Hitch L4455(A) to K3 Auto-Hitch		\$5,248.00
L4456	⑧ GPR - Ground Pressure Relief System (requires one Quick Hitch either L4554(A) or L4455(A))		\$1,778.00
L4473	② Grand L-40 Mount Kit for use of L4554(A) or L4455(A) Quick Hitch on Grand L-40 Series.		\$53.00
L4449	⑧ GPR Hose Kit & Control Box - (Required when installing L4456 GPR on L4455(A) K1 Manual-Hitch)		\$399.00
<b>Utility Snowblower Options</b>			
L2177	Drift Cutter Kit (adds 5" overall cut)		\$108.00
BL2666A	Hydraulic Chute Deflector Kit (with electric selector valve)		\$902.00
L4445	Snowblower Adapter Kit - Required to convert L2194A or L2195A Snowblower for use on K1 Manual-Hitch Requires: Quick Hitch, Driveline Kit, and a Completion Kit		\$460.00

- ② To use K1 Manual-Hitch L4455(A) or K3 Auto-Hitch L4554(A) on Grand L-40 Series, it requires Grand L-40 Mount Kit(s) L4473. Two kits are required if tractor is not equipped with a loader.
- ⑧ If the GPR is used on L4455(A) K1 Manual-Hitch, L4449 Kit is required.

## L Series Front Quick Hitch Mounted Snowblowers

### FRONT QUICK HITCH MOUNTED COMMERCIAL SNOWBLOWERS FOR GRAND L-60 & L-40 SERIES - (Mid PTO Installation Required)

L4474	③	74" Commercial Snowblower (Includes 3-piece Hyd. Chute Deflector and Chute Rotation Motor) Requires Snowblower Completion Kit, Mid PTO, Quick Hitch and Driveline Kit (L3940 - L5740) (L4060 - L6060)	1280	\$7,725.00
L4485	③	80" Commercial Snowblower (Includes 3-piece Hyd. Chute Deflector and Chute Rotation Motor) Requires Snowblower Completion Kit, Mid PTO, Quick Hitch and Driveline Kit (L3940 - L5740) (L4060 - L6060)	1320	\$7,927.00
<b>Requires One Quick Hitch</b>				
L4455*	②⑤ ⑥⑦⑧	K1 Manual-Hitch (Does not include driveline - must order either L4483 or L4484 to install)	555	\$2,000.00
L4554*	②⑤ ⑥⑦	K3 Auto-Hitch - Equipped with Auto Module (includes 4 cyl. Not compatible on 3 cylinder models)	720	\$7,995.00
L4455A	②⑤ ⑥⑦⑧	K1 Manual-Hitch (Does not include driveline - must order either L4483 or L4484 to install)	555	\$2,000.00
L4554A	②⑤ ⑥⑦	K3 Auto-Hitch - Equipped with Auto Module (includes 4 cyl. Not compatible on 3 cylinder models)	720	\$7,995.00
<b>Requires One Completion Kit and One Driveline Kit</b>				
L4433		Completion Kit for Commercial Snowblower (L4474 or L4485) for use on K1 Manual-Hitch L4455(A) (includes Female Driveline and Hyd. Hoses)	20	\$263.00
L4434		Completion Kit for Commercial Snowblower (L4474 or L4485) for use on K3 Auto-Hitch L4554(A) (includes Auto Module, Hyd. Cylinder for Chute Deflector, Hyd. Hoses, and PTO Coupler.)	35	\$877.00
L4484	④	4 Cylinder Driveline Kit for use on L4060-L6060 and L3940-L5740 Tractors	31	\$747.00

- ② To use K1 Manual-Hitch L4455(A) or K3 Auto-Hitch L4554(A) on Grand L-40 Series, it requires Grand L-40 Mount Kit(s) L4473. Two kits are required if tractor is not equipped with a loader.
- ③ Commercial Snowblower is not to be used on 3 Cylinder Models L3560, L3240, L3540
- ④ K3 Auto-Hitch includes a 4 cylinder driveline kit.
- ⑤ L4455(A) or L4554(A) Quick Hitch not compatible with RC72-38 Mid-mount Mower.
- ⑥ L4455(A) or L4554(A) Quick Hitch not compatible with L2224, L2233A, L2257 Grille Guard or MX8068 Weight Bracket.
- ⑦ The use of the Ground Pressure Relief L4456 is not required but recommended for easier maneuverability.
- ⑧ If the GPR is used on L4455(A) K1 Manual-Hitch, L4449 Kit is required.

\* Subject to availability.

## L Series Front Quick Hitch Mounted Snowblowers

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Grand L-60 Quick Hitch Options</b>			
L4472	Auto Module Upgrade Kit - Required to upgrade K1 Manual-Hitch L4455(A) to K3 Auto-Hitch	160	\$5,248.00
L4456	⑧ GPR - Ground Pressure Relief System (requires one Quick Hitch either L4554(A) or L4455(A))	150	\$1,778.00
L4473	② Grand L-40 Mount Kit for use of L4554(A) or L4455(A) Quick Hitch on Grand L-40 Series.	15	\$53.00
L4449	⑧ GPR Hose Kit & Control Box - (Required when installing L4456 GPR on L4455(A) K1 Manual-Hitch)	22	\$399.00
<b>Commercial Snowblower Options</b>			
L2470	74" Teflon Cutting Edge - For Commercial Snowblowers	15	\$283.00
L2471	80" Teflon Cutting Edge - For Commercial Snowblowers	15	\$315.00

- ② To use Manual 4 Point Quick Hitch L4455(A) or Fully Auto 4 Point Quick Hitch L4554(A) on Grand L-40 Series, it requires Grand L-40 Mount Kit(s) L4473. Two kits are required if tractor is not equipped with a loader.
- ⑧ If the GPR is used on L4455(A) Manual Quick Hitch, L4449 Kit is required.

## L Series Front Quick Hitch Mounted Snowblowers

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT SNOWBLOWERS FOR GRAND L-40, GRAND L-30 SERIES TRACTORS ①</b>			
<b>L3240, L3540, L3940, L3130, L3430, L3830</b>			
L2194A	⑤ 62" Two-stage Commercial Snowblower Requires: L2180-1 Quick Hitch, Mid PTO Kit and Drive Line Kit L-40 Series	796	\$4,860.00
<b>L4240, L4740, L5040, L5240, L5740, L4330, L4630, L5030</b>			
L2195A	⑤ 72" Two-stage Commercial Snowblower Requires: L2180-1 Quick Hitch, Mid PTO Kit and Drive Line Kit L-40 Series	835	\$5,272.00
<b>L3130, L3430, L3830, L4330, L4630, L5030 (Mid-PTO KIT Installation Required)</b>			
L2174A*	62" Two-stage Commercial Snowblower Requires: L2175B Chute Kit. Also must order L2180-1 Quick-hitch Sub-frame, Drive Line Kit (see selection) And Valve kit for complete installation.	430	\$2,221.00
L2185*	72" Two-stage Commercial Snowblower. Requires: L2175B Chute Kit. Also must order L2180-1 Quick-hitch Sub-frame, Drive Line Kit (see selection) and Valve kit for complete installation.	430	\$2,564.00
L2175B*	Chute Kit. Required for L2174A or L2185. Hydraulic Chute rotation standard.	180	\$1,988.00
<b><u>Required and Optional Accessories</u></b>			
L2180-1	②③④ Quick-hitch for "ALL" GL30 and GL40 Series	535	\$1,682.00
L2213A	Joystick Control Valve (4-position ROPS) With Loader installed	38	\$705.00
L2223A	Joystick Control Valve (4-position CAB) without Loader Requires: L2187 Valve Mounting Kit	42	\$1,022.00
L2187	* Valve Mounting Kit (without Loader) Requires: L2223 Joystick Control Valve	17	\$80.00
L2182	Drive Line Kit Required for L2194A L3240, L3540, L3130, L3430, L3830	32	\$618.00
L2186	Drive Line Kit Required for L2195A L3940, L4240, L4740, L5040, L5240, L5740, L4330, L4630, L5030	33	\$682.00
L2179	Electric Chute Deflector For L2174A, L2185, L2194 or L2195	16	\$773.00
L2177	Drift Cutter Kit (adds 5" overall cut)	27	\$108.00
L2188	* Upgrade Support Frame Kit for L2180 only (L2180-1 includes L2188)	5	\$101.00
BL2666A	Hydraulic Chute Deflector for BL2664 or L2674	21	\$902.00
B2516A	Electric Chute Deflector for BL2664 or L2674	8	\$597.00

\* Subject to availability

① Track width may not be covered with all tire combinations.

② Prior model L2180 requires L2188 Upgrade Support Frame Kit.

③ L2180-1 Quick Hitch not compatible with RC72-38 Mid-mount Mower.

④ L2180-1 Quick Hitch not compatible with L2224 and L2233A Grille Guard unless lower cross member is removed.

⑤ The Grand L40 Series snowblowers can also be used on the Grand L40 with the Grand L60 Quick Hitches (L4455(A) Manual Hitch and L4554(A) Fully Auto Hitch). See Grand L-60 & L-40 Series Front Quick Hitch Mounted Snowblower Section

## L Series Front Quick Hitch Mounted Snowblowers

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>SNOWBLOWERS FOR 10 SERIES TRACTORS</b>				
L2174A	*	SNOWBLOWER (Must order L2175B) 62", Two-Stage Commercial Front Snowblower. Requires L2054B Quick-Hitch Subframe, L2175A Chute Kit, L2076 or L2086, L2206, L2207 (only with LA482 or LA682 Loader) Joystick/Hyd Valve Kit and L2051A Mid-PTO Kit.	430	\$2,221.00
L2175B	*	Chute Kit, requires L2174A Snowblower. Hydraulic chute rotation standard.	180	\$1,988.00
L2179		Electric Chute Deflector	16	\$773.00
L2177		Drift Cutter Kit	27	\$108.00

### SUBFRAME, CONTROL VALVE, AND MID-PTO KIT FOR L2174A (1 Each Required)

L2054B	*	Quick Hitch	335	\$1,257.00
L2206	*	Joystick/Hyd. Valve Kit For L3010 (all), L3410 (all), and L3710HST/HSTC. Two Spool Valve with Float. Compatible with Loader. ((4) Position Cab)	42	\$1,022.00
L2207-1	*	Joystick/Hyd. Valve Kit For L3010 (all), L3410 (all), and L3710HST. Two Spool Valve with Float (requires LA482/LA682 Loader). Compatible with Loader. ((4) Position)	25	\$705.00
L2086	*	Joystick/Hyd. Valve Kit For L3010 (all), L3410 (all), L3710HST/HSTC. Two Spool Valve with Float. Compatible with Loader. ((4) Position Cab)	56	\$907.00
L2051A	*	Mid-PTO Kit	25	\$485.00
L2071	*	Front Support Kit	25	\$109.00

\* Subject to availability.

- ① Requires Rear Remote and BL2666 electric selector valve kit if only one rear remote is used when installing Hydraulic Deflector and Chute Rotator on the same Snowblower.
- ② Prior model L2180 requires L2188 Upgrade Support Frame Kit.
- ③ L2180-1 Quick Hitch not compatible with RC72-38 Mid-mount Mower.
- ④ L2180-1 Quick Hitch not compatible with L2224 and L2233A Grille Guard unless lower cross member is removed.